MILITARY SPECIFICATION

OVERHAUL OF RADAR SET AN/TPS-32

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for overhaul of the AN/TPS-32 Radar Set. The radar set is a transportable, long-range, three-dimensional, computer-controlled, S-band radar, compatible with the Marine Tactical Data System. The AN/TPS-32 Radar Set is composed of three equipment shelters and a pedestal mounted antenna array. The major components and accessories are listed in the Appendix, Table I.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on the date of invitation for bids or request for proposal form a part of the specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

QQ-S-571	- Solder, Tin Alloy, Lead-Tin Alloy and Lead Alloy.

MILITARY

MIL-E-1	- Electron tube, General Specification For.
MIL-T-152	- Treatment, Moisture-and Fungus-Resistant, of Communications, Electronic, and Associated Electrical Equipment.
MIL-T-704	- Treatment and Painting of Materiel.
MIL-E-4158	- Electronic Equipment, Ground; General Requirements for.
MIL-S-6872	- Soldering Process, General Specification for.
MIL-M-10304	- Meter, Electrical Indicating, Panel Type, Ruggedized, General Specification for.
MIL-P-15024	- Plate, Tags and Bands for Identification of Equipment.
MIL-E-16400	- Electronic Interior Communication and Navigation Equipment, Naval Ship and Shore, General Specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

MIL-E-17555	- Electronic and Electrical Equipment Accessories, and Repair Parts, Packaging and Packing of.
MIL-I-45208	- Inspection System Requirements.
MIL-C-45662	- Calibration System Requirements.

STANDARDS

MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-454	- Standard General Requirements for Electronic Equipment.
MIL-STD-480	- Configuration Control-Engineering Changes, Deviations and Waivers.
MIL-STD-481	- Configuration Control-Engineering Changes, Deviations and Waivers (Short Form).

PUBLICATIONS

USMC Technical Manuals for Radar Set AN/TPS-32:

TM-04401A-14/1	- Volume 1 General Information
TM-04401A-14/2	- Volume 2 Installation
TM-04401A-14/3	- Volume 3 Operation
TM-04401A-14/4	- Volume 4 Shelters and Auxiliary Systems, Troubleshooting and Maintenance
TM-04401A-14/5	- Volume 5 Computer System, Troubleshooting and Maintenance
TM-04401A-14/6	- Volume 6 Computer System, Troubleshooting Diagrams
TM-04401A-14/7	- Volume 7 Frequency Synthesizer, Trouble-shooting and Maintenance
TM-04401A-14/8	- Volume 8 Receiver System, Troubleshooting
TM-04401A-14/9	- Volume 9 Radar Display Console, Trouble-shooting and Maintenance
TM-04401A-14/10	- Volume 10 Transmitter System, Trouble-shooting and Maintenance
TM-04401A-14/11	- Volume 11 Antenna Group, Troubleshooting and Maintenance
TM-04401A-14/12	- Volume 12 Schematic Diagrams
TM-04401A-14/13	- Volume 13 Wire List (parts 1 and 2)
TM-04401A-14/14	- Volume 14 String List
TM-04401A-14/15	- Maintenance Prints for Radar Set AN/TPS-32
TM-04001A-14/16	- Performance Standard Sheet for Radar Set AN/TPS-32 and Maintenance Standards Book for Radar Set AN/TPS-32
TM-01430D-15/1	- Technical Manual for Interrogator Set AN/TPX-28D

Source: https://assist.dla.mil -- Downloaded: 20260-20T22:33Z
Check the source to verify that this is the current version before use.

TM-01430D-15/2	- Maintenance Standards Book for Interrogator Set AN/TPX-28D
TM-06161-15 (NAVSHIPS 0967-374-7010)	- Technical Manual for Decoder Group AN/UPA-59(V) and Decoder Group AN/UPA-60(V)
TM-06161-15 (NAVSHIPS 0967-374-7030)	- Maintenance Standards Book for Decoder Group AN/UPA-59(V) and Decoder Group AN/UPA-60(V)
TM-05860A-1000-14/2	- USMC Technical Manual for Shelters/Air Conditioner

(Copies of specifications, standards and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 General. The contractor shall perform overhaul, repair, calibration, performance testing and preparation for storage and shipment of equipment to a destination specified in the contract or purchase order. Any overhauled equipment failing to meet the performance requirements specified herein will be rejected and shall be reworked by the contractor. Maintenance tools, specialized items, and test equipment required to perform this overhaul shall be furnished by the contractor.

3.1.1 Initial inspection. The contractor shall disassemble and perform a prerepair inspection to determine the extent of overhaul and repair necessary for each equipment. A complete listing shall be made of all items to be replaced or repaired, including those items listed in the Appendix, Tables II through VI.

3.1.2 Initial inventory. A list of all items determined to be missing as a result of inventory shall be submitted to the contracting officer. The Government shall determine if the missing items are to be contractor furnished or are to be furnished by the Government as Government-furnished material (GFM).

3.1.3 Publications. All peculiar AN/TPS-32 publications referenced in 2.1 and the Appendix, Table VII, will be provided as GFM.

3.1.4 Field changes and modifications. The contractor shall ensure that all authorized field changes and modifications, effective at the date of invitation for bids, are incorporated in the radar set. Field change material shall be procured through normal supply channels or as otherwise directed by the contracting officer.

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

3.2 Material. All parts or material used for replacement shall meet or exceed the performance specifications of the original parts, shall be directly interchangeable with the original part, and shall comply with MIL-E-4158. Material and processes shall meet or exceed requirements of MIL-STD-454 and MIL-I-45208 in addition to the requirements specified herein.

3.3 Overhaul and repair. Overhaul and repair to be accomplished by the contractor shall include the repair, rebuilding, overhaul, calibration and testing of repairable equipment, assemblies, or subassemblies at a site designated by the contracting officer. All defects shall be corrected in accordance with MIL-STD-480 and MIL-STD-481. Repair, adjustment, alignment and calibration shall be conducted in accordance with the requirements set forth in the Technical Manuals in 2.1 and the test procedures referenced in the Appendix, Table VII. Calibration of all test equipment and standards used during overhaul, repair calibration and testing shall conform to requirements of MIL-C-45662.

3.3.1 Parts replacement. Worn or damaged parts shall be repaired as required. Parts other than those referenced in the Appendix, Tables II through VI, shall be replaced only when repair is considered uneconomical. Economical repair is considered to be that repair which can be accomplished within 65 percent of the unit price. Determination of economical repair versus replacement will be made by the Government.

3.3.1.1 Parts replacement, Government-furnished property. To preclude delays in performance which could occur due to acts of God, defaults of subcontractors or causes beyond the contract and without the fault or negligence of the contractor, the Government may furnish the contractor Government-Furnished Property (i.e., parts, components, radars, etc.). Radars furnished may be cannibalized to the extent authorized by the contracting officer. Should cannibalization be authorized, the contractor shall replace the parts or components used and shall place the radar in the condition as originally furnished or as otherwise directed by the contracting officer.

3.3.2 Equipment cleaning. The interior and exterior of the equipment, air filters, and component parts shall be cleaned free of dirt, grease, corrosion, fungus, or other extraneous matter. Cleaning solvents shall be used only on parts which will not be damaged by the use of such solvents. Cleaning processes shall have no harmful or damaging effect on the equipment.

3.3.3 Wiring and cabling. All damaged wiring and cabling shall be replaced. Wiring shall be free from abrasion and deterioration and any wiring showing evidence of having been water soaked, or subjected to severe moisture conditions, shall be replaced. Insulation at wire terminals shall not be frayed nor the insulation at the end removed to the extent that the bare portion of the wire may short. All wiring protection devices such as

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

insulated sleeving, rubber grommets, bushings, etc., shall be inspected for damage or deterioration and shall be replaced with parts identical to the original if damage or deterioration is noted.

3.3.3.1 Sheathing. Damaged sheathing may be repaired by the use of shrink tubing.

3.3.3.2 Cable Markers. Cable markers shall be made legible by remarking or replacement. Cable markers shall be replaced without removing the cable connector.

3.3.3.3 New wiring and cabling. Color coding of replacement wiring shall be identical with the original wiring. Size shall be identical to the wires replaced. Wiring and cabling which replaces original wiring and cabling shall be neat and sturdy and shall be placed in the original position of the wire or cable replaced.

3.3.3.4 Wire connections. The ends of all wires and cables shall be securely fastened to terminals by effective means. All textile ends shall be varnished, clamped by the terminals, or covered by insulated sleeving of the proper size. Connections on all terminals and terminal boards shall have proper electrical and mechanical contacts.

3.3.3.5 Grounding. All ground connections in the equipment shall be checked for good electrical and mechanical contact. All defective ground connections shall be repaired.

3.3.4 Controls. The various controls shall rotate freely and smoothly without binding or excessive lost motion. Controls shall be repaired or replaced and properly lubricated where necessary, providing such lubrication does not interfere with the satisfactory performance of the equipment.

3.3.5 Electron tubes. All electron tubes shall be tested for proper performance. Any tube which cannot meet 80 percent of its transconductance/emission rating, or has an internal element defect shall be replaced. All defective tubes shall be replaced with tubes of the same type as the original and shall comply with MIL-E-1.

3.3.6 Relays. All relays shall be checked for proper operation. Time delay relays shall be checked to determine if they are within operating tolerance. Where possible, relay contacts shall be checked for pitting, correct contact alignment and tension. If defective relays cannot be repaired they shall be replaced.

3.3.7 Resistors. All resistors shall be visually checked for chips, cracks, charring, defective leads, and loose connections. The protective coating of composition and wire-wound resistors shall not be chipped or cracked to the extent that the resistive element is exposed. The movable

Source: https://assist.dla.mil -- Downloaded: 20260-20T22:33Z
Check the source to verify that this is the current version before use.

arm of variable resistors shall operate smoothly with no scratching, and shall show no evidence of passing through a binding or open section. All defective resistors shall be replaced in accordance with MIL-STD-454.

3.3.8 Fuses and fuseholders. All fuses and fuseholders shall be checked for proper size and type.

3.3.9 Interlocks. When the doors or panels of the equipment are opened or closed, safety interlock switches, where installed, shall operate with a positive action. The interlock switch wiring shall be checked to ensure that it is properly wired. Defective or slow acting interlock switches shall be replaced.

3.3.10 Panel lamps. Lamps shall be checked. They shall exhibit no evidence of darkening of glass and shall be of the proper type.

3.3.11 Meters. All meters shall be checked for damaged movements, cases, broken faces, and proper performance. If defective meters cannot be repaired, they shall be replaced in accordance with MIL-M-10304.

3.3.12 Transformers, inductors, and chokes. All transformers, inductors, and chokes shall be inspected for broken seams, leakage, overheating, and shorts or opens.

3.3.13 Capacitors. Fixed capacitors shall be clearly marked with the value, voltage rating, and tolerance. There shall be no swelling, leakage, or breaks in the protective coating. Terminal insulating bushings shall not be cracked or chipped. Terminal connections shall be tight and the capacitor shall show no evidence of leaking gaskets, seams, or cases. Electrolytic capacitors in equipments which have been in storage or disuse for extended periods of time shall be formed and checked for open and short circuits, leakage, and correct value before equipment is energized. Electrolytic capacitors shall be rechecked after 6 hours of continuous equipment operation. Other fixed capacitors shall be checked for proper operation by conducting in-circuit checks in accordance with MIL-STD-454.

3.3.14 Waveguide and waveguide parts. All waveguide components shall be inspected and cleaned. Defective components shall be replaced. All waveguide gaskets shall be replaced.

3.3.15 Radio frequency (rf) switches. All waveguide coaxial rf switches shall be inspected, cleaned and tested electrically and mechanically.

3.3.16 Bearings and gears. All bearings and gears shall be checked for wear, deterioration, slack and bask-lash tolerance. Replacement bearings and gears shall be identical to the originals.

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

3.3.17 Moisture and fungus treatment. The internal and external surfaces of the equipment shall be moistureproofed and fungusproofed in accordance with MIL-T-152 and MIL-E-16400.

3.3.18 Plastics and ceramics. Plastic and ceramic parts shall be inspected for breaks and severe chipping or scratches which may impair their functioning. Finished surfaces shall be smooth and shall not have burned or melted spots. Ceramic material shall be free of surface cracks and crazing. Defective parts shall be replaced. All replacement parts shall provide good resistance to fungus growth.

3.3.19 Frameworks, cabinets, and mechanical assemblies. All frameworks, cabinets, and mechanical assemblies such as the antenna group and shelters shall be checked for broken, cracked, or distorted members. All defective components shall be repaired or replaced. Shelters shall be repaired in accordance with TM-04401A-14/4, Section 5.

3.3.20 Soldering. Soft solder used in repair work shall be tin-lead solid or rosin-flux-core conforming to QQ-S-571 and MIL-STD-454. Flux for the soldering of electrical connections shall be rosin and alcohol, or rosin and turpentine. No acid or acid salts shall be used in the preparation for, or during, soldering. Soldering shall be executed to prevent sharp points or rough surfaces and shall be neat. Where insulation material is subject to heating during soldering, the material shall be undamaged and the fastened parts shall not be loosened. The minimum necessary amount of flux and solder shall be used for electrical connections. Soldering techniques shall be employed in accordance with MIL-S-6872 and MIL-STD-454.

3.3.21 Spare subassemblies. Spare subassemblies shall be overhauled and repaired in accordance with this specification, being treated in the same manner as installed subassemblies.

3.4 Finishes. Parts of the equipment having protective finishes shall be resistant to corrosion. Exterior surfaces shall be repainted, accomplishing only such sanding and paint removal required to assure a smooth and uniform finish. Paint similar to original coating shall be used. Preparation and painting techniques shall comply with MIL-T-704. Color shall match Marine Corps Green, No. 23, semigloss (see 6.3).

3.5 Identification and marking. The overhauled radar sets shall be permanently and legibly marked with supplementary identification plates. The supplementary identification plate shall be in accordance with MIL-P-15024, and shall include the following data:

(a) Overhaul Contractor's Name

(b) Marine Corps contract number

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

(c) Modifications performed

(d) Date of overhaul

(e) Equipment nomenclature

3.6 Workmanship. The radar set shall be overhauled in a thoroughly workmanlike manner. Particular attention shall be given to neatness and thoroughness of soldering, wiring, working of parts and assemblies, tightening of screws, freedom of moving parts in assemblies, cleaning of equipment and alignment procedures.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Inspection, test, and acceptance. Upon completion of the overhaul and repair, all systems shall be operationally and electrically inspected and tested at the acceptance site in accordance with the inspection and test procedures and criteria as set forth in this specification. Test data shall be recorded in the format outlined in the Test Procedures record referenced in the Appendix, Table VII and in TM-04401A-14/16.

4.2.1 Acceptance. Final acceptance shall be made by the Government at the designated test site. Failure of any system or subsystem to meet the minimum performance characteristics specified herein shall be cause for rejection of the end item. The end item shall be reworked to the extent necessary to correct the deficiency.

4.2.2 Notification. The contractor shall notify the contracting officer not later than 10 days prior to the final inspection.

4.2.3 Inspection check list. A proposed inspection and test check list including test procedures and associated acceptance criteria shall be submitted to the contracting officer for review and approval not later than 30 days prior to the final inspection.

4.3 Test methods and procedures. Requirements specified in Section 3 of this specification shall be met utilizing procedures referenced in the AN/TPS-32 Technical Manuals referenced in 2.1 and the test procedures

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

referenced under the Appendix, Table VII, including the criteria specified in the following paragraphs.

4.3.1 Mechanical inspection tests. The radar set shall be given a mechanical and visual inspection and test to determine that the quality of all material and workmanship is in compliance with the requirements of this specification. Particular attention shall be given the following:

(a) Nameplates, identification markings and labels.

(b) Ease of operation of gears, adjustable and sliding parts, thumbscrews, controls and switches.

(c) Finishes.

(d) Welded joints and structural members.

(e) Solder joints.

(f) Fit of components in their respective positions, including replacement parts.

(g) Lubrication and rust prevention.

(h) Safety features and interlocks.

(i) Loose fastenings and securing devices and parts.

(j) Proper replacement parts and material.

(k) Cables, cable runs including plugs, connectors and receptacles.

(l) Grounding connections.

(m) Other visual defects.

(n) Completeness of Radar Set AN/TPS-32 as listed in the Appendix, Table I.

4.3.2 Electrical system test. Each radar set shall be given a complete electrical system test to ensure that the overall performance and operation conform to the requirements of this specification. These tests shall include those system tests referenced in the Appendix, Table VII, and in the AN/TPS-32 Technical Manuals listed in 2.1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

4.3.3 Unit tests. Upon completion of repair and rehabilitation, the major assemblies shall be reassembled, and subjected to factory or operational unit test. This test shall:

(a) Incorporate, where applicable, alignment and checkout of wired cards, switches, relays, etc.

(b) Incorporate, where applicable, checkout of motors, pumps, hydraulic systems, drives, etc.

(c) Assure proper operation and performance of the refurbished radar system, and shall be conducted with sufficient detail to insure the detection of all malfunctions and misalignments. Repair and readjustment shall be performed when necessary.

4.3.4 System checkout and acceptance. Upon completion of unit tests, the radar system shall be erected in its characteristic configuration for full system checkout and acceptance.

4.4 Final tests. Final tests shall include the following:

(a) A complete system alignment and test shall be conducted to insure proper operation and performance of the radar system prior to final acceptance.

(b) System tests shall be conducted with the equipment completely assembled in its operational configuration.

(c) All operational characteristics shall be equal to or better than those specified for acceptance when the equipment was initially procured, with the exception that where authorized modifications have changed the original specifications, the modified specifications shall apply.

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging and packing. Preservation, packaging and packing shall be the level of shipment specified in the contract or order in accordance with MIL-E-17555 (see 6.2).

5.2 Marking. In addition to any special marking required by the contract or order, marking shall be in accordance with the requirements of MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. This specification is intended to provide overhaul and repair service requirements for the AN/TPS-32 Radar Set.

6.2 Ordering data. Purchasers should exercise any desired options offered herein, and procurement documents should specify the following:

6.2.1 Procurement requirements.

(a) Title, number, and date of this specification.

(b) Levels of preservation, packaging and packing (see 5.1).

6.2.2 Contract data requirements. Data conforming to Data Item Descriptions DI-R-4803 and DI-T-4909 will usually be required for delivery in connection with this specification. When so required, such data will be specified for delivery on a DD Form 1423 included in the contract.

6.3 Color. Color chips for Marine Corps green, No. 23, may be obtained from the Commandant of the Marine Corps, Headquarters U. S. Marine Corps (Code LMO-1), Washington, D. C. 20380.

Preparing activity:
Navy - MC
Project No. 5840-N176

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

APPENDIX

10 SCOPE

10.1 General. This appendix contains the breakdown of the AN/TPS-32 Radar Set into its major components, itemizes mandatory replacement items by groups and lists by number the applicable test procedures.

10.2 Major components, Radar Set AN/TPS-32. The Radar Set AN/TPS-32 is made up of the major components and accessories listed in Table I.

Table I. RADAR SET AN/TPS-32 MAJOR COMPONENTS AND ACCESSORIES

QUANTITY	ITEM	PART NO.
1	Air Conditioner HD-706/GSA-78(V)	--
2	Alarm-Monitor BZ-174/UPA-60(V)	--
3	Amplifier, Electrical Control AM-4358/GSA-78(V)	--
1	Amplifier-Filter Assembly, Electrical AM-6297/TPS-32	137170-1
1	Amplifier-Filter Assembly, Electrical AM-6298/TPS-32	137200-1
1	Amplifier-Filter Assembly, Electrical AM/6299/TPS-32	137422-1
1	Amplifier-Filter Assembly, Electrical AM/6300/TPS-32	137423-1
1	Amplifier-Filter Assembly, Electrical AM-6301/TPS-32	137205-1
1	Amplifier, Parametric AM-6303/TPS-32	145516-1
2	Amplifier Power Supply AM-6296/TPS-32	137783-1
2	Amplifier-Power Supply AM-6304/TPS-32	133095-1
1	Amplifier, Radio Frequency AM-6295/TPS-32	133091-2
1	Amplifier, Radio Frequency AM-6305/TPS-32	133091-1
1	Antenna (Array) AS-2536/TPS-32	131041-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

Table I. (Continued)

QUANTITY	ITEM	PART NO.
1	Antenna Group OE-91/TPS-32	131002-1
1	Antenna, IFF AS-2188/U	
1	Blanker, Fixed Target F-1284/TPS-32	137261-1
1	Computer, Electronic Signals CP-1020/TPS-32	137002-1
1	Computer, Electronic Signals CP-1021/TPS-32	137003-1
1	Console, Radar Set OJ-182/TPS-32	137004-1
3	Control, Air Conditioner C-6659/GSA-78(V)	
1	Control-Indicator, Waveguide Pressure C-8509/TPS-32	133100-1
1	Control-Indicator C-8511/TPS-32	318007-1
2	Control, Power Supply C-8507/TPS-32	133029-1
2	Control-Power Supply C-8508/TPS-32	133092-1
1	Control-Target Tracking C-7982/TPS-32	137845-1
1	Control, Transmitter C-8510/TPS-32	133051-1
	Converter, Frequency, Electronic CV-2731/TPS-32	133075-1
1	Converter-Synchronizer, Electronic CV-2730/TPS-32	137870-1
1	Core Memory Unit MU-562/U	145626-1
1	Core Memory Unit MU-563/U	145624-1
1	Core Memory Unit MU-564/U	145625-1
1	Data Analysis Group OL-56/TPS-32	137000-1
2	Decoder, Video KY658P/UPA-60(V)	

Source: https://assist.dla.mil -- Downloaded: 20260-20T22:33Z
Check the source to verify that this is the current version before use.

Table I. (Continued)

QUANTITY	ITEM	PART NO.
1	Delay Line CN-1334/TPS-32	145026-1
1	Delay Line CN-1335/TPS-32	145026-2
1	Delay Line Set CN-1336/TPS-32	145004-1
1	Delay Line Set CN-1337/TPS-32	137209-1
1	Delay Line Set CN-1338/TPS-32	145084-1
1	Divider, Power, Radio Frequency CN-1331/TPS-32	144066-1
1	Driver, Delay Line AM-6302/TPS-32	137220-1
1	Dummy Load, Electrical DA-564/ TPS-32	144062-1
1	Dummy Load, Electrical DA-565/ TPS-32	144063-1
2	Dummy Load, Electrical DA-566/ TPS-32	145640-1
1	Dummy Load, Electrical DA-567/ TPS-32	145558-1
1	Generator-Synchronizer, Electronic O-1581/TPS-32	137950-1
2	Headset-Microphone H-157/AIC	
2	Indicator, Aximuth-Range IP-1022/ TPS-32	137700-1
1	Indicator, Height-Range IP-1023/ TPS-32	137800-1
1	Interconnecting Box J-2930/TPS-32	131024-1
1	Interconnecting Box J-2931/TPS-32	144000-1
2	Maintenance Group, Radar Set QQ-73/ TPS-32	135021-1

Source: https://assist.dla.mil -- Downloaded: 20261O-20T22:33Z
Check the source to verify that this is the current version before use.

Table I. (Continued)

QUANTITY	ITEM	PART NO.
1	Multiplexer TD-985/TPS-32	137570-1
2	Network, Pulse Forming CN-1332/ TPS-32	135019-1
1	Network, Pulse Forming CN-1339/ TPS-32	133094-1
2	Oscilloscope AN/USM-281A	
1	Pallet, Array Transport-Storage MX-8702/TPS-32	144030-1
1	Pallet, Array Transport-Storage MX-8703/TPS-32	144031-1
1	Panel, Monitor SB-3469/TPS-32	135005-1
1	Panel, Monitor SB-3470/TPS-32	135014-1
1	Panel, Mointor SB-3472/TPS-32	137404-1
1	Panel, Monitor SB-3473/TPS-32	137504-1
1	Panel, Monitor SB-3476/TPS-32	137100-1
1	Panel, Monitor SB-3477/TPS-32	133010-1
1	Panel, Monitor SB-3480/TPS-32	133050-1
1	Panel, Monitor SB-3481/TPS-32	133089-1
1	Panel, Monitor SB-3482/TPS-32	131032-1
1	Panel, Power Distribution SB-3471/ TPS-32	135013-1
1	Panel, Power Distribution SB-3474/ TPS-32	138006-1
1	Panel, Power Distribution SB-3475/ TPS-32	138004-1
1	Panel, Power Distribution SB-3478/ TPS-32	133009-1

Source: https://assist.dla.mil -- Downloaded: 202640-20T22:33Z
Check the source to verify that this is the currenversion before use.

Table I. (Continued)

QUANTITY	ITEM	PART NO.
1	Panel, Power Distribution SB-3483/ TPS-32	133088-1
1	Panel, Test, Electrical SB-3479/ TPS-32	133063-1
1	Pedestal, Antenna AB-1152/TPS-32	131001-1
1	Power Supply Set OP-64/TPS-32	137005-1
2	Power Supply PP-6457/TPS-32	138010-1
1	Power Supply PP-6458/TPS-32	138023-1
1	Power Supply PP-6459/TPS-32	137840-1
1	Power Supply Assembly PP-6460/ TPS-32	137849-1
1	Power Supply PP-6461/TPS-32	137862-1
1	Power Supply PP-6462/TPS-32	137864-1
1	Power Supply PP-6463/TPS-32	137863-1
1	Power Supply PP-6464/TPS-32	137865-1
1	Power Supply PP-6465/TPS-32	137861-1
1	Power Supply PP-6466/TPS-32	138011-1
1	Power Supply PP-6467/TPS-32	138012-1
1	Power Supply PP-6468/TPS-32	138013-1
1	Power Supply PP-6469/TPS-32	138014-1
1	Power Supply PP-6470/TPS-32	138015-1
1	Power Supply PP-6471/TPS-32	138016-1
1	Power Supply PP-6472/TPS-32	138022-1
1	Power Supply PP-6473/TPS-32	138018-1

Source: https://assist.dla.mil -- Downloaded: 20260-20T22:33Z
Check the source to verify that this is the current version before use.

Table I. (Continued)

QUANTITY	ITEM	PART NO.
1	Power Supply PP-7474/TPS-32	133015-1
1	Power Supply PP-6475/TPS-32	133032-1
1	Power Supply PP-6476/TPS-32	133038-1
1	Power Supply PP-6477/TPS-32	133084-1
1	Power Supply PP-6478/TPS-32	131033-1
1	Power Supply Control PP-6579/TPS-32	133011-1
1	Pumping Unit, Hydraulic, Power Driven HD-874/TPS-32	131419-1
1	Rack, Electrical Equipment MT-4272/ TPS-32	135022-1
1	Rack, Electrical Equipment MT-4273/ TPS-32	137007-1
1	Receiver, Radar R-1678/TPS-32	137001-1
1	Receiver-Transmitter Group DR-65/ TPS-32	133000-1
1	Receiver-Transmitter, Radar RT-997/ TPS-32	133080-1
1	Regulator, Voltage CN-1333/TPS-32	135023-1
1	Shelter, Electrical Equipment S-475/ TPS-32	135002-1
1	Shelter, Electrical Equipment S-476/ TPS-32	133002-1
1	Shelter, Electrical Equipment S-477/ TPS-32	137020-1
1	Shelter, Electrical Equipment S-477/ TPS-32	137020-1
1	Signal Generator AN/URM-61A	

Source: https://assist.dla.mil -- Downloaded: 202640-20T22:33Z
Check the source to verify that this is the currentversion before use.

Table I. (Continued)

QUANTITY	ITEM	PART NO.
1	Switch Waveguide SA-1734/U	
1	Synchro Assembly-Converter CV-2729/TPS-32	137941-1
1	Synthesizer, Electrical Frequency O-1579/TPS-32	137530-1
1	Synthesizer, Electrical Frequency O-1580/TPS-32	137517-1
1	Transmitter-Interrogator Group OT-26/TPS-32	135000-1
1	Transmitter, Radar T-1166/TPS-32	135004-1
1	Transmitter, Radar T-1167/TPS-32	133004-1

Source: https://assist.dla.mil -- Downloaded: 20260-20T22:33Z
Check the source to verify that this is the currenversion before use.

10.3 Mandatory-Replacement Items. The items listed in Tables II-VI shall be replaced in the course of the overhaul/repair of the AN/TPS-32 Radar Set.

Table II. MANDATORY-REPLACEMENT ITEMS, ANTENNA GROUP OE-91/TPS-32

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Gage, Pressure	6685-337-9034	35-1057T285000	38056	1
Gage, Pressure	6685-417-6139	251009KF2B600	80596	1
Antenna Rotary Coupler	5840-193-9470	145630-1	24930	1
Servo Mechanism, Data Take Off	5840-938-6481	131010-1	24930	
Waveguide Assembly, Flexible	5985-445-1505	131285-1	24930	1
Waveguide Assembly, Flexible	5985-444-0211	131198-1	24930	1
Waveguide Assembly, Flexible	5985-146-8537	131619-1	24930	1
Hose Assembly	4720-147-1736	131521-1	24930	1
Valve, Check	4820-196-2084	259T6BB	91816	1
Fan, Vaneaxial	4140-185-0742	1S9172-0400	17250	2
Gearbox, Drive	5840-224-1867	131009-1	24930	1
Bearings, Drive Motor	3110-967-2995	W205KLL	21335	2
Seal, Waveguide	5840-402-5971	131385-1	24930	12
Seal, Waveguide	5840-181-0631	131300-2	24930	5
Seal, Waveguide	5840-194-6012	131254-1	24930	7
Seal, Waveguide	5840-488-6250	131255-1	24930	12
Seal, Waveguide	5840-471-9353	131300-1	24930	103
Gasket, Waveguide ++	5840-758-7891	075362	83259	1

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

Table II. (Continued)

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Gasket, Waveguide	5985-586-6947	54993	80006	216
Filter, Hydraulic	Unknown	131408-1	24930	1
Bellows, Rubber	9320-446-2721	145562-1	24930	1
Cylinder, Actuating, Hydraulic	5840-449-2771	131057-1	24930	1
Pump Assembly, Hydraulic	4320-432-9569	145627-1	24930	1

Source: https://assist.dla.mil -- Downloaded: 202640-20T22:33Z
Check the source to verify that this is the current version before use.

Table III. MANDATORY-REPLACEMENT ITEMS, RECEIVER-TRANSMITTER GROUP OR-65/TPS-32

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Cartridge, Ion	5840-984-1206	C301E	24930	1
Filter Element, Air	4130-469-8444	145647-1	24930	4
Pump, Centrifugal	4320-403-3254	145547-1	24930	1
Compressor Unit, Air	4310-230-2410	145643-1	24930	2
Cartridge, Filter	4330-234-3119	ACF4463EL	17238	4
Flow Switches, Liquid	5930-488-9904	G330048S1	24930	4
	5930-488-9905	G330048S2	24930	2
	5930-488-9906	G330048S3	24930	2
	5930-488-9907	G330048S4	24930	1
	5930-488-9908	G330048S5	24930	1
Valve, Relief	4820-493-8544	G400155-2	24930	1
Switch, Airflow	5930-313-3117	3000	82877	5
Fan, Vaneaxial	4140-195-6230	G830038S3	24930	5
Gasket, Waveguide	5840-758-7891	075362	83259	6
Seal, Waveguide	5985-233-7284	678634-2	83259	9
Desiccant	6850-159-4466	G00183-1	24930	4 (gal.)
Packing	5330-805-2966	MS28778-4	96906	9
Clip, High Voltage	Unknown	HVS6016CN	99378	6
	Unknown	HVS13-16CN	99378	2
	Unknown	HVS13-16-1CN	99378	10
	Unknown	HVS18-16-2CN	99378	44
	Unknown	HVS18-16-2CLN	99378	32

Source: https://assist.dla.mil -- Downloaded: 20260410-20T22:33Z
Check the source to verify that this is the current version before use.

Table III. (Continued)

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Diode, Microwave	5961-082-3571	IN21WEM	81349	2
Meter, Time Totalizing	6645-988-4426	MS17322-6	96906	3
Hose Assemblies	4720-184-2805	134278016	24930	1
	4720-184-2806	134358-2	24930	1
	4720-184-2807	134366-2	24930	1
	4720-184-2808	134366-6	24930	1
	4720-185-2741	134315-1	24930	1
	4720-189-2255	134278-11	24930	1
	4720-189-9908	134279-1	24930	1
	4720-189-9910	134279-3	24930	1
	4720-189-9914	134279-4	24930	1
	4720-189-9918	134279-5	24930	1
	4720-189-9925	134278-1	24930	1
	4720-225-3156	134279-2	24930	1
	4720-225-3157	134279-6	24930	1
	4720-225-3158	134279-7	24930	1
	4720-225-3159	13479-10	24930	1
	4720-225-3160	134279-13	24930	1
	4720-225-3161	134278-14	24930	1
	4720-225-3162	134278-20	24930	1
	4720-230-2418	134279-14	24930	1
	4720-230-2419	134279-15	24930	1
	4720-230-2420	133180-1	24930	1

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

Table III. (Continued)

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Hose Assemblies (continued)	4720-230-2421	133182-1	24930	1
	4720-230-2577	134278-28	24930	1
	4720-236-6738	134278-22	24930	1
	4720-236-6739	134278-23	24930	1
	4720-236-6740	134278-24	24930	1
	4720-236-6741	134278-26	24930	1
	4720-236-6742	134278-9	24930	1
	4720-242-0972	134278-32	24930	1
	4720-243-7270	134278-29	24930	1
	4720-243-7272	134278-31	24930	1
	4720-243-7277	134278-34	24930	1
	4720-255-7755	134278-19	24930	1
	4720-256-7804	134278-17	24930	1
	4720-355-9918	134278-30	24930	1
	4720-482-3105	134278-2	24930	1
	4720-482-3108	134278-4	24930	1
	4720-482-3109	134278-6	24930	1
	4720-482- 4527	134279-8	24930	1
	4720-482-4528	134279-9	24930	1
	4720-482-4529	134279-11	24930	1
	4720-482-4530	134279-12	24930	1
	4720-482-4533	134278-3	24930	1
	4720-482-4534	134278-5	24930	1

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

Table III. (Continued)

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Hose Assemblies (continued)	4720-482-7129	134278-8	24930	1
	4720-482-9574	134309-3	24930	1
	4720-482-9575	134278-27	24930	1
	4720-482-9576	133915-1	24930	1
	4720-482-9577	134315-6	24930	1
	4720-483-2486	134278-10	24930	1
	4720-483-2487	134278-12	24930	1
	4720-483-2488	134278-33	24930	1
	4720-483-2489	134278-13	24930	1
	4720-483-2490	134278-15	24930	1
	4720-483-2491	133181-1	24930	1
	4720-483-2492	133725-1	24930	1
	4720-483-2493	134309	24930	1
	4720-483-2494	134278-18	24930	1
	4720-483-2495	134278-21	24930	1
	4720-689-4246	134315-2	24930	1
	4720-689-4247	134315-4	24930	1
	4720-689-4248	134383-1	24930	1
	4720-689-4250	133150-1	24930	1
	4720-689-4251	134366-1	24930	1
	4720-689-4252	134366-3	24930	1
	4720-689-4253	134366-4	24930	1
	4720-689-4254	134366-5	24930	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

Table IV. MANDATORY-REPLACEMENT ITEMS, TRANSMITTER-INTERROGATOR GROUP OT-26/TPS-32

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Cartridge Ion	5840-185-4633	C301E	24930	1
Pump, Centrifugal	4320-403-3254	145547-1	24930	1
Flow Switches, Liquid	5930-488-9904	G330048S1	24930	1
↓	5930-488-9905	G330048S2	24930	1
	5930-488-9906	G330048S3	24930	2
	5930-488-9904	G330048S4	24930	1
	5930-488-9908	G330048S5	24930	1
Filter	4330-150-5124	AC4097-16Y11	01414	1
Waveguide Seal	5985-233-7284	678634-2	83259	2
Motor, AC Control	6105-738-2599	33A548	25140	1
Waveguide Seal	5840-488-6257	145607-1	24930	2
Clip, High Voltage	Unknown	HVS13-16-ICN	99378	2
↓	Unknown	HVS18-16-2CN	99378	4
	Unknown	HVS13-16-2CN	99378	2
	Unknown	HVS13-16-2CLN	99378	2
	Unknown	HVS18-16-2CLN	99378	18
Meter, Time Totalizing	6645-988-4426	MS17322-6	96906	4
Hose Assemblies	4720-230-2412	135470-28	24930	1
↓	4720-230-2420	133182-1	24930	1
	4720-230-2421	133182-2	24930	1
	4720-230-2422	135470-5	24930	1
	4720-236-6733	135470-7	24930	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

Table IV. (Continued)

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Hose Assemblies (continued)	4720-236-6734	135470-15	24930	1
	4720-236-6736	135470-23	23930	1
	4720-242-0971	135470-6	24930	1
	4720-289-2308	134268-1	24930	1
	4720-482-3104	135470-22	24930	1
	4720-482-4522	135470-2	24930	1
	4720-482-4523	135470-14	24930	1
	4720-482-4524	135470-19	24930	1
	4720-482-4525	135470-20	24930	1
	4720-482-4526	135470-21	24930	1
	4720-482-4531	135470-24	24930	1
	4720-482-4532	135470-26	24930	1
	4720-482-7124	135470-3	24930	1
	4720-482-7125	135470-9	24930	1
	4720-482-7126	135470-8	24930	1
	4720-482-7127	135470-11	24930	1
	4720-482-7128	135470-12	24930	1
	4720-482-9576	133915-1	24930	1
	4720-483-2485	135-470-4	24930	1
	4720-483-2491	133181-1	24930	1
	4720-483-2492	133725-1	24930	1
	4720-689-4248	134383-1	24930	1
	4720-689-4249	134358-1	24930	1

Source: https://assist.dla.mil -- Downloaded: 202640-20T22:33Z
Check the source to verify that this is the currentversion before use.

Table IV. (Continued)

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Hose Assembies (continued)	4720-689-4250	130150-1	24930	1
	4720-689-4252	134366-3	24930	1
	4720-689-4253	134366-4	24930	1
	4720-757-9639	135470-1	24930	1
	4720-757-9640	135470-10	24930	1
	4720-757-9643	135470-13	24930	1
	4720-757-9644	135470-16	24930	1
	4720-757-9645	135470-17	24930	1
	4720-757-9648	135470-18	24930	1
	4720-757-9649	135470-25	24930	1
	4720-757-9650	135470-27	24930	1

Table V MANDATORY-REPLACEMENT ITEM
DATA ANALYSIS GROUP OL-56/TPS-32

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Motor, AC Control	6105-738-2599	33A548	25140	1
Converter, Synchro	5990-421-5135	CV2729TPS32	80058	1
Element, Heating	4540-472-1619	139337-1	24930	3
Meter, Time Totalizing	6645-988-4426	MS17322-6	96906	4
Fan, Cooling	4140-153-7985	G830047S9	24930	4
	4140-242-6252	G830043S2	24930	2
	4140-242-6252	G830043S4	24930	3
	4140-403-5926	G830053S1	24930	1

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

Table VI. MANDATORY-REPLACEMENT ITEMS, MISCELLANEOUS, INCLUDING PALLETS, MTDS

Component/Assembly	Stock Number	Part Number	Manufacturer Code	Quantity
Waveguide Assembly	5985-405-1146	144350-1	24930	1
↓	5840-471-9355	144120-2	24930	2
	5840-409-4501	144120-3	24930	1
	5985-444-5306	144348-1	24930	1
Fan, Ventilating	4140-403-1232	G830022S2	24930	1
Fan, Tubeaxial	4140-403-1267	G830052S1	24930	
Cell, Anti-Transmit-Receive	5960-906-2149	124294	24930	4
Cable Bags	Unknown	144334-1	24930	1
↓	Unknown	144334-2	24930	1
	Unknown	144334-3	24930	1
	Unknown	144334-4	24930	1
	Unknown	144334-5	24930	1
	Unknown	144334-6	24930	1
	Unknown	144334-7	24930	1
	Unknown	144334-8	24930	1
	Unknown	14434-9	24930	1
	Unknown	144334-10	24930	1
	Unknown	144334-11	24930	1
	Unknown	144334-12	24930	1
	Unknown	144334-13	24930	1
	Unknown	144334-14	24930	1
	Unknown	144334-15	24930	1
	Unknown	144334-16	24930	1

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

10.4 Test Procedures. The tests listed in Table VII shall be utilized, as required, to meet the minimum requirements of this specification.

Table VII. TEST PROCEDURES FOR RADAR SET AN/TPS-32

ACCEPTANCE TEST PROCEDURE NO.	TITLE
130000-ATP	Radar Set AN/TPS-32 System Test
130000 SP/DS	Radar Set AN/TPS-32 System Operating Test (With Live Video)
130000-ATP(A)1/	System Power Distribution
130000-DS(A)1/	System Power Distribution
130000-ATP(B)1/	Antenna Group
130000-DS(B)1/	Antenna Group
130000-ATP(C)1/	Synthesizer and Frequency Converter
130000-DS(C)1/	Synthesizer and Frequency Converter
130000-ATP(D)1/	Transmitter System
130000-DS(D)1/	Transmitter System
130000-ATP(E)1/	Receiving System
130000-DS(E)1/	Receiving System
130000-ATP(F)1/	Display and Radar Set Control
130000-DS(F)1/	Display and Radar Set Control
130000-ATP(G)1/	MTDS Interface
130000-DS(G)1/	MTDS Interface
130000-ATP(H)1/	IFF/Radar System Integration
130000-DS(H)1/	IFF/Radar System Integration
130000-ATP(I)1/	Intercom Audio System

Source: https://assist.dla.mil -- Downloaded: 20260-20T22:33Z
Check the source to verify that this is the current version before use.

Table VII. (Continued)

ACCEPTANCE TEST PROCEDURE NO.	TITLE
130000-DS(I)[1/]	Intercom Audio System
130000-ATP(J)[1/]	HAT 105 Sub-Clutter
130000-DS(J)[1/]	HAT 105 Sub-Clutter
130000-ATP(K)[1/]	Summary ATP
130000 SP/DS-1	Radar Set AN/TPS-32 System Operating Test (Without Live Video)
130000 SP/DS	Radar Set AN/TPS-32 System Operating Test
131002-1-AP	Test Procedure for Antenna Group Boresite Alignment
131024-ATP	Power Distribution Box
131041-1 ATP-1	Antenna Array
131041-1 ATP-1-DS	Antenna Test Data Sheet
131041-1-ATP-2	Antenna Array
133000-1-ATP	AN/TPS-32 Transmitter Group 1 and 2
133075-1A1-ITP	Frequency Converter Sub-Assembly
135000-1-ATP	AN/TPS-32 Transmitter Group 2
137001-ATP	Receiver Sub-System
137005/137002/137003-ATP-(A)	DC Power, Regulation and Distribution
137005/137002/137003-ATP-(B)	Clock Pulse Generator/Advance
137005/137002/137003-ATP-(C)	Programmer Test
137005/137002/137003-ATP-(D)	Correlation Detector Test
137005/137002/137003-ATP-(E)	Target Position Computer Test

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

Table VII. (Continued)

ACCEPTANCE TEST PROCEDURE NO.	TITLE
137005/137002/137003-ATP-(F)	MTDS Interface Test
137005/137002/137003-ATP-(G)	IFF Data Processor
144022-1-ATP	Air Operations Center Interface Unit
145030-1-ATP	Duplexer, S Band
TI 145630-1/1A1	Coupler, Rotary

1/ Part of 130000-ATP Radar Set AN/TPS-32 System Test
Definitions: ATP: Acceptance Test Procedure
DS: Test Record Data Sheet

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T22:33Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DOD 317

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commandant of the Marine Corps
Headquarters U. S. Marine Corps (Code LMC-2)
Washington, D. C. 20380

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 202610-20T22:33Z
Check the source to verify that this is the current version before use.