
MILITARY SPECIFICATION SHEET

PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE), NON-FILLED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the O-rings described herein shall consist of this document and the latest issue of MIL-P-70341.



SECTION A-A (ENLARGED)

NOTES:

1. Dimensions shall be as indicated in Table I.
2. All diameters of cross-section should equal W. Inside diameters correspond to appropriate dash numbers. Tolerances are shown in Table I.

FIGURE 1. PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE), NON-FILLED.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material. Polytetrafluoroethylene

2. Part number. The part number shall consist of the letter "M", the basic number of this specfication sheet, followed by a dash number taken from Table I.

Example: M70341/1-001



M70341/1-001 Indicates - Packing, Preformed, PTFE (Polytetrafluoroethylene), Non-Filled, I.D.: .029; W: .040.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NO	I.D.	TOL	W	TOL
001	.029		.040	
002	.042	±.004	.050	
003	.056		.060	
004	.070		.070	
005	.101		.070	
006	.114		.070	
007	.145		.070	
008	.176		.070	
009	.208		.070	
010	.239		.070	
011	.301	±.005	.070	
012	.364		.070	
013	.426		.070	
014	.489		.070	
015	.551		.070	
016	.614		.070	
017	.676		.070	
018	.739		.070	
019	.801		.070	
020	.864		.070	
021	.926		.070	
022	.989		.070	
023	1.051		.070	
024	1.114		.070	
025	1.176	±.006	.070	
026	1.239		.070	
027	1.301		.070	
028	1.364		.070	
029	1.489		.070	
030	1.614		.070	±.003
031	1.739		.070	
032	1.864		.070	
033	1.989		.070	
034	2.114		.070	
035	2.239	±.010	.070	
036	2.364		.070	
037	2.489		.070	
038	2.614		.070	
039	2.739		.070	
040	2.864		.070	
041	2.989		.070	
042	3.239		.070	
043	3.489		.070	
044	3.739	±.015	.070	
045	3.989		.070	
046	4.239		.070	
047	4.489		.070	
048	4.739		.070	
049	4.989	±.023	.070	
050	5.239		.070	
102	.049	±.004	.103	
103	.081		.103	
104	.112		.103	
105	.143		.103	
106	.174	±.005	.103	
107	.206		.103	
108	.237		.103	
109	.299		.103	
110	.362		.103	
111	.424		.103	

DASH NO	I.D.	TOL	W	TOL
112	.487		.103	
113	.549		.103	
114	.612	±.005	.103	
115	.674		.103	
116	.737		.103	
117	.799		.103	
118	.862		.103	
119	.924		.103	
120	.987		.103	
121	1.049		.103	
122	1.112	±.006	.103	
123	1.174		.103	
124	1.237		.103	
125	1.299		.103	
126	1.362		.103	
127	1.424		.103	
128	1.487		.103	
129	1.549		.103	
130	1.612		.103	
131	1.674		.103	
132	1.737		.103	
133	1.799		.103	
134	1.862		.103	
135	1.925		.103	
136	1.987		.103	
137	2.050	±.010	.103	
138	2.112		.103	
139	2.175		.103	
140	2.237		.103	
141	2.300		.103	
142	2.362		.103	±.003
143	2.425		.103	
144	2.487		.103	
145	2.550		.103	
146	2.612		.103	
147	2.675		.103	
148	2.737		.103	
149	2.800		.103	
150	2.862		.103	
151	2.987	±.015	.103	
152	3.237		.103	
153	3.487		.103	
154	3.737		.103	
155	3.987		.103	
156	4.237		.103	
157	4.487		.103	
158	4.737		.103	
159	4.987		.103	
160	5.237		.103	
161	5.487		.103	
162	5.737		.103	
163	5.987	±.023	103	
164	6.237		.103	
165	6.487		.103	
166	6.737		.103	
167	6.987		.103	
168	7.237		.103	
169	7.487	±.030	.103	
170	7.737		.103	
171	7.987		.103	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS. - CONTINUED

DASH NO	I.D.	TOL	W	TOL
[illegible]	8.237	±.030	.103	±.003
173	8.467		.103	
174	8.737		103	
175	8.987		.103	
176	9.237		.103	
177	9 487		.103	
178	9.737		.103	
201	.171	± 003	.139	
202	.234		.139	
203	.296		.139	
204	.359		.139	
205	.421		.139	
206	.484		139	
207	.546		.139	
208	.609		.139	
209	.671		.139	
210	.734	± 006	139	
211	.796		.139	
212	.859		.139	
213	921		139	
214	.984		.139	
215	1.046		139	
216	1 109		.139	
217	1 171		.139	
218	1.234		139	
219	1.296		.139	
220	1.359		.139	
221	1.421		.139	
222	1.484	±.010	.139	±.004
223	1.609		.139	
224	1.734		.139	
225	1.859		.139	
226	1.984		.139	
227	2.109		.139	
228	2.234		.139	
229	2.359		.139	
230	2.484		.139	
231	2.609		.139	
232	2.734	± 015	.139	
233	2.859		.139	
234	2.984		.139	
235	3.109		139	
236	3.234		.139	
237	3.359		.139	
238	3.484		.139	
239	3.609		139	
240	3.734		.139	
241	3.859		.139	
242	3.984		.139	
243	4.109		.139	
244	4.234		.139	
245	4 359		.139	
246	4.484		.139	
247	4.609		.139	
248	4.734		.139	
249	4.859		.139	
250	4.984		.139	
251	5.109		139	
252	5.234	±.023	[illegible]	
253	5 359		[illegible]	

DASH NO	I.D.	TOL	W	TOL
[illegible]	5.484	±.023	[illegible]	±.004
255	5.609		[illegible]	
256	5.734		.139	
257	5.859		.139	
258	5.984		139	
259	6.234		.139	
260	6.484		.139	
261	6.734		.139	
262	6.984		.139	
263	7.234	±.030	.139	
264	7.484		.139	
265	7.734		.139	
266	7 984		.139	
267	8.234		.139	
268	8.484		.139	
269	8.734		.139	
270	8.984		.139	
271	9.234		.139	
272	9 484		.139	
273	9.734		.139	
274	9.984		.139	
275	10.484		.139	
276	10.984		.139	
277	11.484		.139	
278	11.984		139	
279	12.984		.139	
280	13.984		.139	
281	14.984		139	
282	15.955	±.045	.139	
283	16.955		.139	
284	17.955		.139	
309	.412	±.005	.210	±.005
310	.475		.210	
311	.537		.210	
312	.600		.210	
313	.662		.210	
314	.725		.210	
315	.787	±.006	210	
316	.850		210	
317	.912		210	
318	.975		.210	
319	1.037		210	
320	1.100		.210	
321	1.162		.210	
322	1 225		.210	
323	1.287		.210	
324	1.350		210	
325	1.475	±.010	.210	
326	1 600		.210	
327	1 725		210	
328	1 850		210	
329	1 975		.210	
330	2.100		.210	
331	2.225		210	
332	2.350		.210	
333	2.475		.210	
334	2.600		.210	
335	2 725	±.015	.210	
336	2 850		210	
337	2 975		210	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

Dash No.		TOL	h	TOL
338	3.600		.210	
339	3.725		.210	
340	3 850		.210	
341	3 975		.210	
342	4.000		.210	
343	4 725		210	
344	4 850		210	
345	4 975	±.015	210	
346	5.100		.210	
347	5 225		.210	
348	5 350		210	
349	5 475		.210	
350	5.600		.210	
351	5 725		210	
352	5 850		210	
353	5 975		210	
354	6.100		210	
355	6 225		210	
356	6.350		210	
357	6 475		210	
358	6.600		210	
359	6 725	± 030	210	
360	6.850		210	
361	6.975		210	
362	7.225		210	
363	7 475		210	
364	7.725		210	
365	7.975		210	
366	8.225		210	
367	8.475		.210	
368	8.725		.210	
369	8.975		.210	
370	9.225		210	±.005
371	9.475		210	
372	9.725		.210	
373	9 975	± 030	.210	
374	10.225		.210	
375	10 475		.210	
376	10 725		210	
377	10 975		210	
378	11 225		210	
379	11.475		210	
380	11.975		210	
381	12.475		210	
382	12.975		.210	
383	13.475		210	
384	13 975		.210	
385	14.475		.210	
386	14 975	± 045	210	
387	15.475		210	
388	15 975		210	
389	16 475		210	
390	16.975		210	
391	17.475		210	
392	17.975		.210	
393	18.475		.210	
394	18 975	± 060	.210	
395	19 475		210	
396	19 975		210	
397	20 475		210	
398	20 975		210	
399	21.475		210	
400	21.975		.210	
401	22.475		.210	
402	22.975		.210	
403	23.475		.210	
404	23.975		.210	
405	24.475		.210	
406	24.975		.210	
407	25.475		.210	
408	25.975		.210	
409	26.475		.210	
410	26.975		.210	
411	27.475		.210	
412	27.975		.210	
413	28.475		.210	
414	28.975		.210	
415	29.475		.210	
416	29.975		.210	
417	30.475		.210	
418	30.975		.210	
419	31.475		.210	
420	31.975		.210	
421	32.475		.210	
422	32.975		.210	
423	33.475		.210	
424	33.975		.210	
425	34.475		.210	
426	34.975		.210	
427	35.475		.210	
428	35.975		.210	
429	36.475		.210	
430	36.975		.210	
431	37.475		.210	
432	37.975		.210	
433	38.475		.210	
434	38.975		.210	
435	39.475		.210	
436	39.975		.210	
437	40.475		.210	
438	40.975		.210	
439	41.475		.210	
440	41.975		.210	
441	42.475		.210	
442	42.975		.210	
443	43.475		.210	
444	43.975		.210	
445	44.475		.210	
446	44.975		.210	
447	45.475		.210	
448	45.975		.210	
449	46.475		.210	
450	46.975		.210	
451	47.475		.210	
452	47.975		.210	
453	48.475		.210	
454	48.975		.210	
455	49.475		.210	
456	49.975		.210	
457	50.475		.210	
458	50.975		.210	
459	51.475		.210	
460	51.975		.210	
461	52.475		.210	
462	52.975		.210	
463	53.475		.210	
464	53.975		.210	
465	54.475		.210	
466	54.975		.210	
467	55.475		.210	
468	55.975		.210	
469	56.475		.210	
470	56.975		.210	
471	57.475		.210	
472	57.975		.210	
473	58.475		.210	
474	58.975		.210	
475	59.475		.210	
476	59.975		.210	
477	60.475		.210	
478	60.975		.210	
479	61.475		.210	
480	61.975		.210	
481	62.475		.210	
482	62.975		.210	
483	63.475		.210	
484	63.975		.210	
485	64.475		.210	
486	64.975		.210	
487	65.475		.210	
488	65.975		.210	
489	66.475		.210	
490	66.975		.210	
491	67.475		.210	
492	67.975		.210	
493	68.475		.210	
494	68.975		.210	
495	69.475		.210	
496	69.975		.210	
497	70.475		.210	
498	70.975		.210	
499	71.475		.210	
500	71.975		.210	
501	72.475		.210	
502	72.975		.210	
503	73.475		.210	
504	73.975		.210	
505	74.475		.210	
506	74.975		.210	
507	75.475		.210	
508	75.975		.210	
509	76.475		.210	
510	76.975		.210	

Dash No.		TOL	h	TOL
427	4.725		.275	
428	4.850	± .025	.275	
429	4.975		275	
430	5.100		275	
431	5.225		275	
432	5.350		.275	
433	5.475		.275	
434	5.600		.275	
435	5.725	±.023	.275	
436	5.850		.275	
437	5.975		.275	
438	6.225		.275	
439	6.475		275	
440	6.725		.275	
441	6.975		.275	
442	7.225		275	
443	7.475		.275	
444	7.725		.275	± 000
445	7.975		.275	
446	8.475		.275	
447	8.975		.275	
448	9.475		275	
449	9.975		275	
450	10.475		.275	
451	10.975	±.033	275	
452	11.475		275	
453	11.975		275	
454	12.475		275	
455	12.975		.275	
456	13.475		275	
457	13.975		.275	
458	14.475		275	
459	14.975		.275	
460	15.475		.275	
461	15.955		.275	
462	16.455		.275	
463	16.955		.275	
464	17.455		.275	
465	17.955		275	
466	18.455	±.045	275	
467	18.955		275	
468	19.455		275	
469	19.955		.275	
470	20.955		275	
471	21.955		.275	
472	22.940		275	
473	23.940	± 060	275	
474	24.940		275	
475	25.940		275	
901	.185		050	
902	.239		004	
903	.301		.004	
904	.351	±.005	.072	±.000
905	.424		.072	
906	.468		078	
907	.530		.082	
908	.644		087	
909	.706		.097	
910	.755		.097	
911	.363		.110	

4.25	4.475	±.015	.275	± 006
4.26	4.600		.275	± 004

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS. - CONTINUED

DASH	I.D.	TOL	W	TOL
912	.924	±.006	.116	
913	.986		.116	
914	1.047		.116	
916	1.171		.116	±.004
918	1.355		.116	
920	1.475		.118	
924	1.720		.118	
928	2.090	±.010	.118	
932	2.337		.118	

Custodians:
Army - AR
Navy - SH
Air Force - 99

Preparing Activity:
Army - AR

Agent:
DLA - IS

(Project 5330-0709)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army ARDEC
ATTN: SMCAR-ESC-S
Picatinny Arsenal, NJ 07806-5000

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2 DOCUMENT TITLE
MIL-P-70341/1	

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b Recommended Wording

c Reason/Rationale for Recommendation

6 REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street, City, State ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:25Z
Check the source to verify that this is the current version before use.