DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188
Exp. Date: Jun 30, 1986

1. TITLE	2. IDENTIFICATION NUMBER
Failure Report Serialized Control	DI-ILSS-80053

3. DESCRIPTION/PURPOSE

This Data Item Description (DID) is required to provide current and predicted reliabilty levels of serialized electronic components which are broken down to lower level assemblies.

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC REQUIRED	6b. GIDEP REQUIRED
850923	F/AFLC-WRALC		

7. APPLICATION/INTERRELATIONSHIP

7.1 This DID contains the format and content preparation instructions for a reliability and serialized control system as required by Task 104 of Mil Std 785. It provides traceability thru various levels of repair.

7.2 This DID is applicable to the acquisition and repair of military systems and equipment.

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER
	AFTO 302	F3677

10. PREPARATION INSTRUCTIONS

10.1 Source Document. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments and revisions, shall be as reflected in the contract.

10.2 Specific Instructions.

10.2.1 Enter report number as specified in contract.

10.2.2 Enter date in year, month, day format.

10.2.3 Enter serial number of highest level assembly (i.e. missile, LRU)

10.2.4 Enter failed section name, one report for each failed section.

10.2.5 Enter failed section part number including mark & mod

10.2.6 Enter failed section serial number.

10.2.7 Enter disposition of failed part.

10.2.8 Enter flight hours on AUR missile since last functional check.

10.2.9 Enter total energized hours prior to this test.

10.2.10 Enter new section part number with mark and mod.

10.2.11 Enter new section serial number.

10.2.12 Enter the test set type that was used to test components.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:34Z
Check the source to verify that this is the current version before use.

7. Application/Interrelationship (cont'd)

7.3 It is not intended that all the requirements contained herein should be applied to every program or program phase. Portions of this DID are subject to deletion tailoring depending upon the program phases in which it is applied in the solicitation/contract.

---

10. Preparation Instructions (cont'd)

10.2.13 Enter the serial number of the test set used to test the components.

10.2.14 Enter the reading of the time meter on the test set. If no time meter, enter N/A.

10.2.15 Indicate the failed step or steps as indicated when testing the component. This block for failed steps on Test Set only. All other failures will be addressed in Block 17 (remarks).

10.2.16 Enter the reason for submission.

10.2.17 Enter remarks that briefly and accurately describe failure.

10.2.18 Enter name and telephone number of individual completing this section.

10.2.19 Indicate whether field reported failures (as described in the origination section) was verified and verification date in year, month, day format.

10.2.20 Enter test set type that was used to verify failure at depot level.

10.2.21 Enter serial number of test set used to verify failure at depot level.

10.2.22 Enter the reading of the time meter on the test set. If no time meter, enter N/A.

10.2.23 Indicate the failed step or steps.

10.2.24 List all outgoing pyrotechnics/shelf life components, newly installed during this maintenance action, by name, part number, serial number, lot number, manufactured date.

10.2.25 List modifications completed during this maintenance action by modification number, part name and number and serial number of unit installed.

10.2.26 Survey external visual damage, enter findings, and receiving date in this block.

10.2.27 Indicate primary or fundamental failure.

10.2.28 Indicate cause of primary failue described in block 27.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:34Z
Check the source to verify that this is the current version before use.

10. Preparation Instructions (cont'd)

10.2.29 List all non-pyrotechnic parts installed during this maintenance action. Include name, part number, reference designator or circuit symbol, serial number removed, serial number replaced, malfunction code,disposition code and type failure code. (Continue in block # 30 if required).

10.2.30 Enter repair summary and findings in brief accurate statement. This space may also be used for continuation of another block - indicate which block was continued. Include adjustments, calibrations, minor repair, repair/replacement of wiring, etc in this block.

10.2.31 Enter name of code of repairing activity.

10.2.32 Print name of quality control inspector performing repair action on component and autovon/commercial phone number.

10.2.33 Print name of individual performing test on component.

10.2.34 Print name of quality control inspector performing final inspection.

10.2.35 Date of inspection.

RELIABILITY AND FOLLOW-UP: This section is completed by the activity performing the tear down and failure analysis or the activity performing analysis observations on results of tear down work. This group may be a part of the depot or manufacturing repair facility, or an engineering facility responsible for each system.

10.2.36 Indicate and isolate original cause to one of the listed areas. If "induced by" or "other" is indicated, specify in space provided.

10.2.37 Enter failed part name.

10.2.38 Enter failed part number.

10.2.39 Enter vendor/manufacturer's name.

10.2.40 Enter next higher assembly part number.

10.2.41 Indicate effect of failure on system performance.

10.2.42 Indicate corrective action status and date of initiation.

10.2.43 Indicate, in detail, findings of analysis. Describe fully nature of failure, its contribution to stated failure, its probable cause, and suggested corrective action.

10.2.44 Print name of individual performing analysis and autovon/commercial phone number.

10.2.45 Enter date analysis accomplished.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:34Z
Check the source to verify that this is the current version before use.

10. Preparation Instructions (cont'd)

10.2.46 Enter name or code of activity.

10.2.47 Enter the engineering remarks such as cause of failure analysis or corrective actions necessary.

10.2.48 Enter failure type to indicate effect of failure on entire end item.

10.2.49 Print name of individual performing evaluation and autovon/commercial phone number.

10.2.50 Enter date of evaluation.

10.2.51 Enter name or code of evaluating activity.

10.2.52 Print name of individual closing failure report and date.

10.2.53 Enter name or code of closing activity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:34Z
Check the source to verify that this is the current version before use.