[INCH-POUND]
A-A-59701/4A
May 5, 2006
SUPERSEDING
A-A-59701/4
October 22, 2001

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

WRIST STRAP, DUAL CONDUCTOR, ADJUSTABLE, THERMOPLASTIC, ELECTROSTATIC DISCHARGE

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

The complete requirements for procuring the wrist straps described herein shall consist of this document and the issue in effect of CID A-A-59701.

CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This commercial item description (CID) specification sheet uses a classification system which is included in the PIN as shown in the following example (see NOTES).

AA59701	/04	-	001
CID number	Applicable CID specification sheet (two digits)		Dash number (see table I)

SALIENT CHARACTERISTICS.

Interface and physical dimensions. Wrist straps supplied to this CID specification sheet shall meet or exceed the application requirements of ANSI/ESD S20.20 and JESD625-A (see figure 1).

Interior wrist strap insert. This wrist strap shall have an integrally molded conductive interior insert.

Exterior wrist strap material. The wrist strap's exterior material shall be molded insulative thermoplastic.

Wrist strap color. The wrist strap color shall be as specified in table I.

Wrist strap size. This wrist strap shall be adjustable to a wrist size of 5.3 inch to 8.5 inch (135 mm to 216 mm) in circumference.

Dual conductor. This wrist strap shall be of the dual conductor type.

Coiled grounding cord. If a dual coiled grounding cord is ordered separately, the following shall apply.

Grounding cord length. The minimum working length of the grounding cord shall be as specified in table I.

Resistance end-to-end. The resistance end-to-end of each conductor of the grounding cord shall be 1M ohm ±20 percent.

Tensile strength. The grounding cord shall have a tensile strength greater than 15 pounds.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.



FIGURE 1. Configuration and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.

TABLE I. Characteristics.

CID dash number AA59701/04-	Description	Color
001	Adjustable wrist strap.	Blue
002	Adjustable wrist strap.	Green
003	Adjustable wrist strap.	Purple
004	Adjustable wrist strap.	Maroon
005	Adjustable wrist strap.	Lime
006	5-foot, dual conductor coiled grounding cord (adjustable wrist strap not included).	N/A
007	10-foot, dual conductor coiled grounding cord (adjustable wrist strap not included).	N/A
008	20-foot, dual conductor coiled grounding cord (adjustable wrist strap not included).	N/A

Average termination flex life. The average termination flex life of the grounding cord shall be greater than 200,000 flexes.

NOTES.

PIN. The PIN should be used for Government purposes to buy commercial products to this CID specification sheet. See classification information for PIN format example.

Source of document.

Other Publications

AMERICAN NATIONAL STANDARDS INSTITUTE/ELECTROSTATIC DISCHARGE ASSOCIATION (ANSI/ESD)

ANSI/ESD S20.20 - Development of an Electrostatic Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment (Excluding Electrically Initiated Explosive Devices).

(Copies of these documents are available online at http://www.esda.org/ or from the Electrostatic Discharge Association, 7900 Turin Road, Building 3, Rome, NY 13440-2069)

JEDEC SOLID STATE TECHNOLOGY ASSOCIATION

JESD625-A - Requirements for Handling Electrostatic - Discharge - Sensitive (ESDS) Devices.

(Copies of this document is available online at http://www.jedec.org/ or from the JEDEC Solid State Technology Association, 2500 Wilson Boulevard, suite 220, Arlington, VA 22201-3834)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.

Commercial products. As part of the market analysis and research effort, this CID specification sheet was coordinated with the following manufacturers of commercial products. At the time of CID specification sheet preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID specification sheet. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFR's CAGE	MFR's name and address
20999	3M Component Handling Solutions Electronic Solutions Division 6801 Riverplace Boulevard Austin, TX 78726-9000 Phone number (800) 328-1368 Facsimile number (800) 858-9136 E-mail: mailto:bgcollins1@mmm.com Uniform Resource Locator (URL): http://www.3m.com/

Part number (P/N) supersession data. These CID specification sheet PINs supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE II. P/N supersession data.

CID dash number (see table I)	Vendor commercial P/N 1/	
AA59701/04-	MFR's CAGE	MFR's P/N 1/
001	20999	98-0798-3729-4
002	20999	98-0798-3730-2
003	20999	98-0798-3731-0
004	20999	98-0798-3732-8
005	20999	98-0798-3733-6
006	20999	98-0798-4308-6
007	20999	98-0798-4309-4
008	20999	98-0798-4310-2

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID specification sheet. At the time of preparation of this CID specification sheet, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown. For actual part marking requirements, see the marking paragraph of A-A-59701.

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Navy - EC
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

Preparing activity:

DLA-CC

Project 5920-2006-060

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:24Z
Check the source to verify that this is the current version before use.