INCH-POUND

MIL-C-44356
INTERIM AMENDMENT 1 (GL)
3 October 1990

MILITARY SPECIFICATION

COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT

This interim amendment is approved for use within the Department of the Army, with MIL-C-44356 dated 23 July 1990.

PAGE 1

1.2, line 2, after "following": Add "classes and".

After line 2: Add the following:

"Class 1 - Sage Green 1590
Class 2 - Tan 380"

PAGE 4

3.3.1, line 3: Delete "class 1" and substitute "class 6".

At the end of paragraph: Add "The color of the outer shell material for the class 1 coat and trousers shall be Sage Green 1590 and for the class 2 coat and trousers shall be Tan 380."

3.3.4, lines 4 and 5: Delete "be a close approximation to" and substitute "match".

PAGE 5

3.3.5, at the end of the paragraph: Add "The color for class 1 shall be Sage Green 1590 and for class 2 shall be Tan 380."

3.3.6, after line 3: Add "The width of the slide fastener tape shall be 9/16 or 5/8 inch.".

3.3.6.1: Delete and substitute:

"3.3.6.1 Slide fastener tape color. The color of the slide fastener tape for class 1 shall match Sage Green 1590 and for class 2 shall match Tan 380. The colormatching under incandescent lamplight at 2300 ± 200K shall not apply."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:47Z
Check the source to verify that this is the current version before use.

3.3.7, line 2, after "class 1,": Delete "green 1565".

Line 2, after "MIL-F-21840.": Add "The color for class 1 shall be Green 1565 and for class 2 shall be Khaki 384."

3.3.8.1: Delete and substitute:

"3.3.8.1 Adjustment strap tape. The adjustment strap tape for the hip adjustment on the trousers shall be type I, class 3, 5/8 inch width conforming to MIL-T-43566. The color for class 1 shall be Sage Green 1590 and for class 2 shall be Tan 380. The colorfastness requirements shall not apply."

PAGE 6

3.3.8.2, line 2, after "color": Add "for class 1".

Line 3, after "1590": Add "and for class 2 shall be Tan 380".

3.3.8.4, line 2, after "color": Add "for class 1".

Line 2, after "1590": Add "and for class 2 shall be Tan 380,".

3.3.12: Delete and substitute:

"3.3.12 Gimp. The cotton gimp for reinforcing buttonholes shall conform to type I or II, Ticket No. 8 of A-A-50198. The color for class 1 shall match Sage Green 1590 and for class 2 shall match Tan 380 matching requirements. The colorfastness requirements shall not apply."

3.3.13, line 2, after "V-B-871.": Delete the remainder of the paragraph and substitute "The color for class 1 shall match Sage Green 1590 and for class 2 shall match Tan 380.".

PAGE 7

3.3.14.1: Delete the second sentence and substitute "The color of the thread for class 1 shall match Sage Green 1590 and for class 2 shall match Tan 380 matching requirements and the colorfastness requirements shall not apply.".

3.3.14.2, line 2: Delete "Sage Green 1590".

Add the following to the end of the paragraph: "The color shall be Sage Green 1590 for class 1 and Tan 380 for class 2."

PAGE 15

Table I, operation 1.b, line 7: Delete "approximate" and substitute "match".

Source: https://assist.dla.mil -- Downloaded: 202610-22T01:47Z
Check the source to verify that this is the current version before use.

PAGE 64

4.4.4, in title: Delete "dimensional".

Add the following new defect:

"Specified number of desiccant units not enclosed".

PAGE 67

4.4.8.2, under "Defect": Delete the last defect.

PAGE 68

4.4.8.4, line 2: Delete "5.1.1.1" and substitute "5.1.1.2".

PAGE 69

4.5.3, last line: Delete "(see 5.1.1.1)" and substitute "(see 5.1.1.2)".

PAGE 70

5.1.1: Delete "5.1.1" and substitute "5.1.1.1".

5.1.1, line 5: Delete "inches in length, 12 inches in width and 4 inches in depth." and substitute "inches by 12 inches.".

Add the following to the end of the paragraph "Volume testing shall only be conducted on overpacking as specified in 5.1.1.2."

5.2.1, lines 1 and 2: Delete "one size and one lot only," and substitute "one class, size and lot only,".

Line 5, after "depth.": Add "Items shall be placed in the box two in length, one in width and three in depth. A corrugated fiberboard partition shall be placed in the center of the box, dividing the two stacks of items.".

PAGE 71

5.2.2, lines 1 and 2: Delete "one size and one lot only," and substitute "one class, size and lot only,".

Line 5, after "depth.": Add "Items shall be placed in the box two in length, one in width and three in depth. A corrugated fiberboard partition shall be placed in the center of the box, dividing the two stacks of items.".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:47Z
Check the source to verify that this is the current version before use.

Add the following new paragraphs:

"5.4.3 Special marking.

5.4.3.1 Unit pack. Each unit pack shall be marked in black with a capital letter "G" for class 1, Sage Green 1590 and a capital "T" for class 2, Tan 380. This letter shall be 4 ± 1 inches in height and centered on the face of the vapor barrier bag.

5.4.3.2 Shipping container. Each shipping container shall be marked in black on three sides with the characters "6G" for class 1, Sage Green 1590 coat and trousers and "6T" for class 2, Tan 380 coat and trousers. These characters shall be 4 ± 1 inches in height and centered on the three sides of the shipping container. The side containing the identification and contract data marking need not be marked."

6.2.c: Delete and substitute:

"c. Class(es) and size(s) required (see 1.2)."

Preparing activity:

Army - GL

(Project 8415-A804)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T01:47Z
Check the source to verify that this is the current version before use.