MIL-T-45308A(ORD)
AMENDMENT 4
10 December 1976
SUPERSEDING
AMENDMENT 3
18 May 1973

MILITARY SPECIFICATION

TANK, MAIN BATTLE, l05MM GUN, M60

This amendment forms a part of Military Specification MIL-T-45308A(ORD), dated 27 December 1960.

Page 1, paragraph 2.1, line 2: After "bids" add "or request for proposal,"

Page 1 and 2, paragraph 2.1: Delete the following documents and their titles:
"MIL-S-10379; MIL-P-13525; MIL-V-45349."

Add the following documents in their proper order:
"MIL-P-5l4 - Plates, Identification, Instruction and Marking, Blank.
MIL-STD-461 - Electromagnetic Interference Characteristics Requirements for Equipment."

Page 3, paragraph 3.4: Delete, "and all applicable provisions of Specification MI-V-45349."

Page 4. Add paragraph:
"3.4.7.3 Fuel shut-off valve. With the engine operating at 2000 to 2200 RPM, the engine shall stop within five minutes from the time the manual fuel "shut-off" handle is placed in the

Page 4, paragraph 3.5.1: Add the following sentence to end of paragraph:
"Fuel/water separator and primary fuel filter shall be bled of air by removing each respective bleed plug and by operating the in-tank fuel pump. After air is bled replace the bleed plugs."

FSC-2350

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.

Page 10, paragraph 3.7.3.18. Delete and substitute:

"3.7.3.18 Turret and gun control systems, operation on slopes. When the vehicle is canted or pitched on slopes up to 15 degrees, the turret shall remain stable as specified in 3.7.3.11. The gun control system shall be capable of gun laying on a 0.25 mil stationary target as specified in 3.7.3.15, table II, except time limitation need not be met. The gun control system shall be capable of traversing the turret at rate of 0.5 to 65.2 mils per second. Turret chatter shall be allowed only when turret unbalance tends to cause turret rotation in the same direction of manual traverse. The gun control system performance on level terrain shall not be affected in any manner as a result of vehicle operation on slope."

Page 13, paragraph 3.8: Delete and substitute:

"3.8 Electromagnetic interference. The vehicle shall conform to the electromagnetic interference requirements of MIL-STD-461 for tactical equipment."

Page 13, paragraph 3.9.3: Delete and substitute:

"3.9.3 Name, shipping and service data plates. Unless otherwise specified (see 6.2), data plates shall conform to type III of MIL-P-514, with information as specified on the plate drawings."

Page 24. Add to Table IX: Title "Fuel shut-off valve check" Paragraph No. 4.7.1.13 Place of Manufacturer "X" Government Proving Ground "X".

Page 24, table IX: Delete "Radio suppression test" and substitute "Electromagnetic interference

Page 31. Add paragraph: "4.7.1.13 Fuel shut-off valve check.. To determine conformance to 3.4.7.3, with the engine operating at specified RPM, the fuel shut-off handle shall be placed in the "OFF" position. The time for the engine stop operation shall be as specified."

Page 34, paragraph 4.7.3.16: Delete and substitute:

"4.7.3.16 Electromagnetic interference test. To determine conformance to 3.8, the vehicle shall be tested in accordance with the applicable provisions of MIL-STD-a461 (see 6.4)."

Page 38, paragraph 6.4: Delete and substitute:

"6.4 Electromagnetic interference test. The contracting officer should submit a copy of the report(s) required in 4.7.3.16 to the Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-RD-GF, Fort Monmouth, New Jersey 07703, for approval."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.

Page 38, add the following paragraph:

"6.5 International standardization agreement. Certain provisions (see 3.6.8) of this specification are the subject of international standardization agreement NATO STANAG 2805-A (Edition 3). When amendment, revision, or cancellation of this specification is proposed which will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization channels, including departmental standardization offices, if required."

Page 38: Delete Notice paragraph in its entirety.

Custodian:
Army - AT

Preparing activity:
Army - AT

Project No. 2350-A275

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.