INCH-POUND

MIL-T-45309E(AT)
AMENDMENT 1
5 September 1990

MILITARY SPECIFICATION

TANK, COMBAT, FULL TRACKED, 105 MM GUN:
M60, M60A1, M60A1 (RISE), AND M60A3:
PROCESSING FOR SHIPMENT AND STORAGE OF

This amendment forms a part of MIL-T-45309E(AT), dated 20 June 1983, and is approved for use by the Tank-Automotive Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Bottom of page: Delete "NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT", and substitute "AMSC N/A".

Below "AMSC N/A": Add "DISTRIBUTION STATEMENT A. Approved for public release: distribution is unlimited."

PAGE 2

2.1.1: Delete "Specifications and standards. Unless....to the extent specified herein", and substitute:

"Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specification and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.

2.1.1, SPECIFICATIONS, FEDERAL: Delete the following:

"FF-N-103 - Nails (Small) and Tacks: Cut.
MMM-A-178 - Adhesive, Paper Label, Water-Resistant.
PPP-T-42 - Tape, Packaging/Marking, Paper.
QQ-R-566 - Rods, Welding, Aluminum and Aluminum Alloys.
QQ-S-741 - Steel, Carbon: Structural Shapes, Plates and Bars.
QQ-W-461 - Wire, Steel, Carbon, (Round, Bare and Coated).
TT-P-636 - Primer Coating, Synthetic, Wood and Ferrous Metal."

2.1.1, SPECIFICATIONS, FEDERAL: Add the following:

"A-A-883 - Tape, Pressure Sensitive Adhesive, Masking.
FF-N-105 - Nails, Brads, Staples and Spikes: Wire, Cut and Wrought.
MMM-A-179 - Adhesive, Paper Label.
NNN-P-40 - Paper, Lens.
O-S-801 - Sulfuric Acid, Electrolyte, For Storage Batteries.
QQ-A-1876 - Aluminum Foil.
TT-P-664 - Primer Coating, Alkyd, Corrosion-Inhibiting, Lead and Chromate Free, VOC-Compliant."

2.1.1, SPECIFICATIONS, MILITARY: Delete the following:

"MIL-A-148 - Aluminum Foil.
MIL-S-207 - Sulfuric Acid, Electrolyte, Packaging, Packing and Marking for Shipment and Storage of.
MIL-W-3912 - Wood Parts, Fabricated: For Transport Vehicle Bodies and Similar Applications.
MIL-C-5424 - Cable: Steel (Corrosion-Resisting), Flexible, Preformed (For Aeronautical Use).
MIL-P-13983 - Paint, Temporary, Lusterless, Gasoline Removable.
MIL-P-13988 - Paper, Lens, Tissue, Antitarnish, Wrapping.
MIL-E-16053 - Electrodes, Welding, Bare, Aluminum Alloys.
MIL-M-20693 - Molding Plastic, Polyamide (Nylon), Rigid.
MIL-W-45205 - Welding, Gas Metal-Arc and Gas Tungsten-Arc, Aluminum Alloys Readily Weldable for Structures, Excluding Armor."

2.1.1, SPECIFICATIONS, MILITARY: Add the following:

"MIL-H-3912 - Hardwood Components, Fabricated: For Military Vehicles.
MIL-C-5501 - Caps and Plugs, Protective, Dust and Moisture Seal."

Source: https://assist.dla.mil -- Downloaded: 202610-22T02:41Z
Check the source to verify that this is the current version before use.

2.1.1, SPECIFICATIONS, MILITARY: Delete the following:

"MIL-C-52078 - Cap-Plug, Cap, and Plug, Protective, Plastic, Dust and Moisture Seal.
MIL-E-52798 - Enamel, Alkyd, Camouflage.
MIL-E-52835 - Enamel, Modified Alkyd, Camouflage, Lusterless."

2.1.1, SPECIFICATIONS, MILITARY: Add the following:

"MIL-C-46168 - Coating, Aliphatic Polyurethane, Chemical Agent Resistant.
MIL-P-52905 - Paint, Arctic Camouflage, Removable.
MIL-P-53030 - Primer Coating, Epoxy, Water Reducible, Lead and Chromate Free.
MIL-C-53039 - Coating, Aliphatic Polyurethane, Single Component, Chemical Agent Resistant.
MIL-W-83420 - Wire Rope, Flexible, For Aircraft Control."

2.1.1, STANDARDS, MILITARY: Add the following:

"MIL-STD-372 - Welding, Gas Metal-Arc and Gas Tungsten-Arc, Aluminum Alloys, Readily Weldable For Structures, Excluding Armor."

2.1.1, After last line: Add the following:

"(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)"

2.2: Delete in its entirety, and substitute:

"2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted shall be those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM A 36/A 36M - Structural Steel.
ASTM A 641 - Zinc-Coated (Galvanized) Carbon Steel Wire.
ASTM A 809 - Aluminum-Coated (Aluminized) Carbon Steel Wire.
ASTM A 818 - Coppered Carbon Steel Wire.
ASTM A 853 - Steel Wire, Carbon, For General Use.
ASTM D 4066 - Nylon Injection and Extrusion Materials (PA).

(Application for copies should be addressed to American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19130.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.

AMERICAN WELDING SOCIETY (AWS)

AWS A5.10 - Specification for Bare Aluminum and Aluminum Alloy Welding Electrodes and Rods.

(Application for copies should be addressed to American Welding Society, Inc., 550 N.W. LeJeune Road, P.O. Box 351040, Miami, FL 33135.)

ASSOCIATION OF AMERICAN RAILROADS PUBLICATION

Section No. 1 - General Rules Governing Loading of Commodities on Open Top Cars.
Section No. 6 - Rules Governing the Loading of Department of Defense Materiel on Open Top Cars.

(Application for copies should be addressed to the Association of American Railroads, 59 East Van Buren, Chicago, Illinois 60605.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)"

PAGE 5

2.3: Delete in its entirety, and substitute:

"2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained."

The following is a tabular listing of changes to update referenced documents which have either been cancelled or superseded:

Paragraph	Line	Figure		Reference Document Delete	Substitute
			PAGE 5		
3.1.4	5			MMM-A-178	MMM-A-179
			PAGE 6		
3.1.5	7			MMM-A-178	MMM-A-179
			PAGE 8		
3.1.7.5.3	6			MIL-C-52078	MIL-C-5501
			PAGE 9		
3.1.7.5.4	6			MIL-C-52078	MIL-C-5501
3.1.7.7	4			MIL-C-52078	MIL-C-5501

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.

Paragraph	Line	Figure		Reference Document Delete	Substitute
			PAGE 10		
3.1.7.10.1	3			MIL-A-148	QQ-A-1876
3.1.7.10.2	5			MIL-A-148	QQ-A-1876
			PAGE 12		
3.1.7.12.1	15			MIL-P-13988	NNN-P-40
			PAGE 13		
3.1.7.12.4	3			MIL-P-13988	NNN-P-40
			PAGE 15		
3.1.8.2	3			MIL-S-207	O-S-801
3.1.8.3	4			PPP-T-42	A-A-883
			PAGE 17		
3.1.8.12	12			PPP-T-42	A-A-883
			PAGE 19		
3.2.11	6			QQ-W-461	ASTM A641, A809, A818, A853
			PAGE 27		
		A1		MIL-W-45205	MIL-STD-372
				MIL-E-16053 or QQ-R-566	AWS A5.10
			PAGE 33		
		B6		QQ-W-461	ASTM A641
			PAGE 34		
		B7		FF-N-103	FF-N-105
			PAGE 35		
		B8		QQ-W-461	ASTM A641, A809, A818, or A853
			PAGE 36		
		B9		QQ-W-461	ASTM A641, A809, A818, or A853
			PAGE 60		
		D2		QQ-W-461	ASTM A641
			PAGE 63		
		D2		MIL-C-5424	MIL-W-83420
			PAGE 64		
		D3		TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53039
			PAGE 65		
		D4		QQ-S-741	ASTM A36/A36M
			PAGE 66		
		D5		QQ-S-741	ASTM A36/A36M
			PAGE 67		
		D6		MIL-W-3912	MIL-H-3912
				TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53030

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.

Paragraph	Line	Figure		Reference Document Delete	Substitute
			PAGE 68		
		D7		TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53039
			PAGE 69		
		D9		TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53039
			PAGE 70		
		D10		QQ-S-741	ASTM A36/A36M
			PAGE 71		
		D11		QQ-S-741	ASTM A36/A36M
			PAGE 72		
		D12		QQ-S-741	ASTM A36/A36M
			PAGE 73		
		D13		MIL-W-3912	MIL-H-3912
				TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53039
			PAGE 74		
		D14		QQ-W-461	ASTM A641
			PAGE 75		
		D16		MIL-M-20693	ASTM D4066
			PAGE 76		
		D17		QQ-S-741	ASTM A36/A36M
			PAGE 77		
		D18		TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53039
			PAGE 78		
		D28		TT-P-636	TT-P-664 or MIL-P-53030
				MIL-E-52798	MIL-C-46168
				MIL-E-52835	MIL-C-53039
			PAGE 80		
		E2		QQ-W-461	ASTM A641

Custodian:
Army - AT

Preparing activity:
Army - AT

(Project PACK-A364)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:41Z
Check the source to verify that this is the current version before use.