DOD-STD-35-54A(MI)
15 May 1981
SUPERSEDING
(SEE NOTES)

# MILITARY STANDARD

## SEMICONDUCTOR DEVICES

# AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

FSC EDS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL
DEVELOPMENT AND READINESS COMMAND
ALEXANDRIA, VA 22333

Semiconductor Devices
Automated Engineering
Document Preparation System

DOD-STD-35-54A(MI)

1. This Military Standard is approved for use by DARCOM, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to Commander, U.S. Army Missile Command, Attn: DRSMI-RSDC, Redstone Arsenal, Alabama 35898, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

# FOREWORD

1. The purpose of DOD-STD-35-54A(MI) is to provide instructions for the preparation of Specification Requirements Sheets (SRS) in order to produce Military Specification Exceptions for semiconductor devices.

2. In order to properly utilize this document, it is necesssary to have a complete and thorough understanding of the DOD-STD-35.

3. It is important that the procedures described in the basic document (DOD-STD-35D and subsequent revisions) be followed explicitly in order to produce a document suitable for procurement. Information which is standard for all dash-numbered parts has been included in the basic document at the issuance of DOD-STD-35D. This information is not repeated in each dash-numbered part.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

CONTENTS

| | | | Page |
|---|---|---|---|
| Paragraph | 1. | SCOPE | 1 |
| | 1.1 | General | 1 |
| | 1.2 | Purpose | 1 |
| | 1.3 | Utilization | 1 |
| | 1.4 | Military Specification Exception Title Index | 1 |
| | 2. | REFERENCED DOCUMENTS | 5 |
| | 2.1 | Issues of documents | 5 |
| | 3. | DEFINITIONS | 6 |
| | 4. | GENERAL REQUIREMENTS | 7 |
| | 4.1 | Introduction | 7 |
| | 4.2 | Specification Requirement Sheet (SRS) | 7 |
| | 4.3 | Configuration | 7 |
| | 5. | DETAILED REQUIREMENTS | 9 |
| | 5.1 | Introduction | 9 |
| | 5.2 | MSE format | 9 |
| | 5.3 | Tabulation | 9 |
| | 5.4 | Keyword Code Index (KCI) and Standard Paragraphs | 9 |
| | 5.4.1 | Interrelationship of codes | 9 |
| | 5.4.2 | Automatic MSE data | 9 |
| | 6. | NOTES | 16 |

TABLES

| | | | |
|---|---|---|---|
| Table | I. | Title Index | 1 |

APPENDIX

| | | | |
|---|---|---|---|
| Appendix | A. | Characteristic Code Index | 18 |
| | | Index | 19 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

# 1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for semiconductor devices.

1.2 Purpose. An MSE on a semiconductor device is prepared only when a detailed specification sheet is available and there is no QPL listing for the device. The MSE will provide an exception to the requirement for QPL listing.

1.3 Utilization. General instructions applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Keyword Code Index (KCI)
d. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. It is recommended that MIL-STD-701, Lists of Standard Semiconductor Devices, be reviewed prior to using this dash-numbered part book.

The title code for an MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSE's for the MSE titles indicated.

One of the six-digit codes listed in the Title Index, entered on an SRS, will specify that the title of the MSE will be the title shown in the Title Index.

TABLE I. TITLE INDEX.

| MSE TITLE | TITLE CODE | BASE DOCUMENT NUMBER | BASE DOCUMENT COVERAGE |
|---|---|---|---|
| SEMICONDUCTOR DEVICE, TRANSISTOR | 453001 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, DUAL | 453002 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, BIPOLAR | 453003 | MIL-S-L9500 | TRANSISTORS |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX. (CONT)

| MSE TITLE | TITLE CODE | BASE DOCUMENT NUMBER | BASE DOCUMENT COVERAGE |
|---|---|---|---|
| SEMICONDUCTOR DEVICE, TRANSISTOR, LOW POWER | 453004 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, POWER | 453005 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, SWITCHING | 453006 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT | 453007 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, DUAL, FIELD EFFECT | 453008 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, OPTOELECTRONIC | 453009 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, PHOTO | 453010 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, CHOPPER | 453011 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, TRANSISTOR, UNIJUNCTION | 453012 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, ISOLATOR, OPTICALLY COUPLED, SOLID STATE | 453013 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, COUPLER, OPTOELECTRONIC | 459014 | MIL-S-19500 | TRANSISTORS |
| SEMICONDUCTOR DEVICE, THYRISTOR, | 453015 | MIL-S-19500 | THYRISTORS |
| SEMICONDUCTOR DEVICE, THYRISTOR, BI-DIRECTIONAL | 453016 | MIL-S-19500 | THYRISTORS |
| SEMICONDUCTOR DEVICE, DIODE | 453017 | MIL-S-19500 | DIODES |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX. (CONT)

| MSE TITLE | TITLE CODE | BASE DOCUMENT NUMBER | BASE DOCUMENT COVERAGE |
|---|---|---|---|
| SEMICONDUCTOR DEVICE, DIODE, PHOTO | 453018 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, LASER | 453019 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, TUNNEL | 453020 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING | 453021 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, MICROWAVE, RF MIXER | 453022 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, MICROWAVE, STEP RECOVERY | 453023 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, VIDEO DETECTOR | 453024 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, VOLTAGE VARIABLE CAPACITOR | 453025 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, REGULATOR | 453026 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, REFERENCE | 453027 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, TRANSIENT SUPPRESSOR | 453028 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, NOISE GENERATOR | 453029 | MIL-S-19500 | DIODES |
| SEMICONDUCTOR DEVICE, DIODE, RECTIFIER, POWER, FAST SWITCHING | 453030 | MIL-S-19500 | DIODES |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

## 2. REFERENCED DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

| | |
|---|---|
| MIL-S-19500 | Semiconductor Device, General Specification For |

STANDARDS

MILITARY

| | |
|---|---|
| DOD-STD-35 | Automated Engineering Document Preparation System |

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

## 4. GENERAL REQUIREMENTS

4.1 Introduction. In order to properly prepare an SRS for semiconductor devices, it is necessary to use DOD-STD-35 in conjunction with this dash-numbered part. In the event the instructions or the writing methodology are not followed, an AEDPS edit routine will print error messages rather than the desired MSE document.

4.2 Specification Requirement Sheet (SRS). SRS requirements described in DOD-STD-35 are applicable to semiconductor devices.

4.3 Configuration. No exceptions to the configuration specified by MIL-S-19500 and the detail sheet shall be permitted by the use of this dash-numbered part of DOD-STD-35.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

## 5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE format. All MSE's prepared for semiconductor devices shall be single section documents, similar to a military specification sheet. This requires that code 0800 with an "X" be entered on the SRS to create single section format.

5.3 Tabulation. No tabulation shall be permitted for a semiconductor device MSE.

5.4 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on an SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and its associated code. Enter, on the SRS, the code and the characteristic value required. DOD-STD-35 codes shall not be applicable to this dash-numbered part. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix A, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.4.1 Interrelationship of codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The paragraph, of which the code is a part, is shown by the standard paragraph adjacent to the code on a right-hand page. When a characteristic value entered with a code becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact entry as supplied with the code, except for "X" entries.

5.4.2 Automatic MSE data. Some statements will appear in the printed MSE without having to make additional entries. These statements are linked by data base logic to characteristic codes listed and will print when one of the codes listed is used. Explanations are noted on the KCI as required.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

| CHARACTERISTIC NAME | CHAR CODE |
|---|---|
| *REQUESTER'S NAME | 0101 |
| *COMPANY NAME/COMMAND | 0102 |
| *STREET/BUILDING | 0103 |
| *CITY, STATE, ZIP | 0104 |
| *PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE | 0105 |
| *REQUESTER FSCM | 1004 |
| *CONTRACT NUMBER/OFFICE SYMBOL | 1005 |
| *BASE DOCUMENT | 1006 |
| *SYSTEM APPLICATION | 1008 |
| *GOVERNMENT DESIGN ACTIVITY FSCM | 6369 |
| *FORMAT | |
| ONE SECTION DOCUMENT. | 0800 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

| CHAR CODE | STANDARD PARAGRAPH |
|---|---|
| 0101 | 0101. |
| 0102 | 0102. |
| 0103 | 0103. |
| 0104 | 0104. |
| 0105 | 0105. |
| 1004 | USER(S) FSCM(S) 1004. |
| 1005 | CONTRACT NUMBER OR OFFICE SYMBOL 1005. |
| 1006 | THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN. |
| 1008 | SYSTEM APPLICATION 1008. |
| 6369 | GOVERNMENT DESIGN ACTIVITY FSCM 6369. |
| 0800 | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

| CHARACTERISTIC NAME | CHAR CODE |
|---|---|
| *SOURCE(S) | |
| *SPECIFICATION CONTROL. | 6874 |
| *SOURCE TABLE | |
| PART NUMBER | |
| NOTE: AUTOMATIC WITH A SINGLE ITEM MSE. | |
| *MILITARY PART NUMBER (DESIGNATION) | 1600 |
| NOTE: INCLUDE PRODUCT ASSURANCE LEVEL | |
| LEAD MATERIAL (TYPE) | 1606 |
| LEAD FINISH (TYPE) | 1607 |
| PART MARKING | |
| NOTE: AUTOMATIC FOR ALL DOCUMENTS | |
| SERIALIZATION | |
| REQUIRED. | 1601 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

CHAR
CODE STANDARD PARAGRAPH

SOURCE(S).

6874 THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).

SOURCE TABLE

| FSCM NUMBER | MANUFACTURER'S PART NUMBER |
|---|---|
| 9AAB | 9AAC |
| 9AAD | 9AAE |
| 9AAF | 9AAG |
| 9AAH | 9AAI |
| 9AAJ | 9AAK |
| 9AAL | 9AAM |

PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.

1600 MILITARY PART NUMBER. EXCEPTIONS APPLY TO 1600.

1606 LEAD MATERIAL SHALL BE 1606.

1607 LEAD FINISH SHALL BE 1607.

PART MARKING. THE PART NUMBER SHALL BE AS SHOWN ABOVE. MARK IN ACCORDANCE WITH MIL-S-19500 EXCEPT THE PREFIX FOR LEVEL OF PRODUCT ASSURANCE SHALL NOT BE USED.

1601 SERIALIZATION. SERIALIZATION SHALL BE REQUIRED.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

| CHARACTERISTIC NAME | CHAR CODE |
|---|---|
| QUALIFIED PRODUCT LISTING WAIVED. | |
| NOTE: AUTOMATIC FOR ALL DOCUMENTS | |
| QUALITY CONFORMANCE INSPECTION (SELECT ONE) | |
| NOTE: AUTOMATIC WHEN ONE OF THE CODES BELOW IS USED. | |
| GENERIC TEST DATA PERMITTED. | 1602 |
| PERFORM QUALITY CONFORMANCE INSPECTIONS (SELECT ONE) | |
| SUPPLY DATA. | 1603 |
| INCLUDE VARIABLES DATA. | 1605 |
| SUPPLY CERTIFICATE OF COMPLIANCE. | 1604 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

| CHAR CODE | STANDARD PARAGRAPH |
|---|---|
| | QUALIFIED PRODUCT LIST. REQUIREMENT FOR LISTING ON QPL-19500 IS WAIVED. ITEMS FURNISHED UNDER THIS DOCUMENT SHALL BE SUPPLIED BY MANUFACTURERS WHO ARE QUALIFIED TO SUPPLY ITEMS LISTED IN QPL-19500. |
| | QUALITY CONFORMANCE INSPECTION. THE QUALITY CONFORMANCE INSPECTION SHALL BE AS SPECIFIED IN THE BASE DOCUMENT, EXCEPT AS SPECIFIED HEREIN. |
| 1602 | TEST DATA FROM STRUCTURALLY IDENTICAL QUALIFIED DEVICES MAY BE USED TO SATISFY THE REQUIREMENTS FOR GROUPS B AND C INSPECTIONS. THIS TEST DATA SHALL BE FROM PARTS FABRICATED WITHIN A TIME SPAN OF NOT GREATER THAN 180 DAYS BETWEEN FABRICATION OF THE TESTED PARTS AND FABRICATION OF THE DELIVERABLE DEVICES. A CERTIFICATE OF COMPLIANCE TO THE QUALITY CONFORMANCE REQUIREMENTS SHALL BE SHIPPED WITH EACH SHIPMENT. IT SHALL CONTAIN THE PART NUMBER AND LOT AND DATE CODES OF BOTH PURCHASED PARTS AND TESTED STRUCTURALLY IDENTICAL PARTS. THIS TEST DATA SHALL BE SUBJECT TO THE APPROVAL OF THE PROCURING ACTIVITY AND SHALL BE RETAINED FOR NOT LESS THAN 36 MONTHS FROM THE DATE OF SHIPMENT. |
| 1603 | ONE REPRODUCIBLE COPY OF THE TEST DATA FOR EACH LOT DELIVERED ON AN ORDER SHALL BE SUPPLIED WITH THE DEVICES. ATTRIBUTES DATA SHALL BE SUPPLIED FOR SCREENING AND QUALITY CONFORMANCE INSPECTIONS. |
| 1605 | VARIABLES DATA SHALL BE SUPPLIED ALSO. |
| 1604 | QUALITY CONFORMANCE TEST REPORTS SHALL NOT BE SHIPPED WITH THE PARTS, BUT SHALL BE AVAILABLE FOR A REVIEW BY THE PROCURING ACTIVITY FOR A PERIOD OF NOT LESS THAN 36 MONTHS FROM THE DATE OF SHIPMENT. A CERTIFICATE OF COMPLIANCE TO THE QUALITY ASSURANCE REQUIREMENTS SHALL BE SUPPLIED WITH EACH SHIPMENT. IT SHALL CONTAIN THE PART NUMBERS AND LOT AND DATE CODES FOR ALL DELIVERED DEVICES. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

## 6. NOTES

Supersedes:

| | |
|---|---|
| MIL-STD-35-54(MI) | 21 Dec 1973 |
| MIL-STD-35-55(MI) | 21 Dec 1973 |
| MIL-STD-35-56(MI) | 26 Dec 1973 |
| DOD-STD-35-57A(MI) | 30 Dec 1978 |
| MIL-STD-35-58(MI) | 28 Dec 1973 |
| DOD-STD-35-59A(MI) | 2 Feb 1979 |
| MIL-STD-35-60(MI) | 28 Dec 1973 |
| DOD-STD-35-61A(MI) | 15 Jan 1979 |
| MIL-STD-35-62(MI) | 28 Dec 1973 |
| MIL-STD-35-63(MI) | 14 Jan 1974 |
| DOD-STD-35-64A(MI) | 5 Jan 1979 |
| DOD-STD-35-113(MI) | 15 Jun 1978 |
| DOD-STD-35-124(MI) | 19 Sep 1978 |

Custodians:
Army-MI

Review activities:
Army-AT
Army-AV
Army-EL
Army-ME
Army-MR
Army-SG
Army-WC

User activity:
Army-MU

Preparing activity:
Army-MI

(Project EDS-A318)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

# APPENDIX A

# CHARACTERISTIC CODE INDEX



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

## CHARACTERISTIC CODE INDEX


| CHAR CODE | PAGE NO. | CHAR CODE | PAGE NO. | CHAR CODE | PAGE NO. | CHAR CODE | PAGE NO. |
|---|---|---|---|---|---|---|---|
| 0101 | 10 | | | | | | |
| 0102 | 10 | | | | | | |
| 0103 | 10 | | | | | | |
| 0104 | 10 | | | | | | |
| 0105 | 10 | | | | | | |
| 0800 | 10 | | | | | | |
| 1004 | 10 | | | | | | |
| 1005 | 10 | | | | | | |
| 1006 | 10 | | | | | | |
| 1008 | 10 | | | | | | |
| 1600 | 12 | | | | | | |
| 1601 | 12 | | | | | | |
| 1602 | 13 | | | | | | |
| 1603 | 13 | | | | | | |
| 1604 | 13 | | | | | | |
| 1605 | 13 | | | | | | |
| 1606 | 12 | | | | | | |
| 1607 | 12 | | | | | | |
| 6369 | 10 | | | | | | |
| 6874 | 12 | | | | | | |
| 9AAB | 13 | | | | | | |
| 9AAC | 13 | | | | | | |
| 9AAD | 13 | | | | | | |
| 9AAE | 13 | | | | | | |
| 9AAF | 13 | | | | | | |
| 9AAG | 13 | | | | | | |
| 9AAH | 13 | | | | | | |
| 9AAI | 13 | | | | | | |
| 9AAJ | 13 | | | | | | |
| 9AAK | 13 | | | | | | |
| 9AAL | 13 | | | | | | |
| 9AAM | 13 | | | | | | |




Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

# INDEX

| | Page |
|---|---|
| Base Document | 10 |
| City, State, Zip | 10 |
| Company Name/Command | 10 |
| Contract Number/Office Symbol | 10 |
| Format | 10 |
| Government Design Activity FSCM | 10 |
| Military Part Number | 12 |
| Part Marking | 12 |
| Part Number | 12 |
| Phone Number | 10 |
| Qualified Product Listing Waived | 14 |
| Quality Conformance Inspection | 14 |
| Requester FSCM | 10 |
| Requester's Name | 10 |
| Serialization | 12 |
| Source(s) | 12 |
| Source Table | 12 |
| Specification Control | 12 |
| Street/Building | 10 |
| System Application | 10 |

☆U.S. GOVERNMENT PRINTING OFFICE: 1981—703-023/3932



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
DOD-STD-35-54A(MI)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

**DD FORM 1 JAN 72 1426** REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

## BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Missile Command
ATTN: DRSMI-RSDC
Redstone Arsenal, AL 35898

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:57Z
Check the source to verify that this is the current version before use.