MILITARY STANDARD

NUMBERING AND CODING OF ENGINEERING DRAWINGS, ASSOCIATED LISTS AND DOCUMENTS

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1959

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. Price 10 cents

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
WASHINGTON 25, D. C.

1 APRIL 1959

Supply and Logistics

Numbering and Coding of Engineering Drawings, Associated Lists and Documents
MIL–STD–31

1. This standard has been approved by the Department of Defense for use by the Departments of the Army, the Navy, and the Air Force.

2. In accordance with established procedure, the Standardization Division has designated the Army Ordnance Corps, Navy Bureau of Ships, and Air Force AMC respectively, as Army-Navy-Air Force custodians of this standard.

3. This standard is mandatory for use *effective 1 April 1959* by the Departments of the Army, the Navy, and the Air Force.

4. Recommended corrections, additions, or deletions should be addressed to the Standardization Division, Office of the Assistant Secretary of Defense (Supply and Logistics), Washington 25, D. C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

CONTENTS

		Page
1.	SCOPE	1
2.	REFERENCED DOCUMENTS	1
3.	DEFINITIONS	2
3.1	Engineering drawings	2
3.2	Associated list	2
3.3	Associated document	2
3.4	Code identification number	2
3.5	Document identification number	2
3.6	Drawing number	2
3.7	Part number	2
4.	GENERAL REQUIREMENTS	3
4.1	Identification requirements	3
4.1.1	New drawings and associated lists	3
4.1.2	Existing drawings and associated lists	3
4.1.3	Associated documents	3
5.	DETAIL REQUIREMENTS	4
5.1	Code identification number	4
5.2	Drawing number	4
5.2.1	Letters	4
5.2.2	Numbers	4
5.2.3	Dashes	4
5.3	Associated lists	4
5.3.1	List of materials (list of parts)	4
5.3.2	Data lists and index lists	4
5.4	Records	4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

NUMBERING AND CODING OF ENGINEERING DRAWINGS, ASSOCIATED LISTS AND DOCUMENTS

1. SCOPE

1.1 This standard governs the numbering and coding of engineering drawings, associated lists, and documents prepared by or for the Department of Defense.

2. REFERENCED DOCUMENTS

2.1 **Referenced documents.** The following documents referenced in this standard are of the issue in effect on the date of invitation for bids, and form a part of this standard:

SPECIFICATIONS

MILITARY

MIL–D–70327 — Drawings, Engineering and Associated Lists.

STANDARDS

MILITARY

MIL–STD–7 — Types and Definitions of Drawings.

MIL-STD-2 Engineering Drawings Sizes and Formats

MIL–STD–30 — Associated Lists for Engineering Drawings.

HANDBOOKS

FEDERAL

Handbook H4–1 * — Federal Supply Code for Manufacturers, Name to Code.

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

H4-2 Federal Supply Code for Manufacturers, Code to Name

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

3.1 Engineering drawings. Engineering drawings are defined in Standard MIL–STD–7.

3.2 Associated list. Associated lists are defined in Standard MIL–STD–30.

3.3 Associated documents. Associated documents as used in this standard are design activity standards, standard drawings, specifications, pamphlets, printed, typewritten, or other design information referenced on drawings or lists.

3.5 Document identification number. The document identification number consists of numbers or combinations of letters, numbers, and dashes. This number is assigned to a document, in addition to the title, for identification purposes.

3.6 Drawing number. A drawing number

3.6 PART/DRAWING IDENTIFICATION NUMBER (PDIN). The complete number by which a part and it's respective drawing is identified. It is assigned to a particular drawing for identification purposes by the activity controlling the drawing. It is the number that shall be applied to the part which the particular drawing represents.

specifications, drawings, or standards which control the design of items. These numbers are assigned in conformance with Cataloging Handbook H4–1, Federal Supply Code for

3.7 Part number. A part number is a number applied to a part for identification purposes.

3.4 CODE IDENTIFICATION. The code identification number is a 5 digit numerical code (first 5 digits of the part/drawing identification number) applicable to all activities which have produced or are currently producing items used by the Federal Government. It also applies to Government activities which control design, or are responsible for the development of certain specifications, drawings, or standards for control of the design of the items. These numbers are assigned in conformance with catalog Handbook H4-1, Federal Supply Code for Manufacturers, Name to Code (also Handbook H4-2, Code to Name). Organizations which neither manufacture nor control design such as dealers, agents, or vendors of items produced by other are not included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 IDENTIFICATION REQUIREMENTS. Except as otherwise stated in the contract or order, all drawings, associated lists, or documents procured, prepared by, or furnished to, Department of Defense activities shall be identified by a part/drawing identification number (PDIN) in conformance with Section 5 of this standard.

4.1.1 NEW DRAWINGS AND ASSOCIATED LIST (Italics). New drawings and associated lists shall be assigned a part/drawing identification number (PDIN) in conformance with this standard.

4.1.2 EXISTING DRAWING AND ASSOCIATED LISTS (Italics). The existing drawings and associated lists used in connection with new design, documentation, contracts or orders shall be assigned a code identification number in conformance with 5.1 of this standard. This number shall be attached to the drawing as near to the drawing number as possible.

Existing drawings and associated lists used in connection with new design, documentation, contracts or orders shall be assigned a code identification number in conformance with 5.1 of this standard. This number shall be added to the drawing as near to the drawing number as possible.

documents used with Class 2 drawings. The Government procuring activity shall assign or obtain document identification numbers and code identification numbers for all documents used with Class 1 drawings.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

5. DETAIL REQUIREMENTS

5.1 Code identification number. The code identification number shall always be the code number of the design activity whose drawing number is assigned to the drawing, and shall be entered on the drawing in the appropriate block except as noted in 4.1.2 for existing drawings. Activities not assigned a code identification number shall request such identification in conformance with Cataloging Handbook H4–1.

5.2 Drawing number. The drawing or part number including combinations of letters, numbers, and dashes, shall not exceed 15 characters. Blank spaces are not permitted within the drawing number or part numbers. The code identification number, drawing revision letter, and the symbols "DL", "IL", and "LM" when prefixed to the drawing number shall not be considered part of the drawing number.

5.2.1 *Letters.* Letters used as part of an identification number or drawing number shall be upper case (capital) letters. The letters "I", "O", "Q", and "X" shall not be used.

5.2.2 *Numbers.* Numbers used shall be whole Arabic numerals. Fractional, decimal, and Roman numerals shall not be used.

5.2.3 *Dashes.* Dashes between letters and letters, or letters and numerals, shall not be used.

5.3 Associated lists.

5.3.1 *List of materials (list of parts).* A list of materials (list of parts) prepared separate from the drawing shall bear the same identification number as the assembly drawing to which it applies, in which case the drawing number shall be prefixed by the letters "LM". When the list of material is included on the drawing, the symbol "LM" shall not be prefixed to the drawing.

5.3.2 *Data lists and index lists.* Data lists and index lists shall consist of the same drawing number as the assembly to which it pertains, and the drawing number shall be prefixed by the letters "DL" for data lists, and "IL" for index lists. When no drawing exists, the list shall be assigned a number by the preparing activity in accordance with this standard. This number shall be prefixed by the symbol "DL" or "IL" as above.

5.4 Records. A complete and accurate record of drawing numbers shall be maintained by the activity allocating or assigning the identifying numbers.

Notice. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.

Copies of this standard for Military use may be obtained as indicated in the foreword to the Index of Military Specifications and standards.

Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D. C.

Both the title and identifying symbol number should be stipulated when requesting copies of Military Standards.

Custodians:
Army—Ordnance Corps
Navy—Bureau of Ships
Air Force—*AMC*

Preparing activity:
Army—Ordnance Corps

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

5.1 CODE IDENTIFICATION NUMBER. The code identification number shall always be the code number of the design activity whose part/drawing identification number (PDIN) is assigned to the drawing, and should be entered on the drawing in the appropriate space (see Figure 1), except as noted in 4.1.2 for existing drawings. Activities not assigned a code identification number should request identification in conformance with Cataloging Handbook H4-1.

5.2 PART/DRAWING IDENTIFICATION NUMBER (PDIN). The complete number by which a part and it's respective drawing is identified. The complete part/drawing identification number (PDIN) consisting of the code identification number (first 5 digits), drawing size letter code per MIL-STD-2, 6th digit, the year in which the drawing is originated digits 7 and 8, followed by a revolving number, consisting of numerals ascending in straight numerical order beginning with numeral one (1) as required, digits 9 through 15, inclusive (see Figure 2).

5.2.1 LETTERS (Italics). Letters used as part of a part/drawing identification number (PDIN) shall be upper case (capital) letters. The choice of letters used shall be limited to those shown in Table 1, finished format sizes, MIL-STD-2 and code letters for associated lists, MIL-STD-30 as applicable.

5.2.2 NUMBERS (Italics). Numbers used shall be whole Arabic numerals. Fractional, decimal, and Roman numerals shall not be used.

5.2.3 DASHES (Italics). Dashes between letters and letters, or letters and numerals shall not be used.

5.2.4 MAXIMUM NUMBER OF CHARACTERS OR DIGITS (Italics). The maximum number of characters or digits comprising the part/drawing identification number (PDIN) shall not exceed 15. Blank spaces are not permitted within the complete part/drawing identification number (PDIN).

5.2.5 YEAR OF ORIGIN (Italics). In the spaces represented by digits 7 and 8 of the part/drawing identification number (PDIN) there shall be entered the last two numerals denoting the year in which the drawing or list is originated. Example: "62" for calendar year 1962, etc., (See Figure 3). It shall be the responsibility of each activity to ensure that part/drawing identification number (PDIN) assignments reflect the change of year beginning 1 January of each calendar year.

5.2.6 PART/DRAWING IDENTIFICATION NUMBER-REVOLVING (Italics). The revolving portion of the part/drawing identification number (PDIN), digits 9 through 15 inclusive. The revolving portion of the PDIN shall begin with "1" starting 1 January of each calendar year (or with the first PDIN number assigned after 1 January of each calendar year, whichever is first). This procedure shall apply uniformly to each design activity (See Figure 4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.

5.2.6.1 DASH NUMBERED PARTS (Italics). Dash numbers may be assigned to several items that are detailed on a single drawing, such as a tabulated or multi-detailed drawing. Dash numbers shall be assigned within the range of digits 9 through 15 inclusive. The dash number and dash shall include at least one digit of the revolving portion of the part/drawing identification number (PDIN). (See Figure 5)

5.3.1 LIST OF MATERIALS (LIST OF PARTS) Italics. A list of materials (list of parts) prepared separate from the drawing shall bear the same part/drawing identification number (PDIN) as the assembly drawing to which it applies, in which case the PDIN shall include the letter "M" instead of drawing size letter (digit 6) per MIL-STD-30.

5.3.2 DATA LIST, INDEX LIST AND PARTS LIST (Italics). A data list, index list or parts list shall be assigned the same part/drawing identification number (PDIN) as the assembly to which it pertains and shall contain the letter "P", for parts list or "L" for data list or "N" for index list, whichever is applicable. When no drawing exists, the list shall be assigned a PDIN number by the preparing activity in accordance with the provisions of this standard.

5.4 RECORDS. A complete and accurate record of part/drawing identification numbers (PDINS) shall be maintained by the activity allocating or assigning these numbers. The responsibility rests with each design activity to change the year indicator, digits 7 and 8, at the beginning of each calendar year as well as starting over with the digit "1" in the revolving portion of the PDIN number, digits 9 through 15 inclusive. To facilitate EAM card operations, revolving number assignment shall begin in "high order" arrangement, digit 9 (See Figure 6).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:52Z
Check the source to verify that this is the current version before use.