INCH-POUND
MS16563C
24 September 2021
SUPERSEDING
MS16563B
12 June 1962

DETAIL SPECIFICATION SHEET

LAMP, INCANDESCENT, R-30 MEDIUM SCREW

Inactive for new design after 1 December 2006

This specification is approved for use by all
Departments and Agencies of the Department of Defense.




FIGURE 1. Design and Construction

Comments, suggestions, or questions on this document should be sent to: STDZNMGT@dla.mil or Defense Logistics Agency Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616. Since contact information can change, you may want to verify the currency of this address information using the ASSIST database at https://assist.dla.mil/.

AMSC N/A FSC 6240

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:58Z
Check the source to verify that this is the current version before use.

3D Model for reference only.

FIGURE 1. Design and Construction - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:58Z
Check the source to verify that this is the current version before use.

TABLE I. Dash Number

MS Part Number	Watts	Volts	Filament	Finish	Hours Life (Approx.)	Industry Number	Use
MS16563-1	110	120	C-17[1]	Inside frost	2000	110R30/FL/RS	Overhead lighting hanger decks
MS16563-2	110	120	C-17[1]	Garnet red outside coated	2000	110R/R/RS	Overhead red lighting hanger decks

[1] Rough service

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Navy - SH
DLA - GS

Preparing activity:
DLA – GS2

(Project 6240-2021-008)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:58Z
Check the source to verify that this is the current version before use.