INCH-POUND

MS35425F
6 JUNE 2022
SUPERSEDING
MS35425E
14 MARCH 1977

DETAIL SPECIFICATION SHEET

NUT PLAIN, WING, UNC-2B

Inactive for new design after 14 March 1977
and is no longer used, except for replacement purposes.


This specification is approved for use by all
Departments and Agencies of the Department of Defense.

Comments, suggestions, or questions on this document should be addressed to DLA Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616 or emailed to STDZNMGT@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:22Z
Check the source to verify that this is the current version before use.



DASH NO.		SIZE	MATERIAL	T	DIMENSIONS											
NO HOLE	WITH HOLE				A		B		C		D		E		F	
					MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN
- - - -	17* 18*	.138 (No. 6)	STEEL BRASS	32UNC-2B	.72	.59	.41	.28	.33	.29	.14	.10	.21	.17	.11	.07
62 63	50* 51*	.138 (No. 6)	STEEL BRASS	32UNC-2B	.91	.78	.47	.34	.43	.39	.18	.14	.27	.22	.14	.10
- - - -	19* 20*	.164 (No. 8)	STEEL BRASS	32UNC-2B	.72	.59	.41	.28	.33	.29	.14	.10	.21	.17	.11	.07
66 67	52* 53*	.164 (No. 8)	STEEL BRASS	32UNC-2B	.91	.78	.47	.34	.43	.39	.18	.14	.27	.22	.14	.10
68 69	37* 38*	.190 (No. 10)	STEEL BRASS	24UNC-2B	.91	.78	.47	.34	.43	.39	.18	.14	.27	.22	.14	.10
70 71	39* 40*	.250 (1/4)	STEEL BRASS	20UNC-2B	1.10	.97	.57	.43	.50	.45	.22	.17	.39	.26	.18	.14
72 73	41* 24*	.3125 (5/16)	STEEL BRASS	18UNC-2B	1.25	1.12	.66	.53	.58	.51	.25	.20	.39	.32	.21	.17
74 75	42* 28*	.375 (3/8)	STEEL BRASS	16UNC-2B	1.44	1.31	.79	.65	.70	.64	.30	.26	.48	.42	.24	.20
- - - -	43* 32*	.4375 (7/16)	STEEL BRASS	14UNC-2B	1.94	1.81	1.00	.87	.93	.86	.39	.35	.65	.54	.33	.26
78 79	44* 36*	.500 (1/2)	STEEL BRASS	13UNC-2B	1.94	1.81	1.00	.87	.93	.86	.39	.35	.65	.54	.33	.26

* WING NUTS WITH HOLE IN WING ARE INACTIVE FOR DESIGN AFTER 14 March 1977.

NOTES.

1. Type. Cold forged (Type A, Style 2 of procurement specification).
2. Material. Steel, carbon, 50,000 PSI tensile strength; Brass, commercial.
3. Protective coating. Steel nuts shall be Zinc-Nickel plated in accordance with MIL-PRF-32647, type K16 or cadmium plated in accordance with SAE-AMS-QQ-P-416, type II, class 3. Cadmium is an R1, R2 and D1 substance in the Aerospace and Defense Declarable Substance list, Zinc-nickel plate per MIL-PRF-32647 is the preferred replacement plating.
4. Threads. Threads shall be in accordance with FED-STD-H28.
5. Referenced documents of issue in effect on date of invitations for bids shall apply.
6. In case of conflict with any referenced document, this standard will govern.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:22Z
Check the source to verify that this is the current version before use.

7. The MS part number consists of the MS sheet number, plus the dash number.

   Example MS35425-62

8. Procurement specification FF-N-845.
9. All dimensions are in inches.

INTERCHANGIBILITY RELATIONSHIP WITH AN350 – After 3 February 1965, NC threaded wing nuts of AN350 are inactive for new design and replacement. The existing stocks should be used until depleted. For new design and replacements use only applicable superseding wing nuts listed above.

Custodians:
Army – AR
DLA – GS

Review Activities:
Army – AT, AV, CR4, MI
Navy – MC, YD

Preparing Activity:
DLA – GS7

(Project 5310-2022-023)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:22Z
Check the source to verify that this is the current version before use.

APPENDIX A
3D Model for reference only.

Viewing this model requires a PDF viewer that supports 3D models. Adobe Acrobat is known to support 3D models but there may be other suitable viewers

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:22Z
Check the source to verify that this is the current version before use.