FED SUP CLASS
5330



SECTION A-A

TABLE I DASH NUMBERS AND DIMENSIONS

DASH NO	* ID	T	1/ BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100
-001	.025- .033	.037-.043	.0003	.001
-002	.038- .046	.047-.053	.0006	.003
-003	.052- .060	.057-.063	.0010	.005
-004	.065- .075	.067-.073	.0017	.008
-005	.096- .106	.067-.073	.0021	.010
-006	.109- .119	.067-.073	.0022	.010
-007	.140- .150	.067-.073	.0026	.012
-008	.171- .181	.067-.073	.0030	.014
-009	.203- .213	.067-.073	.0034	.016
-010	.234- .244	.067-.073	.0037	.017
-011	.296- .306	.067-.073	.0045	.021
-012	.359- .369	.067-.073	.0052	.024
-013	.421- .431	.067-.073	.0060	.028
-014	.484- .494	.067-.073	.0068	.031
-015	.546- .556	.067-.073	.0075	.034
-016	.609- .619	.067-.073	.0083	.038
-017	.671- .681	.067-.073	.0090	.041
-018	.734- .744	.067-.073	.0098	.045
-019	.795- .807	.067-.073	.0105	.048
-020	.858- .870	.067-.073	.0113	.052
-021	.920- .932	.067-.073	.0120	.055
-022	.983- .995	.067-.073	.0128	.059
-023	1.045-1.057	.067-.073	.0136	.062
-024	1.108-1.120	.067-.073	.0143	.066
-025	1.170-1.182	.067-.073	.0151	.069
-026	1.233-1.245	.067-.073	.0158	.073
-027	1.295-1.307	.067-.073	.0166	.076
-028	1.358-1.370	.067-.073	.0173	.080
-029	1.479-1.499	.067-.073	.0188	.086
-030	1.604-1.624	.067-.073	.0204	.094
-031	1.729-1.749	.067-.073	.0219	.101
-032	1.854-1.874	.067-.073	.0234	.108
-033	1.979-1.999	.067-.073	.0249	.114
-034	2.104-2.124	.067-.073	.0264	.121
-035	2.229-2.249	.067-.073	.0279	.128
-036	2.354-2.374	.067-.073	.0294	.135
-037	2.479-2.499	.067-.073	.0309	.142
-038	2.604-2.624	.067-.073	.0324	.149
-039	2.724-2.754	.067-.073	.0340	.156
-040	2.849-2.879	.067-.073	.0355	.163
-041	2.974-3.004	.067-.073	.0370	.170
-042	3.224-3.254	.067-.073	.0400	.184
-043	3.474-3.504	.067-.073	.0430	.198
-044	3.724-3.754	.067-.073	.0460	.212
-045	3.974-4.004	.067-.073	.0491	.226
-046	4.224-4.254	.067-.073	.0521	.240
-047	4.474-4.504	.067-.073	.0551	.254
-048	4.724-4.754	.067-.073	.0582	.267
-049	4.966-5.012	.067-.073	.0612	.281
-050	5.216-5.262	.067-.073	.0642	.295
-106	.169- .179	.100-.106	.0073	.034
-107	.201- .211	.100-.106	.0081	.037
-108	.232- .242	.100-.106	.0089	.041
-109	.294- .304	.100-.106	.0105	.048
-110	.357- .367	.100-.106	.0122	.056
-111	.419- .429	.100-.106	.0138	.063
-112	.482- .492	.100-.106	.0154	.071
-113	.544- .554	.100-.106	.0171	.079
-114	.607- .617	.100-.106	.0187	.086
-115	.669- .697	.100-.106	.0203	.093
-116	.732- .742	.100-.106	.0220	.101
-117	.793- .805	.100-.106	.0236	.108
-118	.856- .868	.100-.106	.0253	.116
-119	.918- .930	.100-.106	.0269	.124
-120	.981- .993	.100-.106	.0285	.131
-121	1.043-1.055	.100-.106	.0302	.139
-122	1.106-1.118	.100-.106	.0318	.146
-123	1.168-1.180	.100-.106	.0334	.154
-124	1.231-1.243	.100-.106	.0351	.161
-125	1.293-1.305	.100-.106	.0367	.169
-126	1.356-1.368	.100-.106	.0383	.176
-127	1.418-1.430	.100-.106	.0400	.184
-128	1.481-1.493	.100-.106	.0416	.191
-129	1.539-1.559	.100-.106	.0432	.199
-130	1.602-1.662	.100-.106	.0449	.207
-131	1.664-1.684	.100-.106	.0465	.214
-132	1.727-1.747	.100-.106	.0482	.222

1/ FOR REFERENCE PURPOSES ONLY

Ⓓ ENTIRE STANDARD REVISED

USER ACTIVITIES

REVIEWER ACTIVITIES
AIR FORCE - 99
DLA - IS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

APPROVED 15 MAR 56 REVISED Ⓓ 25 JUL 86

P.A. NAVY - AS Other Cust ARMY - AV AIR FORCE - 11	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING	**MILITARY STANDARD** MS9021
PROCUREMENT SPECIFICATION	SUPERSEDES:		PAGE 1 OF 5

AMSC N/A

DD FORM 1 MAY 71 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5330-0644

FED SUP CLASS
5330

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

DASH NO	ID	T	1/ BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100	DASH NO	ID	T	1/ BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100
-133	1.789-1.809	.100-.106	.0456	.228	-213	.915- .927	.135-.143	.0505	.232
-134	1.852-1.872	.100-.106	.0514	.236	-214	.978- .990	.135-.143	.0535	.246
-135	1.915-1.935	.100-.106	.0531	.244	-215	1.040-1.052	.135-.143	.0565	.260
-136	1.977-1.997	.100-.106	.0547	.252	-216	1.103-1.115	.135-.143	.0595	.274
-137	2.040-2.060	.100-.106	.0564	.259	-217	1.165-1.177	.135-.143	.0624	.287
-138	2.102-2.122	.100-.106	.0580	.267	-218	1.228-1.240	.135-.143	.0656	.301
-139	2.165-2.185	.100-.106	.0596	.274	-219	1.290-1.302	.135-.143	.0684	.315
-140	2.227-2.247	.100-.106	.0612	.282	-220	1.353-1.365	.135-.143	.0714	.328
-141	2.290-2.310	.100-.106	.0629	.289	-221	1.415-1.427	.135-.143	.0744	.342
-142	2.352-2.372	.100-.106	.0645	.297	-222	1.478-1.490	.135-.143	.0774	.356
-143	2.415-2.435	.100-.106	.0662	.304	-223	1.599-1.629	.135-.143	.0833	.383
-144	2.477-2.497	.100-.106	.0678	.312	-224	1.724-1.744	.135-.143	.0893	.411
-145	2.540-2.560	.100-.106	.0694	.319	-225	1.849-1.869	.135-.143	.0952	.438
-146	2.602-2.662	.100-.106	.0711	.327	-226	1.974-1.994	.135-.143	.1012	.466
-147	2.660-2.690	.100-.106	.0727	.334	-227	2.099-2.119	.135-.143	.1071	.493
-148	2.722-2.752	.100-.106	.0743	.342	-228	2.244-2.244	.135-.143	.1131	.520
-149	2.785-2.815	.100-.106	.0760	.350	-229	2.349-2.369	.135-.143	.1191	.548
-150	2.847-2.877	.100-.106	.0776	.357	-230	2.474-2.494	.135-.143	.1250	.575
-151	2.972-3.002	.100-.106	.0809	.372	-231	2.599-2.629	.135-.143	.1310	.602
-152	3.222-3.252	.100-.106	.0874	.402	-232	2.719-2.749	.135-.143	.1370	.630
-153	3.472-3.502	.100-.106	.0940	.432	-233	2.844-2.874	.135-.143	.1429	.657
-154	3.722-3.752	.100-.106	.1005	.462	-234	2.969-2.999	.135-.143	.1489	.685
-155	3.972-4.002	.100-.106	.1071	.493	-235	3.094-3.124	.135-.143	.1548	.712
-156	4.222-4.252	.100-.106	.1136	.523	-236	3.219-3.249	.135-.143	.1608	.740
-157	4.472-4.502	.100-.106	.1202	.553	-237	3.344-3.374	.135-.143	.1668	.767
-158	4.722-4.752	.100-.106	.1267	.583	-238	3.469-3.499	.135-.143	.1727	.794
-159	4.972-5.002	.100-.106	.1332	.613	-239	3.594-3.624	.135-.143	.1787	.822
-160	5.214-5.260	.100-.106	.1398	.643	-240	3.719-3.749	.135-.143	.1846	.849
-161	5.464-5.510	.100-.106	.1463	.673	-241	3.844-3.874	.135-.143	.1906	.877
-162	5.714-5.760	.100-.106	.1529	.703	-242	3.969-3.999	.135-.143	.1966	.904
-163	5.964-6.010	.100-.106	.1594	.733	-243	4.094-4.124	.135-.143	.2025	.932
-164	6.214-6.260	.100-.106	.1658	.763	-244	4.219-4.249	.135-.143	.2085	.959
-165	6.464-6.510	.100-.106	.1724	.793	-245	4.344-4.374	.135-.143	.2144	.986
-166	6.714-6.760	.100-.106	.1789	.823	-246	4.469-4.499	.135-.143	.2204	1.014
-167	6.964-7.010	.100-.106	.1854	.853	-247	4.594-4.624	.135-.143	.2264	1.041
-168	7.207-7.267	.100-.106	.1920	.883	-248	4.719-4.749	.135-.143	.2323	1.068
-169	7.457-7.517	.100-.106	.1985	.913	-249	4.844-4.874	.135-.143	.2383	1.096
-170	7.707-7.767	.100-.106	.2051	.942	-250	4.969-4.999	.135-.143	.2442	1.123
-171	7.957-8.017	.100-.106	.2116	.973	-251	5.086-5.132	.135-.143	.2501	1.151
-172	8.207-8.267	.100-.106	.2181	1.003	-252	5.211-5.257	.135-.143	.2561	1.178
-173	8.457-8.517	.100-.106	.2247	1.033	-253	5.336-5.382	.135-.143	.2621	1.205
-174	8.707-8.767	.100-.106	.2312	1.064	-254	5.461-5.507	.135-.143	.2680	1.233
-175	8.957-9.017	.100-.106	.2377	1.094	-255	5.586-5.632	.135-.143	.2740	1.260
-176	9.207-9.267	.100-.106	.2442	1.124	-256	5.711-5.757	.135-.143	.2800	1.288
-177	9.457-9.517	.100-.106	.2508	1.154	-257	5.836-5.882	.135-.143	.2859	1.315
-178	9.707-9.767	.100-.106	.2574	1.184	-258	5.961-6.007	.135-.143	.2919	1.343
					-259	6.211-6.257	.135-.143	.3038	1.397
					-260	6.461-6.507	.135-.143	.3157	1.452
-210	.728- .740	.135-.143	.0416	.191	-261	6.711-6.757	.135-.143	.3276	1.507
-211	.791- .803	.135-.143	.0446	.205	-262	6.961-7.007	.135-.143	.3396	1.562
-212	.853- .865	.135-.143	.0476	.219	-263	7.204-7.264	.135-.143	.3515	1.617

1/ FOR REFERENCE PURPOSES ONLY

USER ACTIVITIES

REVIEWER ACTIVITIES
AIR FORCE-99
DLA-IS

APPROVED 15 MAR 56 REVISED (D) FOR CHANGES SEE PAGES 1,2,3,4 AND 5

This edition standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

P A NAVY- AS Other Cust ARMY - AV AIR FORCE-11	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING
PROCUREMENT SPECIFICATION	SUPERSEDES	

MILITARY STANDARD

MS9021

DD FORM 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

5330-0644

USER ACTIVITIES

REVIEWER ACTIVITIES
AIR FORCE - 99
DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selections for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

DASH NO	ID	T	1/ BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100
-264	7.454- 7.514	.135-.143	.3634	1.672
-265	7.704- 7.764	.135-.143	.3753	1.726
-266	7.954- 8.014	.135-.143	.3872	1.781
-267	8.204- 8.264	.135-.143	.3992	1.836
-268	8.454- 8.514	.135-.143	.4111	1.891
-269	7.704- 8.764	.135-.143	.4230	1.946
-270	8.954- 9.014	.135-.143	.4349	2.000
-271	9.204- 9.264	.135-.143	.4468	2.055
-272	9.454- 9.514	.135-.143	.4588	2.110
-273	9.704- 9.764	.135-.143	.4707	2.165
-274	9.954-10.014	.135-.143	.4826	2.220
-275	10.454-10.514	.135-.143	.5064	2.329
-276	10.954-11.014	.135-.143	.5303	2.439
-277	11.454-11.514	.135-.143	.5541	2.594
-278	11.954-12.014	.135-.143	.5779	2.658
-279	12.954-13.014	.135-.143	.6256	2.878
-280	13.954-14.014	.135-.143	.6733	3.097
-281	14.954-15.014	.135-.143	.7210	3.317
-282	15.910-16.000	.135-.143	.7676	3.531
-283	16.910-17.000	.135-.143	.8155	3.751
-284	17.910-18.000	.135-.143	.8627	3.968
-325	1.465- 1.485	.205-.215	.1833	.843
-326	1.590- 1.610	.205-.215	.1970	.906
-327	1.715- 1.735	.205-.215	.2106	.969
-328	1.840- 1.860	.205-.215	.2242	1.031
-329	1.965- 1.985	.205-.215	.2378	1.094
-330	2.090- 2.110	.205-.215	.2514	1.156
-331	2.215- 2.235	.205-.215	.2650	1.219
-332	2.340- 2.360	.205-.215	.2786	1.282
-333	2.465- 2.485	.205-.215	.2922	1.344
-334	2.590- 2.610	.205-.215	.3058	1.407
-335	2.710- 2.740	.205-.215	.3194	1.469
-336	2.835- 2.865	.205-.215	.3330	1.532
-337	2.960- 2.990	.205-.215	.3466	1.594
-338	3.085- 3.115	.205-.215	.3602	1.657
-339	3.210- 3.240	.205-.215	.3738	1.719
-340	3.335- 3.365	.205-.215	.3878	1.782
-341	3.460- 3.490	.205-.215	.4010	1.845
-342	3.585- 3.615	.205-.215	.4146	1.907
-343	3.710- 3.740	.205-.215	.4282	1.970
-344	3.835- 3.865	.205-.215	.4418	2.032
-345	3.960- 3.990	.205-.215	.4554	2.095
-346	4.085- 4.115	.205-.215	.4690	2.157
-347	4.210- 4.240	.205-.215	.4826	2.220
-348	4.335- 4.365	.205-.215	.4962	2.282
-349	4.460- 4.490	.205-.215	.5098	2.345
-350	4.585- 4.625	.205-.215	.5243	2.412
-351	4.710- 4.740	.205-.215	.5379	2.474

DASH NO	ID	T	1/ BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100
-352	4.835- 4.865	.205-.215	.5515	2.537
-353	4.960- 4.990	.205-.215	.5652	2.600
-354	5.077- 5.123	.205-.215	.5788	2.662
-355	5.202- 5.248	.205-.215	.5924	2.725
-356	5.327- 5.373	.205-.215	.6060	2.788
-357	5.452- 5.498	.205-.215	.6197	2.851
-358	5.577- 5.623	.205-.215	.6333	2.913
-359	5.702- 5.748	.205-.215	.6469	2.976
-360	5.827- 5.873	.205-.215	.6605	3.038
-361	5.952- 5.998	.205-.215	.6742	3.101
-362	6.202- 6.248	.205-.215	.7014	3.226
-363	6.452- 6.498	.205-.215	.7287	3.352
-364	6.702- 6.748	.205-.215	.7559	3.477
-365	6.952- 6.998	.205-.215	.7832	3.603
-366	7.195- 7.255	.205-.215	.8104	3.728
-367	7.445- 7.505	.205-.215	.8379	3.854
-368	7.695- 7.755	.205-.215	.8649	3.979
-369	7.945- 8.005	.205-.215	.8922	4.104
-370	8.195- 8.255	.205-.215	.9194	4.229
-371	8.445- 8.505	.205-.215	.9467	4.355
-372	8.695- 8.755	.205-.215	.9739	4.480
-373	8.945- 9.005	.205-.215	1.0011	4.605
-374	9.195- 9.255	.205-.215	1.0284	4.731
-375	9.445- 9.505	.205-.215	1.0557	4.856
-376	9.695- 9.755	.205-.215	1.0829	4.981
-377	9.945-10.005	.205-.215	1.1102	5.107
-378	10.445-10.505	.205-.215	1.1647	5.358
-379	10.945-11.005	.205-.215	1.2192	5.608
-380	11.445-11.505	.205-.215	1.2737	5.859
-381	11.945-12.005	.205-.215	1.3282	6.110
-382	12.945-13.005	.205-.215	1.4372	6.611
-383	13.945-14.005	.205-.215	1.5462	7.113
-384	14.945-15.005	.205-.215	1.6552	7.614
-385	15.910-16.000	.205-.215	1.7620	8.105
-386	16.910-17.000	.205.215	1.8710	8.607
-387	17.910-18.000	.205-.215	1.9800	9.108
-388	18.910-19.000	.205-.215	2.0890	9.609
-389	19.910-20.000	.205-.215	2.1980	10.111
-390	20.910-21.000	.205-.215	2.3070	10.612
-391	21.910-22.000	.205-.215	2.4160	11.114
-392	22.880-23.000	.205-.215	2.5234	11.608
-393	23.800-24.000	.205-.215	2.6324	12.109
-394	24.880-25.800	.205-.215	2.7414	12.610
-395	25.880-26.800	.205-.215	2.8504	13.112
-425	4.460- 4.490	.269-.281	.8863	4.077
-426	4.585- 4.615	.269-.281	.9097	4.185
-427	4.710- 4.760	.269-.281	.9330	4.292

1/ FOR REFERENCE PURPOSES ONLY

APPROVED 15 MAR 56 REVISED (D) FOR CHANGES SEE PAGES 1,2,3,4 AND 5

P. A. NAVY- AS Other Cust ARMY- AV AIR FORCE- 11	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING	MILITARY STANDARD MS 9021
PROCUREMENT SPECIFICATION	SUPERSEDES		PAGE 3 OF 5

FED SUP CLASS
5330

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

DASH NO	ID	T	1/ BASIC VOLUME CU. IN.	APPROX WEIGHT LBS/100
-428	4.835- 4.865	.269-.281	.9563	4.399
-429	4.960- 4.990	.269-.281	.9796	4.506
-430	5.077- 5.123	.269-.281	1.0030	4.614
-431	5.202- 5.248	.269-.281	1.0263	4.721
-432	5.327- 5.373	.269-.281	1.0496	4.828
-433	5.452- 5.498	.269-.281	1.0729	4.935
-434	5.577- 5.623	.269-.281	1.0962	5.042
-435	5.702- 5.748	.269-.281	1.1196	5.150
-436	5.827- 5.873	.269-.281	1.1429	5.257
-437	5.952- 5.998	.269-.281	1.1662	5.364
-438	6.202- 6.248	.269-.281	1.2129	5.579
-439	6.452- 6.498	.269-.281	1.2595	5.794
-440	6.702- 6.748	.269-.281	1.3062	6.008
-441	6.952- 6.998	.269-.281	1.3528	6.223
-442	7.195- 7.255	.269-.281	1.3995	6.438
-443	7.445- 7.505	.269-.281	1.4461	6.652
-444	7.695- 7.755	.269-.281	1.4928	6.867
-445	7.945- 8.005	.269-.281	1.5394	7.081
-446	8.445- 8.505	.269-.281	1.6327	7.510
-447	8.945- 9.005	.269-.281	1.7260	7.940
-448	9.445- 9.505	.269-.281	1.8193	8.369
-449	9.945-10.005	.269-.281	1.9126	8.798
-450	10.445-10.505	.269-.281	2.0059	9.227
-451	10.945-11.005	.269-.281	2.0992	9.656
-452	11.445-11.505	.269-.281	2.1925	10.086
-453	11.945-12.005	.269-.281	2.2858	10.515
-454	12.445-12.505	.269-.281	2.3791	10.944
-455	12.945-13.005	.269-.281	2.4724	11.373
-456	13.445-13.505	.269-.281	2.5657	11.802
-457	13.945-14.005	.269-.281	2.6590	12.231
-458	14.445-14.505	.269-.281	2.7523	12.660
-459	14.945-15.005	.269-.281	2.8456	13.090
-460	15.445-15.505	.269-.281	3.0350	13.961
-461	15.910-16.000	.269-.281	3.0350	13.961
-462	16.410-16.500	.269-.281	3.1285	14.391
-463	16.910-17.000	.269-.281	3.2220	14.821
-464	17.410-17.500	.269-.281	3.3155	15.251
-465	17.910-18.000	.269-.281	3.4090	15.681
-466	18.410-18.500	.269-.281	3.5025	16.112
-467	18.910-19.000	.269-.281	3.5960	16.542
-468	19.410-19.500	.269-.281	3.6895	16.972
-469	19.910-20.000	.269-.281	3.7830	17.402
-470	20.910-21.000	.269-.281	3.9700	18.262
-471	21.910-22.000	.269-.281	4.1570	19.122
-472	22.880-23.000	.269-.281	4.3412	19.970
-473	23.880-24.000	.269-.281	4.5282	20.830
-474	24.880-25.000	.269-.281	4.7152	21.690
-475	25.880-26.000	.269-.281	4.9022	22.550

1/ FOR REFERENCE PURPOSES ONLY

USER ACTIVITIES

REVIEWER ACTIVITIES
AIR FORCE-99
DLA-IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use should be made from this document when applicable.

APPROVED 15 MAR 56 REVISED (D) FOR CHANGES SEE PAGES 1,2,3,4 AND 5

P.A. NAVY-AS Other Cust ARMY-AV AIR FORCE-11	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING	MILITARY STANDARD MS 9021
PROCUREMENT SPECIFICATION	SUPERSEDES		PAGE 4 OF 5

DD FORM 1 OCT 71 672-1 (COORDINATED)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

FED SUP CLASS
5330

REQUIREMENTS:

1. MATERIAL. RUBBER IN ACCORDANCE WITH AMS 7271-80.
2. DIMENSIONAL INSPECTION. DIMENSIONAL INSPECTION IN ACCORDANCE WITH AS 871-71.
3. IDENTIFICATION AND PACKAGING. IDENTIFICATION AND PACKAGING IN ACCORDANCE WITH AMS 2817-82.
4. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER TAKEN FROM THE TABLE.

EXAMPLE: MS9021-001

DASH NUMBER

BASIC MS NUMBER

MS9021-001 INDICATES: PACKING, RUBBER, 'O' RING, .033 ID, .043 CROSS SECTION DIA. (T).

NOTES:

1. ALL DIMENSIONS IN INCHES.
2. DO NOT USE UNASSIGNED PART NUMBERS.
3. PART SUBJECT TO AGE CONTROL IN ACCORDANCE WITH MIL-STD-1523.
4. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
5. REFERENCED GOVERNMENT (OR NONGOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.
6. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE SAE AEROSPACE PROPULSION DIVISION.
7. AS AND AMS ARE SAE PUBLICATIONS.

CERTAIN PROVISIONS (RING SIZE (DASH NUMBER), SIZES, AND TOLERANCES) OF THIS STANDARD ARE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT ABC AIR STD 17/27 AND STANAG 3444. WHEN REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED, THE DEPARTMENTAL CUSTODIANS WILL INFORM THEIR RESPECTIVE DEPARTMENTAL STANDARDIZATION OFFICE SO THAT APPROPRIATE ACTION MAY BE TAKEN RESPECTING THE INTERNATIONAL AGREEMENT CONCERNED.

USER ACTIVITIES:

REVIEWER ACTIVITIES:
AIR FORCE - 99
DLA - IS

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

APPROVED 15 MAR 56 REVISED Ⓓ FOR CHANGES SEE PAGES 1,2,3,4 AND 5

P.A. NAVY - AS Other Cust ARMY - AV AIR FORCE - 11	INTERNATIONAL INTEREST	TITLE PACKING, PREFORMED, 'O' RING	MILITARY STANDARD MS 9021
PROCUREMENT SPECIFICATION		SUPERSEDES:	PAGE 5 OF 5

DD FORM 1 OCT 71 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE