

MS9970

FED SUP CLASS 5330





SECTION A-A

PART NUMBER	ID IN.		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9970-001	0.025	0.033	0.635	0.838	0.037	0.043	0.940	1.092	.002	0.001
MS9970-002	0.038	0.046	0.965	1.168	0.047	0.053	1.194	1.346	.004	0.002
MS9970-003	0.052	0.060	1.321	1.524	0.057	0.063	1.448	1.600	.007	0.003
MS9970-004	0.069	0.075	1.65	1.90	0.067	0.073	1.702	1.854	012	0.005
MS9970-005	0.096	0.106	2.44	2.69	0.067	0.073	1.702	1.854	015	0.007
MS9970-006	0.109	0.119	2.77	3.02	0.067	0.073	1.702	1.854	016	0.007
MS9970-007	0.140	0.150	3.56	3.81	0.067	0.073	1.702	1.854	.019	0.009
MS9970-008	0.171	0.181	4.34	4.60	0.067	0.073	1.702	1.854	022	0 010
MS9970-009	0.203	0.213	5.16	5.41	0.067	0.073	1.702	1.854	024	0 011
MS9970-010	0.234	0.244	5.94	6.20	0.067	0.073	1.702	1.854	027	0 012
MS9970-011	0.296	0.306	7.52	7.77	0.067	0.073	1.702	1.854	032	0.015
MS9970-012	0.359	0.369	9.12	9.37	0.067	0.073	1.702	1.854	037	0.017
MS9970-013	0.421	0.431	10.69	10.95	0.067	0.073	1.702	1.854	043	0.020
MS9970-014	0.484	0.494	12.29	12.55	0.067	0.073	1.702	1.854	.049	0.022
MS9970-015	0.546	0.556	13.87	14.12	0.067	0.073	1.702	1.854	.054	0.024
MS9970-016	0.609	0.619	15.47	15.72	0.067	0.073	1.702	1.854	.060	0.027
MS9970-017	0.671	0.681	17.04	17.30	0.067	0.073	1.702	1.854	.065	0.029
MS9970-018	0.734	0.744	18.64	18.90	0.067	0.073	1.702	1.854	.071	0.032
MS9970-019	0.795	0.807	20.19	20.50	0.067	0.073	1.702	1.854	076	0.034
MS9970-020	0.858	0.870	21.79	22.10	0.067	0.073	1.702	1.854	081	0 037
MS9970-021	0.920	0.932	23.37	23.67	0.067	0.073	1.702	1.854	.086	0.039
MS9970-022	0.983	0.995	24.97	25.27	0.067	0.073	1.702	1.854	092	0 042
MS9970-023	1.045	1.057	26.54	26.85	0.067	0.073	1.702	1.854	098	0.044
MS9970-024	1.108	1.120	28.14	28.45	0.067	0.073	1.702	1.854	103	0 047
MS9970-025	1.170	1.182	29.72	30.02	0.067	0.073	1.702	1.854	.109	0.049
MS9970-026	1.233	1.245	31.32	31.62	0.067	0.073	1.702	1.854	114	0.052
MS9970-027	1.295	1.307	32.89	33.20	0.067	0.073	1.702	1.854	120	0.054
MS9970-028	1.358	1.370	34.49	34.80	0.067	0.073	1.702	1.854	125	0 057
MS9970-029	1.479	1.499	37.57	38.07	0.067	0.073	1.702	1.854	135	0 061
MS9970 030	1.604	1.624	40.74	41.25	0.067	0.073	1.702	1.854	147	0.067
MS9970-031	1.729	1.749	43.92	44.42	0.067	0.073	1.702	1.854	158	0.072
MS9970-032	1.854	1.874	47.09	47.60	0.067	0.073	1.702	1.854	.168	0.076
MS9970-033	1.979	1.999	50.27	50.77	0.067	0.073	1.702	1.854	179	0 081
MS9970-034	2.104	2.124	53.44	53.95	0.067	0.073	1.702	1.854	.190	0.086
MS9970-035	2.229	2.249	56.62	57.12	0.067	0.073	1.702	1.854	201	0 091
MS9970-036	2.354	2.374	59.79	60.30	0.067	0.073	1.702	1.854	.212	0.096
MS9970-037	2.479	2.499	62.97	63.47	0.067	0.073	1.702	1.854	222	0.101
MS9970-038	2.604	2.624	66.14	66.65	0.067	0.073	1.702	1.854	234	0 106
MS9970-039	2.724	2.754	69.19	69.95	0.067	0.073	1.702	1.854	245	0 111
MS9970-040	2.849	2.879	72.36	73.13	0.067	0.073	1.702	1.854	256	0 116
MS9970-041	2.974	3.004	75.54	76.30	0.067	0.073	1.702	1.854	266	0 121
MS9970-042	3.224	3.254	81.89	82.65	0.067	0.073	1.702	1.854	288	0.131
MS9970-043	3.474	3.504	88.24	89.00	0.067	0.073	1.702	1.854	310	0.141
MS9970-044	3.724	3.754	94.59	95.35	0.067	0.073	1.702	1.854	332	0.151
MS9970-045	3.974	4.004	100.94	101.70	0.067	0.073	1.702	1.854	354	0 161
MS9970-046	4.224	4.254	107.29	108.05	0.067	0.073	1.702	1.854	375	0 170
MS9970-047	4.474	4.504	113.64	114.40	0.067	0.073	1.702	1.854	397	0 180
MS9970-048	4.724	4.754	119.99	120.75	0.067	0.073	1.702	1.854	418	0 190
MS9970-049	4.966	5.012	126.14	127.30	0.067	0.073	1.702	1.854	.441	0.200
MS9970-050	5.216	5.262	132.49	133.65	0.067	0.073	1.702	1.854	462	0 210
MS9970-102	0.044	0.054	1.12	1.37	0.100	0.106	2.540	2.692	029	0.013
MS9970-103	0.076	0.086	1.93	2.18	0.100	0.106	2.540	2.692	.035	0.016
MS9970-104	0.107	0.117	2.72	2.97	0.100	0.106	2.540	2.692	040	0.018
MS9970-105	0.138	0.148	3.51	3.76	0.100	0.106	2.540	2.692	.046	0.021

Review Activities
Air Force - 82

APPROVED 9 June 72 REVISED

This standard has been approved by the Department of the Air Force (11) and the Department of the Navy(AS) and is mandatory for use by the activity. All other military activities are required to employ this standard when suitable.

P.A.	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Air Force-11 Other Cost Navy - AS	ASCC AIR STD 17/27	PACKING PREFORMED - AMS 7279 'O' RING	MS9970
PROCUREMENT SPECIFICATION AMS7279		SUPERSEDES	SHEET 1 OF 7

DD FORM 672-1 (Limited coordination) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.

MS9970

FED SUP CLASS
5330

PART NUMBER	ID IN		ID (mm)		T IN.		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9970-106	0.169	0.179	4.29	4.55	0.100	0.106	2.540	2.692	.053	0.024
MS9970-107	0.201	0.211	5.11	5.36	0.100	0.106	2.540	2.692	.058	0.026
MS9970-108	0.232	0.242	5.89	6.15	0.100	0.106	2.540	2.692	.064	0.029
MS9970-109	0.294	0.304	7.47	7.72	0.100	0.106	2.540	2.692	.076	0.034
MS9970-110	0.357	0.367	9.07	9.32	0.100	0.106	2.540	2.692	.088	0.040
MS9970-111	0.419	0.429	10.64	10.90	0.100	0.106	2.540	2.692	.099	0.045
MS9970-112	0.482	0.492	12.24	12.50	0.100	0.106	2.540	2.692	.111	0.050
MS9970-113	0.544	0.554	13.82	14.07	0.100	0.106	2.540	2.692	.123	0.056
MS9970-114	0.607	0.617	15.42	15.67	0.100	0.106	2.540	2.692	.135	0.061
MS9970-115	0.669	0.679	16.99	17.25	0.100	0.106	2.540	2.692	146	0.066
MS9970-116	0.732	0.742	18.59	18.85	0.100	0.106	2.540	2.692	.158	0.072
MS9970-117	0.793	0.805	20.14	20.45	0.100	0.106	2.540	2.692	.170	0.077
MS9970-118	0.856	0.868	21.74	22.05	0.100	0.106	2.540	2.692	182	0.083
MS9970-119	0.918	0.930	23.32	23.62	0.100	0.106	2.540	2.692	.194	0 088
MS9970-120	0.981	0.993	24.92	25.22	0.100	0.106	2.540	2.692	205	0.093
MS9970-121	1.043	1.055	26.49	26.80	0.100	0.106	2.540	2.692	217	0 098
MS9970-122	1.106	1.118	28.09	28.40	0.100	0.106	2.540	2.692	229	0 104
MS9970-123	1.168	1.180	29.67	29.97	0.100	0.106	2.540	2.692	240	0.109
MS9970-124	1.231	1.243	31.27	31.57	0.100	0.106	2.540	2.692	251	0.115
MS9970-125	1.293	1.305	32.84	33.15	0.100	0.106	2.540	2.692	.264	0 120
MS9970-126	1.356	1.368	34.44	34.75	0.100	0.106	2.540	2.692	276	0.125
MS9970-127	1.418	1.430	36.02	36.32	0.100	0.106	2.540	2.692	.288	0.131
MS9970-128	1.481	1.493	37.62	37.92	0.100	0.106	2.540	2.692	.300	0.136
MS9970-129	1.539	1.559	39.09	39.60	0.100	0.106	2.540	2.692	.311	0.141
MS9970-130	1.602	1.622	40.69	41.20	0.100	0.106	2.540	2.692	.323	0.147
MS9970-131	1.664	1.684	42.27	42.77	0.100	0.106	2.540	2.692	.335	0.152
MS9970-132	1.727	1.747	43.87	44.37	0.100	0.106	2.540	2.692	.347	0.157
MS9970-133	1.789	1.809	45.44	45.95	0.100	0.106	2.540	2.692	359	0.163
MS9970-134	1.852	1.872	47.04	47.55	0.100	0.106	2.540	2.692	370	0.168
MS9970-135	1.915	1.935	48.64	49.15	0.100	0.106	2.540	2.692	382	0.173
MS9970-136	1.977	1.997	50.22	50.72	0.100	0.106	2.540	2.692	394	0.179
MS9970-137	2.040	2.060	51.82	52.32	0.100	0.106	2.540	2.692	.406	0.184
MS9970-138	2.102	2.122	53.39	53.90	0.100	0.106	2.540	2.692	.418	0.190
MS9970-139	2.165	2.185	54.99	55.50	0.100	0.106	2.540	2.692	429	0.195
MS9970-140	2.227	2.247	56.57	57.07	0.100	0.106	2.540	2.692	.441	0.200
MS9970-141	2.290	2.310	58.17	58.67	0.100	0.106	2.540	2.692	.453	0.205
MS9970-142	2.352	2.372	59.74	60.25	0.100	0.106	2.540	2.692	.464	0.210
MS9970-143	2.415	2.435	61.34	61.85	0.100	0.106	2.540	2.692	477	0.216
MS9970-144	2.477	2.497	62 92	63.42	0.100	0.106	2.540	2.692	.488	0.221
MS9970-145	2.540	2.560	64.52	65.02	0.100	0.106	2.540	2.692	500	0 227
MS9970-146	2.602	2.622	66.09	66.60	0.100	0.106	2.540	2.692	.512	0 232
MS9970-147	2.660	2.690	67.56	68.31	0.100	0.106	2.540	2.692	.521	0 237
MS9970-148	2.722	2.752	69.14	69.90	0.100	0.106	2.540	2.692	535	0 243
MS9970-149	2.785	2.815	70.74	71.50	0.100	0.106	2.540	2.692	547	0.248
MS9970-150	2.847	2.877	72.31	73.08	0.100	0.106	2.540	2.692	559	0.254
MS9970-151	2.910	3.002	73.89	76.25	0.100	0.106	2.540	2.692	571	0 259
MS9970-152	3.222	3.252	81.84	82.60	0.100	0.106	2.540	2.692	634	0 288
MS9970-153	3.472	3.502	88.19	88.95	0.100	0.106	2.540	2.692	683	0 310
MS9970-154	3.722	3.752	94.54	95.30	0.100	0.106	2.540	2.692	736	0 334
MS9970-155	3.972	4.002	100.89	101.65	0.100	0.106	2.540	2.692	.778	0 353
MS9970-156	4.222	4.252	107.24	108.00	0.100	0.106	2.540	2.692	.818	0 371
MS9970-157	4.472	4.502	113.59	114.35	0.100	0.106	2.540	2.692	.865	0.392
MS9970-158	4.722	4.752	119.94	120.70	0.100	0.106	2.540	2.692	.912	0.414
MS9970-159	4.972	5.002	126.29	127.05	0.100	0.106	2.540	2.692	959	0 435
MS9970-160	5.214	5.260	132.44	133.60	0.100	0.106	2.540	2.692	1.007	0.457

APPROVED 9 June '72 REVISED

Review Activities
Air Force-82

This standard has been approved by the Department of the Air Force (11) and the Department of the Navy(AS) and is mandatory for use by their activity. All other military activities are required to apply this standard where suitable.

P.A. Air Force-11 Other Cust Navy-AS	INTERNATIONAL INTEREST ASCC AIR STD 17/27	TITLE PACKING, PREFORMED - AMS 7279, 'O' RING	MILITARY STANDARD MS9970
PROCUREMENT SPECIFICATION AMS7279	SUPERSEDES		SHEET 2 OF 7

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.

MS9970

FED SUP CLASS
5330

PART NUMBER	ID IN		ID (mm)		W IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9970-161	5.464	5.510	138.79	139.95	0.100	0.106	2.540	2.692	1.053	0.478
MS9970-162	5.714	5.760	145.14	146.30	0.100	0.106	2.540	2.692	1.101	0.499
MS9970-163	5.964	6.010	151.49	152.65	0.100	0.106	2.540	2.692	1.148	0.521
MS9970-164	6.214	6.260	157.84	159.00	0.100	0.106	2.540	2.692	1.195	0.542
MS9970-165	6.464	6.510	164.19	165.35	0.100	0.106	2.540	2.692	1.242	0.563
MS9970-166	6.714	6.760	170.54	171.70	0.100	0.106	2.540	2.692	1.289	0.585
MS9970-167	6.964	7.010	176.89	178.05	0.100	0.106	2.540	2.692	1.336	0.606
MS9970-168	7.214	7.260	183.24	184.40	0.100	0.106	2.540	2.692	1.383	0.627
MS9970-169	7.464	7.510	189.59	190.75	0.100	0.106	2.540	2.692	1.431	0.649
MS9970-170	7.714	7.760	195.94	197.10	0.100	0.106	2.540	2.692	1.477	0.670
MS9970-171	7.964	8.010	202.29	203.45	0.100	0.106	2.540	2.692	1.525	0.692
MS9970-172	8.207	8.267	208.46	209.98	0.100	0.106	2.540	2.692	1.572	0.713
MS9970-173	8.457	8.517	214.81	216.33	0.100	0.106	2.540	2.692	1.619	0.734
MS9970-174	8.707	8.767	221.16	222.68	0.100	0.106	2.540	2.692	1.666	0.756
MS9970-175	8.957	9.017	227.51	229.03	0.100	0.106	2.540	2.692	1.713	0.777
MS9970-176	9.207	9.267	233.86	235.38	0.100	0.106	2.540	2.692	1.760	0.798
MS9970-177	9.457	9.517	240.21	241.73	0.100	0.106	2.540	2.692	1.807	0.820
MS9970-178	9.707	9.767	246.56	248.08	0.100	0.106	2.540	2.692	1.855	0.841
MS9970-201	0.166	0.176	4.22	4.47	0.135	0.143	3.429	3.632	107	0.049
MS9970-202	0.229	0.239	5.82	6.07	0.135	0.143	3.429	3.632	128	0.058
MS9970-203	0.291	0.301	7.39	7.65	0.135	0.143	3.429	3.632	149	0.068
MS9970-204	0.354	0.364	8.99	9.25	0.135	0.143	3.429	3.632	171	0.078
MS9970-205	0.416	0.426	10.57	10.82	0.135	0.143	3.429	3.632	192	0.087
MS9970-206	0.479	0.489	12.17	12.42	0.135	0.143	3.429	3.632	214	0.097
MS9970-207	0.541	0.551	13.74	14.00	0.135	0.143	3.429	3.632	235	0.107
MS9970-208	0.604	0.614	15.34	15.60	0.135	0.143	3.429	3.632	257	0.117
MS9970-209	0.666	0.676	16.92	17.17	0.135	0.143	3.429	3.632	278	0.126
MS9970-210	0.728	0.740	18.49	18.80	0.135	0.143	3.429	3.632	300	0.136
MS9970-211	0.790	0.802	20.07	20.37	0.135	0.143	3.429	3.632	321	0.146
MS9970-212	0.853	0.865	21.67	21.97	0.135	0.143	3.429	3.632	342	0.155
MS9970-213	0.915	0.927	23.24	23.55	0.135	0.143	3.429	3.632	364	0.165
MS9970-214	0.978	0.990	24.84	25.15	0.135	0.143	3.429	3.632	385	0.175
MS9970-215	1.040	1.052	26.42	26.72	0.135	0.143	3.429	3.632	407	0.185
MS9970-216	1.103	1.115	28.02	28.32	0.135	0.143	3.429	3.632	428	0.194
MS9970-217	1.165	1.177	29.59	29.90	0.135	0.143	3.429	3.632	450	0.204
MS9970-218	1.228	1.240	31.19	31.50	0.135	0.143	3.429	3.632	472	0.214
MS9970-219	1.290	1.302	32.77	33.07	0.135	0.143	3.429	3.632	493	0.224
MS9970-220	1.353	1.365	34.37	34.67	0.135	0.143	3.429	3.632	514	0.233
MS9970-221	1.415	1.427	35.94	36.25	0.135	0.143	3.429	3.632	536	0.243
MS9970-222	1.478	1.490	37.54	37.85	0.135	0.143	3.429	3.632	557	0.253
MS9970-223	1.599	1.619	40.61	41.12	0.135	0.143	3.429	3.632	600	0.272
MS9970-224	1.724	1.744	43.79	44.30	0.135	0.143	3.429	3.632	643	0.292
MS9970-225	1.849	1.869	46.96	47.47	0.135	0.143	3.429	3.632	685	0.311
MS9970-226	1.974	1.994	50.14	50.65	0.135	0.143	3.429	3.632	729	0.331
MS9970-227	2.093	2.119	53.31	53.82	0.135	0.143	3.429	3.632	771	0.350
MS9970-228	2.224	2.244	56.49	57.00	0.135	0.143	3.429	3.632	814	0.369
MS9970-229	2.349	2.369	59.66	60.17	0.135	0.143	3.429	3.632	858	0.389
MS9970-230	2.474	2.494	62.84	63.35	0.135	0.143	3.429	3.632	900	0.408
MS9970-231	2.599	2.619	66.01	66.52	0.135	0.143	3.429	3.632	943	0.428
MS9970-232	2.719	2.749	69.06	69.82	0.135	0.143	3.429	3.632	986	0.447
MS9970-233	2.844	2.874	72.24	73.00	0.135	0.143	3.429	3.632	1 029	0.467
MS9970-234	2.969	2.999	75.41	76.17	0.135	0.143	3.429	3.632	1 072	0.486
MS9970-235	3.094	3.124	78.59	79.35	0.135	0.143	3.429	3.632	1 115	0.506

Review Activities
Air Force - 82

This standard has been approved by the Department of the Air Force (11) and the Department of the Navy (AS) and is mandatory for use by that activity. All other military activities are required to apply this standard where suitable.

APPROVED 9 June 72 REVISED

PA
Air Force-11
Other Cust
Navy - AS

INTERNATIONAL INTEREST
ASCC AIR STD 17/27

TITLE
PACKING PREFORMED AMS 7279 O RING

MILITARY STANDARD
MS9970

PROCUREMENT SPECIFICATION
AMS7279

SUPERSEDES

SHEET 1 OF 7

DD FORM 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.

MS9970

FED. SUP CLASS
5330

PART NUMBER	ID IN.		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	kg/100
MS9970-236	3.219	3.249	81.76	82.52	0.135	0.143	3.429	3.632	1.158	0.525
MS9970-237	3.344	3.374	84.94	85.70	0.135	0.143	3.429	3.632	1.201	0.545
MS9970-238	3.469	3.499	88.11	88.87	0.135	0.143	3.429	3.632	1.243	0.564
MS9970-239	3.594	3.624	91.29	92.05	0.135	0.143	3.429	3.632	1.287	0.584
MS9970-240	3.719	3.749	94.46	95.22	0.135	0.143	3.429	3.632	1.329	0.603
MS9970-241	3.844	3.874	97.64	98.40	0.135	0.143	3.429	3.632	1 372	0.622
MS9970-242	3.969	3.999	100.81	101.57	0.135	0.143	3.429	3.632	1.416	0.642
MS9970-243	4.094	4.124	103.99	104.75	0.135	0.143	3.429	3.632	1 458	0.661
MS9970-244	4.219	4.249	107.16	107.92	0.135	0.143	3.429	3.632	1.501	0 681
MS9970-245	4.344	4.374	110.34	111.10	0.135	0.143	3.429	.632	1.544	0.700
MS9970-246	4.469	4.499	113.51	114.27	0.135	0.143	3.429	3.632	1 587	0.720
MS9970-247	4.594	4.624	116.69	117.45	0.135	0.143	3.429	3.632	1.629	0.739
MS9970-248	4.719	4.749	119.86	120.62	0.135	0.143	3.429	3.632	1.673	0.759
MS9970-249	4.844	4.874	123.04	123.80	0.135	0.143	3.429	3.632	1.716	0.778
MS9970-250	4.969	4.999	126.21	126.97	0.135	0.143	3.429	3.632	1.758	0.797
MS9970-251	5.786	5.132	129.18	130.35	0.135	0.143	3.429	3.632	1 801	0.817
MS9970-252	5.211	5.257	132.36	133.53	0.135	0.143	3.429	3.632	1.844	0.836
MS9970-253	5.336	5.382	135.53	136.70	0.135	0.143	3.429	3.632	1.887	0.856
MS9970-254	5.461	5.507	138.71	139.88	0.135	0.143	3.429	3.632	1 930	0 875
MS9970-255	5.586	5.632	141.88	143.05	0.135	0.143	3.429	3.632	1.973	0.895
MS9970-256	5.711	5.757	145.06	146.23	0.135	0.143	3.429	3.632	2.016	0.914
MS9970-257	5.836	5.882	148.23	149.40	0.135	0.143	3.429	3.632	2.058	0.933
MS9970-258	5.961	6.007	151.41	152.58	0.135	0.143	3.429	3.632	2.102	0.953
MS9970-259	6.211	6.257	157.76	158.93	0.135	0.143	3.429	3.632	2.187	0.992
MS9970-260	6.461	6.507	164.11	165.28	0.135	0.143	3.429	3.632	2.273	1.031
MS9970-261	6.711	6.757	170.46	171.63	0.135	0.143	3.429	3.632	2 359	1.070
MS9970-262	6.961	7.007	176.81	177.98	0.135	0.143	3.429	3.632	2.445	1.109
MS9970-263	7.204	7.264	182.98	184.51	0.135	0.143	3.429	3.632	2.531	1.148
MS9970-264	7.454	7.514	189.33	190.86	0.135	0.143	3.429	3.632	2.616	1 187
MS9970-265	7.704	7.764	195.68	197.21	0.135	0.143	3.429	3.632	2.702	1.226
MS9970-266	7.954	8.014	202.03	203.56	0.135	0.143	3.429	3.632	2.788	1.265
MS9970-267	8.204	8.264	208.38	209.91	0.135	0.143	3.429	3.632	2 874	1.304
MS9970-268	8.454	8.514	214.73	216.26	0.135	0.143	3.429	3.632	2.960	1.343
MS9970-269	8.704	8.764	221.08	222.61	0.135	0.143	3.429	3.632	3 046	1.382
MS9970-270	8.954	9.014	227.43	228.96	0.135	0.143	3.429	3.632	3.131	1.420
MS9970-271	9.204	9.264	233.78	235.31	0.135	0.143	3.429	3.632	3.217	1 459
MS9970-272	9.454	9.514	240.13	241.66	0.135	0.143	3.429	3.632	3.303	1.498
MS9970-273	9.704	9.764	246.48	248.01	0.135	0.143	3.429	3.632	3.389	1.537
MS9970-274	9.954	10.014	252.83	254.36	0.135	0.143	3.429	3.632	3 475	1.576
MS9970-275	10.454	10.514	265.53	267.06	0.135	0.143	3.429	3.632	3 646	1.654
MS9970-276	10.954	11.014	278.23	279.76	0.135	0.143	3.429	3.632	3.818	1 732
MS9970-277	11.454	11.514	290.93	292.46	0.135	0.143	3.429	3.632	3 990	1.810
MS9970-278	11.954	12.014	303.63	305.16	0.135	0.143	3.429	3.632	4.161	1.887
MS9970-279	12.454	13.014	129.03	330.56	0.135	0.143	3.429	3.632	4 504	2 041
MS9970-280	13.454	14.014	354.41	355.96	0.135	0.143	3.429	3.632	4 848	2 199
MS9970-281	14.454	15.014	379.83	381.36	0.135	0.143	3.429	3.632	5 191	2.355
MS9970-282	15.910	16.000	404.11	406.40	0.135	0.143	3.429	3.632	5.524	2.506
MS9970-283	16.910	17.000	429.51	431.80	0.135	0.143	3.429	3.632	5.867	2.661
MS9970-284	17.910	18.000	454.91	457.20	0.135	0.143	3.429	3.632	6.211	2.817
MS9970-309	0.407	0.417	10.34	10.59	0.205	0.215	5.21	5.46	.487	0 221
MS9970-310	0.470	0.480	11.94	12.19	0.205	0.215	5.21	5.46	.536	0.243
MS9970-311	0.532	0.542	13.51	13.77	0.205	0.215	5.21	5.46	.585	0.265
MS9970-312	0.595	0.605	15.11	15.37	0.205	0.215	5.21	5.46	.634	0.288
MS9970-313	0.657	0.667	16.69	16.94	0.205	0.215	5.21	5.46	685	0.310

APPROVED 9 June 72 REVISED

Review Activities
Air Force - 82

This standard has been approved by the Department of the Air Force (11) and the Department of the Navy(AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

P.A. Air Force-11 Other Cust Navy-AS	INTERNATIONAL INTEREST ASCC AIR STD 17/27	TITLE PACKING, PREFORMED - AHS 7279, 'O' RING	MILITARY STANDARD MS9970
PROCUREMENT SPECIFICATION AMS7279	SUPERSEDES		SHEET 4 OF 7

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.

MS9970

FED SUP CLASS
5330

PART NUMBER	ID IN		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/100	Kg/100
MS9970-314	0.719	0.731	18.26	18.57	0.205	0.215	5.21	5.46	332	0.332
MS9970-315	0.781	0.793	19.84	20.14	0.205	0.215	5.21	5.46	781	0.354
MS9970-316	0.844	0.856	21.44	21.74	0.205	0.215	5.21	5.46	830	0.376
MS9970-317	0.906	0.918	23.01	23.32	0.205	0.215	5.21	5.46	879	0.399
MS9970-318	0.969	0.981	24.61	24.92	0.205	0.215	5.21	5.46	928	0.421
MS9970-319	1.031	1.043	26.19	26.49	0.205	0.215	5.21	5.46	977	0.443
MS9970-320	1.094	1.106	27.79	28.09	0.205	0.215	5.21	5.46	1 026	0.465
MS9970-321	1.156	1.168	29.36	29.67	0.205	0.215	5.21	5.46	1 075	0.488
MS9970-322	1.219	1.231	30.96	31.27	0.205	0.215	5.21	5.46	1 124	0.510
MS9970-323	1.281	1.293	32.54	32.84	0.205	0.215	5.21	5.46	173	0.532
MS9970-324	1.344	1.356	34.14	34.44	0.205	0.215	5.21	5.46	1 222	0.554
MS9970-325	1.465	1.485	37.21	37.72	0.205	0.215	5.21	5.46	1 320	0.599
MS9970-326	1.590	1.610	40.39	40.89	0.205	0.215	5.21	5.46	1 418	0.643
MS9970-327	1.715	1.735	43.56	44.07	0.205	0.215	5.21	5.46	1 516	0.688
MS9970-328	1.840	1.860	46.74	47.24	0.205	0.215	5.21	5.46	1 614	0.732
MS9970-329	1.965	1.985	49.91	50.42	0.205	0.215	5.21	5.46	1 712	0.777
MS9970-330	2.090	2.110	53.09	53.59	0.205	0.215	5.21	5.46	1 810	0.821
MS9970-331	2.215	2.235	56.26	56.77	0.205	0.215	5.21	5.46	1 908	0.865
MS9970-332	2.340	2.360	59.44	59.94	0.205	0.215	5.21	5.46	2 006	0.910
MS9970-333	2.465	2.485	62.61	63.12	0.205	0.215	5.21	5.46	2 104	0.954
MS9970-334	2.590	2.610	65.79	66.29	0.205	0.215	5.21	5.46	2 202	0.999
MS9970-335	2.710	2.740	68.83	69.60	0.205	0.215	5.21	5.46	2 300	1.043
MS9970-336	2.835	2.865	72.01	72.77	0.205	0.215	5.21	5.46	2 398	1.088
MS9970-337	2.960	2.990	75.18	75.95	0.205	0.215	5.21	5.46	2 496	1.132
MS9970-338	3.085	3.115	78.36	79.12	0.205	0.215	5.21	5.46	2 593	1.176
MS9970-339	3.210	3.240	81.53	82.30	0.205	0.215	5.21	5.46	2 691	1.221
MS9970-340	3.335	3.365	84.71	85.47	0.205	0.215	5.21	5.46	2 789	1.265
MS9970-341	3.460	3.490	87.88	88.65	0.205	0.215	5.21	5.46	2 887	1.310
MS9970-342	3.585	3.615	91.06	91.82	0.205	0.215	5.21	5.46	2 985	1.354
MS9970-343	3.710	3.740	94.23	95.00	0.205	0.215	5.21	5.46	3 083	1.398
MS9970-344	3.835	3.865	97.41	98.17	0.205	0.215	5.21	5.46	3 181	1.443
MS9970-345	3.960	3.990	100.58	101.35	0.205	0.215	5.21	5.46	3 279	1.487
MS9970-346	4.085	4.115	103.76	104.52	0.205	0.215	5.21	5.46	377	1.532
MS9970-347	4.210	4.240	106.93	107.70	0.205	0.215	5.21	5.46	3 475	1.576
MS9970-348	4.335	4.365	110.11	110.87	0.205	0.215	5.21	5.46	3 573	1.621
MS9970-349	4.460	4.490	113.28	114.05	0.205	0.215	5.21	5.46	3 671	1.665
MS9970-350	4.585	4.615	116.46	117.22	0.205	0.215	5.21	5.46	3 768	1.709
MS9970-351	4.710	4.740	119.63	120.40	0.205	0.215	5.21	5.46	3 866	1.754
MS9970-352	4.835	4.865	122.81	123.57	0.205	0.215	5.21	5.46	3 964	1.798
MS9970-353	4.960	4.990	125.98	126.75	0.205	0.215	5.21	5.46	4 062	1.842
MS9970-354	5.077	5.123	128.96	130.12	0.205	0.215	5.21	5.46	4 160	1.887
MS9970-355	5.202	5.248	132.13	133.30	0.205	0.215	5.21	5.46	4 258	1.931
MS9970-356	5.327	5.373	135.31	136.47	0.205	0.215	5.21	5.46	4 356	1.976
MS9970-357	5.452	5.498	138.48	139.65	0.205	0.215	5.21	5.46	4 454	2.020
MS9970-358	5.577	5.623	141.66	142.82	0.205	0.215	5.21	5.46	4 552	2.065
MS9970-359	5.702	5.748	144.83	146.00	0.205	0.215	5.21	5.46	4 650	2.109
MS9970-360	5.827	5.873	148.01	149.17	0.205	0.215	5.21	5.46	4 748	2.154
MS9970-361	5.952	5.998	151.18	152.35	0.205	0.215	5.21	5.46	4 846	2.198
MS9970-362	6.202	6.248	157.53	158.70	0.205	0.215	5.21	5.46	5 041	2.287
MS9970-363	6.452	6.498	163.88	165.05	0.205	0.215	5.21	5.46	5 237	2.376
MS9970-364	6.702	6.748	170.23	171.40	0.205	0.215	5.21	5.46	5 433	2.464
MS9970-365	6.952	6.998	176.58	177.75	0.205	0.215	5.21	5.46	5 629	2.553
MS9970-366	7.195	7.255	182.75	184.28	0.205	0.215	5.21	5.46	5 825	2.642
MS9970-367	7.445	7.505	189.10	190.63	0.205	0.215	5.21	5.46	6 021	2.731
MS9970-368	7.695	7.755	195.45	196.98	0.205	0.215	5.21	5.46	6 216	2.820

Review Activities
Air Force - 82

This standard has been approved by the Department of the Air Force and the Department of the Navy (AS) and is mandatory for use by the activity. All other military activities are required to employ this standard when suitable.

APPROVED 9 June 72 REVISED

P.A. Air Force-II Other Cust Navy-AS	INTERNATIONAL INTEREST ASCO AIR STD 17/27	TITLE PACKING PREFORMED - MS 7279 "O" RING	MILITARY STANDARD MS9970
PROCUREMENT SPECIFICATION AMS7275	SUPERSEDES		SHEET 5 OF 7

DD FORM 1 SEP 67 672-1 (Allied coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS 5330

PART NUMBER	ID IN. MIN	ID IN. MAX	ID (mm) MIN	ID (mm) MAX	T IN. MIN	T IN. MAX	T (mm) MIN	T (mm) MAX	APPROX MASS LB/100	APPROX MASS kg/100
MS9970-369	7.945	8.005	201.80	203.33	0.205	0.215	5.21	5.46	6.412	2.908
MS9970-370	8.135	8.255	208.15	209.68	0.205	0.215	5.21	5.46	6.608	2.997
MS9970-371	8.445	8.505	214.50	216.03	0.205	0.215	5.21	5.46	6.804	3.086
MS9970-372	8.695	8.755	220.85	222.38	0.205	0.215	5.21	5.46	7.000	3.175
MS9970-373	8.945	9.005	227.20	228.73	0.205	0.215	5.21	5.46	7.196	3.264
MS9970-374	9.145	9.255	233.55	235.08	0.205	0.215	5.21	5.46	7.392	3.353
MS9970-375	9.445	9.505	239.90	241.43	0.205	0.215	5.21	5.46	7.587	3.441
MS9970-376	9.695	9.755	246.25	247.78	0.205	0.215	5.21	5.46	7.784	3.531
MS9970-377	9.945	10.005	252.60	254.13	0.205	0.215	5.21	5.46	7.980	3.620
MS9970-378	10.445	10.505	265.30	266.83	0.205	0.215	5.21	5.46	8 371	3.797
MS9970-379	10.945	11.005	278.00	279.53	0.205	0.215	5.21	5.46	8.763	3.975
MS9970-380	11.445	11.505	290.70	292.23	0.205	0.215	5.21	5.46	9.155	4.153
MS9970-381	11.945	12.005	303.40	304.93	0.205	0.215	5.21	5.46	9.546	4.330
MS9970-382	12.945	13.005	328.80	330.33	0.205	0.215	5.21	5.46	10 330	4.686
MS9970-383	13.945	14.005	354.20	355.73	0.205	0.215	5.21	5.46	11.113	5 043
MS9970-384	14.945	15.005	379.60	381.13	0.205	0.215	5.21	5.46	11.897	5.396
MS9970-385	15.910	16.000	404.11	406.40	0.205	0.215	5.21	5.46	12.665	5 745
MS9970-386	16.910	17.000	429.51	431.80	0.205	0.215	5.21	5.46	13.448	6 100
MS9970-387	17.910	18.000	454.91	457.20	0.205	0.215	5.21	5.46	14 232	6.456
MS9970-388	18.910	19.000	480.31	482.60	0.205	0.215	5.21	5.46	15 015	6 811
MS9970-389	19.910	20.000	505.71	508.00	0.205	0.215	5.21	5.46	15.798	7 166
MS9970-390	20.910	21.000	531.11	533.40	0.205	0.215	5.21	5.46	16.582	7 521
MS9970-391	21.910	22.000	556.51	558.80	0.205	0.215	5.21	5.46	17 365	7 877
MS9970-392	22.880	23.000	581.2	584.2	0.205	0.215	5.21	5.46	18.137	8.227
MS9970-393	23.880	24.000	606.6	609.6	0.205	0.215	5.21	5.46	18.920	8.582
MS9970-394	24.880	25.000	632.0	635.0	0.205	0.215	5.21	5.46	19.704	8.938
MS9970-395	25.880	26.000	657.4	660.4	0.205	0.215	5.21	5.46	20.487	9.293
MS9970-425	4.480	4.490	113.28	114.05	0.269	0.281	6.83	7.14	6 381	2.894
MS9970-426	4.585	4.615	116.46	117.22	0.269	0.281	6.83	7.14	6.550	2.971
MS9970-427	4.710	4.740	119.63	120.40	0.269	0.281	6.83	7.14	6.718	3.047
MS9970-428	4.835	4.865	122.81	123.57	0.269	0.281	6.83	7.14	6.885	3 123
MS9970-429	4.960	4.990	125.98	126.75	0.269	0.281	6.83	7.14	7.053	3.199
MS9970-430	5.077	5.123	128.96	130.12	0.269	0.281	6.83	7.14	7.222	3.276
MS9970-431	5.202	5.248	132.13	133.30	0.269	0.281	6.83	7.14	7 389	3.352
MS9970-432	5.327	5.373	135.31	136.47	0.269	0.281	6.83	7.14	7.557	3 428
MS9970-433	5.452	5.498	138.48	139.65	0.269	0.281	6.83	7.14	7 725	3.504
MS9970-434	5.577	5.623	141.66	142.82	0.269	0.281	6.83	7.14	7 893	3 580
MS9970-435	5.702	5.748	144.83	146.00	0.269	0.281	6.83	7.14	8 061	3.656
MS9970-436	5.827	5.873	148.01	149.17	0.269	0.281	6.83	7.14	8.229	3.733
MS9970-437	5.952	5.998	151.18	152.35	0.269	0.281	6.83	7.14	8.397	3.809
MS9970-438	6.202	6.248	157.53	158.70	0.269	0.281	6.83	7.14	8 733	3.961
MS9970-439	6.452	6.498	163.88	165.05	0.269	0.281	6.83	7.14	9 068	4.113
MS9970-440	6.702	6.748	170.23	171.40	0.269	0.281	6.83	7.14	9.405	4 266
MS9970-441	6.952	6.998	176.58	177.75	0.269	0.281	6.83	7.14	9 740	4.418
MS9970-442	7.195	7.255	182.75	184.28	0.269	0.281	6.83	7.14	10.076	4.570
MS9970-443	7.445	7.505	189.10	190.63	0.269	0.281	6.83	7.14	10 412	4.721
MS9970-444	7.695	7.755	195.45	196.98	0.269	0.281	6.83	7.14	10 748	4.875
MS9970-445	7.945	8.005	201.80	203.33	0.269	0.281	6.83	7.14	11 084	5.028
MS9970-446	8.445	8.505	214.50	216.03	0.269	0.281	6.83	7.14	11.755	5.332
MS9970-447	8.945	9.005	227.20	228.73	0.269	0.281	6.83	7.14	12 427	5.637
MS9970-448	9.445	9.505	239.90	241.43	0.269	0.281	6.83	7.14	13.099	5.942

APPROVED 9 June 72 REVISED

P.A. Air Force - 11 Other Coast Navy - AS	INTERNATIONAL INTEREST ASCC AIR STD 17/27	TITLE PACKING, PREFORMED - AMS 7279, 'O' RING	MILITARY STANDARD MS9970
PROCUREMENT SPECIFICATION AMS 7279	SUPERSEDES		SHEET 6 OF 7

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

AMS use only

Review Activities Air Force - 82

This standard has been approved by the Department of the Air Force (11) on Department of the Navy(AS)and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.

MS9970

FED SUP CLASS
5330

PART NUMBER	ID IN		ID (mm)		T IN		T (mm)		APPROX MASS	
	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	LB/M	KG/M
MS9970-449	9.945	10.005	252.60	254.13	0.269	0.281	6.83	7.14	13 771	6 246
MS9970-450	10.445	10.505	265.30	266.83	0.269	0.281	6.83	7.14	14 442	6 551
MS9970-451	10.945	11.005	278.00	279.53	0.269	0.281	6.83	7.14	15 114	6 856
MS9970-452	11.445	11.505	290.70	292.23	0.269	0.281	6.83	7.14	15 786	7 160
MS9970-453	11.945	12.005	303.40	304.93	0.269	0.281	6.83	7.14	16.458	7 465
MS9970-454	12.445	12.505	316.10	317.63	0.269	0.281	6.83	7.14	17 130	7.770
MS9970-455	12.945	13.005	328.80	330.33	0.269	0.281	6.83	7.14	17 801	8.074
MS9970-456	13.445	13.505	341.50	343.03	0.269	0.281	6.83	7.14	18 473	8 379
MS9970-457	13.945	14.005	354.20	355.73	0.269	0.281	6.83	7.14	19 145	8 684
MS9970-458	14.445	14.505	366.90	368.43	0.269	0.281	6.83	7.14	19 817	8 989
MS9970-459	14.945	15.005	379.60	381.13	0.269	0.281	6.83	7.14	20 488	9 293
MS9970-460	15.445	15.505	392.30	393.83	0.269	0.281	6.83	7.14	21 160	9 598
MS9970-461	15.910	16.000	404.11	406.40	0.269	0.281	6.83	7.14	21 805	9.891
MS9970-462	16.410	16.500	416.81	419.10	0.269	0.281	6.83	7.14	22 477	10 195
MS9970-463	16.910	17.000	429.51	431.80	0.269	0.281	6.83	7.14	23 149	10 500
MS9970-464	17.410	17.500	442.21	444.50	0.269	0.281	6.83	7.14	23 820	10.805
MS9970-465	17.910	18.000	454.91	457.20	0.269	0.281	6.83	7.14	24 492	11 109
MS9970-466	18.410	18.500	467.61	469.90	0.269	0.281	6.83	7.14	25 164	11 414
MS9970-467	18.910	19.000	480.31	482.60	0.269	0.281	6.83	7.14	25 836	11 719
MS9970-468	19.410	19.500	493.01	495.30	0.269	0.281	6.83	7.14	26 508	12 024
MS9970-469	19.910	20.000	505.71	508.00	0.269	0.281	6.83	7.14	27 179	12 328
MS9970-470	20.910	21.000	531.11	533.40	0.269	0.281	6.83	7.14	28 523	12.938
MS9970-471	21.910	22.000	556.51	558.80	0.269	0.281	6.83	7.14	29 866	13 547
MS9970-472	22.880	23.000	581.2	584.2	0.269	0.281	6.83	7.14	31 190	14 148
MS9970-473	23.880	24.000	606.6	609.6	0.269	0.281	6.83	7.14	32 532	14 756
MS9970-474	24.880	25.000	632.0	635.0	0.269	0.281	6.83	7.14	33 872	15 366
MS9970-475	25.880	26.000	657.4	660.4	0.269	0.281	6.83	7.14	35 220	15 976

1. MATERIAL: FLUOROCARBON RUBBER AMS 7279 EXCEPT SURFACE INSPECTION PER NOTE 4
2. DIMENSIONS IN INCHES. METRIC CONVERSIONS ARE IN PARENTHESES. INTERNATIONAL SYSTEM UNITS (SI) SHOWN ARE FOR REFERENCE ONLY
3. IDENTIFICATION AND PACKAGING PER AMS 2817
4. DIMENSIONAL INSPECTION PER AS871
5. DO NOT USE UNASSIGNED PART NUMBERS

AS AND AMS ARE SOCIETY OF AUTOMOTIVE ENGINEERS, INC. PUBLICATIONS
THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE MILITARY SERVICES BY THE SAE AEROSPACE PART STANDARDS DIVISION

APPROVED 9 June 72 REVISED

P.A.
Air Force - 11
Other Cust
Navy - AS

INTERNATIONAL INTEREST
ASCC AIR STD 17/27

TITLE
PACKING PREFORMED - AMS 7279 "O" RING

MILITARY STANDARD
MS9970

PROCUREMENT SPECIFICATION
AMS7279

SUPERSEDES

SHEET 7 OF 7

DD FORM 672-1 (Limited coordination)
ASD use only

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1972 -714-536/987

Review Activities
Air Force - 82

This standard has been approved by the Department of the Air Force (11) and the Department of the Navy (AS) and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:29Z
Check the source to verify that this is the current version before use.