INCH-POUND

MIL-DTL-3628/228C
12 February 2018
SUPERSEDING
MIL-DTL-3628/228B
22 May 2017

DETAIL SPECIFICATION SHEET

BADGE, IDENTIFICATION, HONOR GUARD, U.S. AIR FORCE

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-3628.



-1 and -2



-3 and -4

DASH NO.
-1: Regular Size no Color
-2: Miniature Size no Color
-3: Regular Size with Color
-4: Miniature Size with Color

MATERIAL: (-1 thru -4) Red Brass 85/15 (UNS Alloy No.C-230)

FINISH: (-1 thru -4) Nickel Plated, Mirror-like Polished Highlights, and shall match TIOH Metal Finish Chip Number 16.

DIMENSIONS:
HEIGHT:
-1 and -3: 2 inches (REF)
-2 and -4: 1-1/2 inches (REF)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:15Z
Check the source to verify that this is the current version before use.

WIDTH:
-1 and -3: 1-11/16 inches (REF)
-2 and -4: 1-3/16 inches (REF)
THICKNESS (At thickest point):
-1: 0.182 ± 0.010 inch
-2: 0.124 ± 0.010 inch
-3: 0.090 ± 0.010 inch
-4: 0.080 ± 0.010 inch

ATTACHING DEVICE:
1. Attaching device shall be prong and flat ball type clutch.

2. For -1, -3, three prongs shall be located on the reverse. The top prong will be placed on the vertical centerline and 1/8 inch from the top edge. The bottom 2 prongs shall be placed 1/2 inch from the bottom edge and 1-1/2 inches apart. For -2, -4, two prongs shall be placed on the horizontal centerline and 1-1/4 inch apart and equal distance to the edge.

EPOXY:
1. Epoxy resin shall be applied to the Badge Qualification and shall match TIOH Hard Enamel Color Chip Numbers listed below.

TIOH HARD ENAMEL COLOR CHIPS	
COLOR	**CHIP NUMBER**
White	#28
Brown	#32
Blue	#18
Yellow	#37
Red	#4

2. The helmet and the scrolls will be filled with White Epoxy #28. The rifles will be filled with Brown Epoxy #32. The background will be filled with Blue Epoxy #18. The plume will be filled with Transparent Red Epoxy #4. The leaves will be filled with Transparent Yellow Epoxy #37.

NOTES:
The term (REF) refers to the measurements taken from the Government furnished hub or die.

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:15Z
Check the source to verify that this is the current version before use.

Custodians:
Army - IH
Air Force - 11

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2018-141)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:15Z
Check the source to verify that this is the current version before use.