MILITARY STANDARD

WEAPONS REQUIREMENT, PALLETIZING FLEET ISSUE UNIT LOAD FIN ASSEMBLY, BOMB, MK 15 AND MODS (SNAKEYE) IN PALLET ADAPTER, ADU-383/E

MIL-STD-1323-242A (NAVY)
11 JANUARY 1988

SUPERSEDING MIL-STD-1323-242
19 SEPTEMBER 1986


DODIC/NALC NOS. F391, F535, F536, F537, F540, F541, F543, F572, F574, F655, F767, F768

UNIT LOAD DATA


PALLET...	MOD 0	MOD 1
NUMBERS OF BOMB FINS PER PALLET	12	12
GROSS WEIGHT OF ONE BOMB FIN	66 LBS	66 LBS
WEIGHT OF TWO ADAPTERS	69 LBS	69 LBS
WEIGHT OF PALLET	110 LBS	72 LBS
WEIGHT OF STRAPPING	5 LBS	5 LBS
GROSS WEIGHT OF UNIT LOAD △	976 LBS	938 LBS
CUBE	38.2 CU FT	37.8 CU FT
DIMENSION A (UNIT LOAD HEIGHT)	37-3/4 IN	37-3/8 IN

DO NOT STACK MORE THAN
4 UNIT LOADS HIGH IN STORAGE
DO NOT USE FOR SHIPPING WEIGHT

HAZARD CLASSIFICATION
DOT..... NONE (INERT)
CG..... NONE (INERT)



FIN BOMB MK 15 MOD 6
30003-923AS246



AMSC NO. - N/A

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED

REV LTR	REVISION DESCRIPTION	DATE	TDA APPROVAL	SYSCOM
A	ADDED ORIENTATION DIRECTIONS FOR FINS	1-11-88	ER	JK

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

E Smith 1-11-88
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J E Kell 1-11-88
SIGNATURE AIRSYSCOM, BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR Charles McBride 1/11/88
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 3, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) POSITION A PALLET ADAPTER, ITEM 2, ON THE PALLET DECK WITH EQUAL OVERHANG ON BOTH SIDES AND ENDS.

(C) STARTING IN ONE CORNER OF THE BOTTOM ADAPTER, POSITION THE FIRST FIN WITH THE BASE DOWN AND RELEASE BAND LATCH MECHANISM AS DESCRIBED IN METHODS 1 OR 2 BELOW, AND CONTINUE POSITIONING ALL THE FINS IN THE SAME MANNER, AS SHOWN. FINS MUST BE ORIENTED TO FORM AN ANGLE OF 45 DEGREES WITH THE SIDES AND ENDS OF THE PALLET ADAPTER.

METHOD 1 FOR MODS 0 - 4 FINS ONLY

THESE MOD FINS SHALL BE PALLETIZED WITH THE FIN IDENTIFICATION STENCILING OUTBOARD, REGARDLESS OF RELEASE LATCH MECHANISM ORIENTATION.

METHOD 2 FOR MODS 5 AND 6 ONLY

TO PRECLUDE DAMAGE TO THE RELEASE BAND LATCH MECHANISM, BE SURE THE OUTER PERIMETER FINS (10) ARE ORIENTED SO THAT THE LATCH MECHANISMS ARE INBOARD. DISREGARD ORIENTATION OF STENCILING.


(D) PLACE THE SECOND PALLET ADAPTER OVER THE FINS, ALIGNING THE BEARING RINGS ON THE ADAPTER WITH THE PLASTIC CAPS ON THE FINS.

(E) POSITION THE THREADED STRAPPING UP INSIDE 1ST AND 2ND WIRES ON THE BOTTOM ADAPTER, BETWEEN TWO FIN ASSEMBLIES AND UP BETWEEN THE 4TH AND 5TH WIRES ON THE TOP ADAPTER AND OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.

(F) POSITION STRAPPING, ITEM 4, UNDER THE PALLET DECK, OUTSIDE 1ST AND 2ND WIRES ON THE BOTTOM ADAPTER, UNDER THE LINK PIN AND OVER THE BOLT OF THE FIN, AS SHOWN IN DETAIL B, AND OVER THE 3RD WIRE ON THE TOP ADAPTER. TENSION AND DOUBLE NOTCH THE SEAL.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323.




THREAD STRAPPING BETWEEN THE 5TH AND 6TH WIRE


MOD 0 PALLET

DETAIL A

MOD 1 PALLET




THREAD STRAPPING BETWEEN THE 6TH AND 7TH WIRE.



DETAIL B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.



NOTES: 1. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1323.
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
4	5	SEAL	SEE NOTE 1	3/4
2	4	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 12 FT 6
2	3	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 14 FT 6
2	2	ADAPTER, PALLET ADU-383/E	30003-752AS100	48-1/4 X 36-1/4
1	1	PALLET, MK 12 MOD 1 PALLET, MK 12 MOD 0	DWG 2645217 DWG 2086479	35 X 45-1/2 X 4-3/4 35 X 45-1/2 X 5-1/8

LIST OF MATERIALS

DEPALLETIZING PROCEDURE

(A) CUT AND REMOVE STRAPPING.
(B) REMOVE THE TOP ADAPTER.
(C) REMOVE THE FINS.
(D) REMOVE BOTTOM ADAPTER.

REVIEW ACTIVITY:
NAVY - OS, AS

PREPARING ACTIVITY:
NAVY - OS
(PROJECT NO. 8140-N769)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-STD-1323-242A

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-4260

★ U.S. Government Printing Office: 1978—703-175/3681 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DoD-316



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
NWHC, Code 80311-M. Shelly
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.