# DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

| 1. TITLE | 2. IDENTIFICATION NUMBER |
|---|---|
| System Effectiveness Data System (SEDS) Maintenance Report | DI-ILSS-80682A |

3. DESCRIPTION / PURPOSE

3.1 This report is used to assist in the analysis of reliability and maintainability data of newly developed or enhanced systems and subsystems. The analyses provided by SEDS are used to apprise the acquiring activity of the types, severity, and frequency of failures occurring, and of the status of action being taken by the contractor.

| 4. APPROVAL DATE (YYMMDD) | 5. OFFICE OF PRIMARY RESPONSIBILITY (OPR) | 6a. DTIC APPLICABLE | 6b. GIDEP APPLICABLE |
|---|---|---|---|
| 950123 | F/46OSS-OSXM | | |

7. APPLICATION / INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instructions for the data product generated by the specific and discrete task requirement as delineated in the contract.

7.2 This DID is applicable when SEDS information (maintenance) is required on a system and subsystem under test. It provides information on general or minor maintenance actions when the action is completed in one operation. It also provides information on removals or failures.

(Continued on Page 2)

| APPROVAL LIMITATION | 9a. APPLICABLE FORMS | 9b. AMSC NUMBER |
|---|---|---|
| | AFMC Form 258 | F7101 |

10. PREPARATION INSTRUCTIONS

10.1 Format. The SEDS maintenance report shall be on AFMC Form 258. All types of maintenance actions, either on- or off-equipment work, shall be recorded in chronological format.

10.2 Content. The report shall consist of the data described in Table I.

TABLE I. Maintenance discrepancy/production credit record

| | BLOCK | ENTRY |
|---|---|---|
| A | JOB CONTROL NUMBER | An assigned number used to control and tie together related tasks required to accomplish a job. |
| B | PRIORITY | Priority of work as set by work load control. |
| C | TIME SPECIALISTS REQD | Time that the specialists are required as directed by work load control. |

(Continued on Page 2)

DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.

Block 7, Application/Interrelationship (Continued)

7.3 The System Work Unit Code Manual (-06 Technical Manual) will be provided by the procuring activity.

7.4 This DID supersedes DI-ILSS-80682.

---

Block 10, Preparation Instructions (Continued)

TABLE I. Maintenance discrepancy/production credit record. - Continued

| BLOCK | | ENTRY |
|---|---|---|
| D | WORK AREA | Location where work is to be done. |
| E | ESTIMATE WORK HOURS | Estimated work hours required to do each maintenance task. |
| F | BLANK | No entry required. |
| 1 | COPY NUMBER | Preprinted on form. |
| 2 | REPORT NUMBER | Preprinted on form. |
| 3 | BASIC WORK CENTER | Work center code of work center where the work is being performed. |
| 4 | ITEM IDENTIFICATION | Name of end item of equipment that work is being documented against. |
| 5 | SERIAL NUMBER | Serial number of end item on which work is being performed. |
| 6 | TIME/CYCLE/MILES | Time, elapsed time indicator (ETI) reading, cycles, miles or round for the equipment identified in Block 4. |
| 7 | WHEN DISCOVERED TIME | Numeric date and local military time when problem was discovered. |
| 8 | DATE THIS REPORT | Numeric date in which the job was performed. |
| 9 | WORK ORDER NUMBER | A number which is based on type of equipment being worked on, type of maintenance being done, and equipment identification (ID) number (reference applicable -06 Work Unit Code (WUC) Manual). |
| 10 | ORIGINAL REPORT NUMBER | No entry required. |

(Continued on Page 3)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Maintenance discrepancy/production credit record. - Continued

| BLOCK | | ENTRY |
|---|---|---|
| 11 | WHEN DISCOVERED CODE | A specific code which identifies when the defect or the need for maintenance action was discovered (reference applicable -06 manual). |
| 12 | ENGINE POSITION NO | The position number of the engine on which work is required or is being performed. |
| 13 | ACTIVITY IDENT | Activity identity code of activity being supported (i.e., EG - Eglin, NS - Nellis, etc.). |
| 14 | MANUFACTURER | Manufacturer's code assigned to item shown in Block 19 (WUC). |
| 15 | NOUN-ENGINE TYPE/MODEL/ SERIES MODIFICATION | Noun describing the item on which maintenance is being done. This noun must agree with the WUC in Block 19 (reference applicable -06 manual). |
| 16 | SERIAL NUMBER | Serial number of item in Block 19 (WUC). |
| 17 | TIME/CYCLES/MILES | Time, ETI reading, cycles, miles or rounds for the equipment identified in Block 19 (WUC). |
| 18 | PART NUMBER | Part number of item in Block 19 (WUC). |
| 19 | WORK UNIT CODE | Specific code used to identify the assembly or part within an end item on which an action was performed (reference applicable -06 manual). |
| 20 | SYMBOL | No entry required. |
| 21 | HOW MALFUNCTION | A How Malfunction Code (HMC) which describes the nature of the problem of the item shown in Block 19 (WUC) (reference applicable -06 manual). |
| 22 | FEDERAL SUPPLY CLASS | No entry required. |
| 23 | BLANK | No entry required. |
| 24 | BLANK | No entry required. |
| 25 | MANUFACTURER | Manufacturer's code assigned to item identified in Block 19 (WUC). |
| 26 | NOUN-ENGINE TYPE/MODEL/ SERIES MODIFICATION | Noun describing the installed item. This noun must agree with the WUC in Block 19 (reference applicable -06 manual). |

(Continued on Page 4)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Maintenance discrepancy/production credit record. - Continued

| BLOCK | | ENTRY |
|---|---|---|
| 27 | SERIAL NO | Serial number of item shown in Block 26. |
| 28 | TIME/CYCLES/MILES | Time, ETI reading, cycles, miles or rounds for the equipment identified in Block 26. |
| 29 | PART NUMBER | Part number of item shown in Block 26. |
| G | SUPPLY DOCUMENT NO | No entry required. |
| 30 | DESCRIPTION DISCREPANCY OR MAINTENANCE REQUIRED | Full description of discrepancy or work to be performed. |
| H | DISCOVERED BY | Printed name and grade of individual who discovered the discrepancy. |
| 31 | PREFIX | Prefix column is the category of labor:<br>1 - Air Force personnel<br>2 - Navy personnel<br>6 - Contractor personnel |
| | AFSC | Air Force Specialty Code (AFSC) for the person doing the maintenance. |
| | SUFFIX | Suffix assigned to the AFSC of the person doing the maintenance. |
| | NO | Number of personnel (crew size) accomplishing the maintenance. |
| 32 | START | The time that a maintenance task was started using local military time (i.e., 1500 is 3:00 p.m.). |
| 33 | STOP | The time that a maintenance task was stopped using local military time (i.e., 1500 is 3:00 p.m.). |
| 34 | DELAY CODE | Code that best describes the primary reason for the first delay encountered. Codes are located on reverse side of form. These additional codes may be used:<br>D - End of shift<br>B - Rest break/meals<br>Y - Research Technical Order (T.O.) |
| 35 | START | Time when work was continued after a delay (use military time). |

(Continued on Page 5)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Maintenance discrepancy/production credit record. - Continued

| BLOCK | | ENTRY |
|---|---|---|
| 36 | STOP | Time when work was stopped or again delayed (use military time). |
| 37 | DELAY CODE | Code that best describes the primary reason for the first delay encountered. Codes are located on reverse side of form. These additional codes may be used:<br>D - End of shift<br>B - Rest break/meals<br>Y - Research T.O. |
| 38 | WORK UNIT CODE | Support general or lower assembly WUC that describes work being done (reference -06 manual). |
| 39 | ASSISTING WORK CENTER | Work center code for work center actually doing the work (different from entry in Block 3). |
| 40 | UNITS | Number of times that action shown in Blocks 38 or 41 was taken. When action has not been completed, enter a zero. |
| .1 | ACT | Action taken code is the code which best describes action taken (reference -06 manual). |
| 42 | T.O. NUMBER | Number of the T.O. being used as a reference for accomplishing the maintenance activity. |
| 43 | T.O. DATE | Latest date of the T.O. publication or change to basic date. |
| 44 | T.O. PROCEDURE | Applicable code from reverse side of form which best describes the effectiveness of the T.O. being used. |
| 45 | TOOLS/AGE | Applicable code from reverse side of form which best describes the effectiveness of the tools and aerospace ground equipment (AGE) being used. |
| I | CORRECTED BY | Name and grade of individual or senior member or work center who accomplished or supervised the accomplishment of the repair work. |
| 46 | CORRECTIVE ACTION | Full description of action taken to item referred to in Block 19. In addition, enter "operational check ok" if applicable as part of corrective action and page and paragraph of T.O. used. |

(Continued on Page 6)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Maintenance discrepancy/production credit record. - Continued

| BLOCK | | ENTRY |
|---|---|---|
| J | INSPECTED BY | Quality control inspector. |
| K | SUPERVISOR | Printed name of supervisor after review of form for completeness and accuracy of entries and to verify that all follow-up action has been recorded. |
| L | RECORDS ACTIONS | Checkmark the appropriate box in this block. In addition, enter an appropriate code in the upper right-hand corner of this block. Select the code from this list: |

| Code | Equipment |
|---|---|
| A | Aircraft |
| B | Engine |
| C | AGE |
| D | AN/Nomenclature CEM (communication electronics meteorological) |
| E | Commodity (serially numbered and controlled item or component in an off-equipment status) |
| F | Off-equipment (shop work) |
| G | Missile |
| H | Non AN/Nomenclature CEM |

| | | |
|---|---|---|
| M | DATE TRANSCRIBED | Date transcribing actions were completed. |
| N | TRANSCRIBED BY | Signature of the individual who completed transcribing action. |
| 47 | PIECE PARTS REPLACED DURING REPAIR | |
| | PART NUMBER | Part number of items replaced during bench check or repair, including items such as circuit boards, small subassemblies, hydraulic lines, sheet metal brackets, and small access doors and covers. Recording of common hardware obtained from bulk stocks such as nuts, bolts, screws, washers, safety wire, clamps, gaskets, etc., is not required. |
| | NOUN | Noun shown in applicable illustrated parts breakdown (IPB) or the -06 WUC manual. If noun is not in these manuals, enter the noun which best identifies the part. |
| | WORK UNIT CODE | If the replaced component has an assigned WUC, enter this. If not, enter the next higher assembly WUC. |

(Continued on Page 7)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

TABLE I. Maintenance discrepancy/production credit record. - Continued

| BLOCK | ENTRY |
|---|---|
| CIRCUIT SYMBOL | Designated reference and circuit symbol or noun which best identifies the item. |
| TYPE FAILURE | Check the appropriate column to indicate the failure is primary or secondary. Note: Primary failure is defined as that piece part problem that was the direct cause of the assembly component failure. Secondary failure is defined as a problem caused by the primary failure. |
| QTY | Quantity of like parts being replaced. |
| HOW MAL | How malfunctioned code (HMC) from the -06 WUC manual which best describes the nature of the failure or problem of the component or part. |
| MANUFACTURER | Manufacturer's code of the installed item. |
| FSC | No entry required. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:38Z
Check the source to verify that this is the current version before use.