INCH-POUND

MIL-C-48468B(AR)
AMENDMENT 1
10 March 1994

MILITARY SPECIFICATION

CIRCUIT CARD ASSEMBLY: 11732332, INVERTER AND ± 15 VOLT REGULATOR

This amendment forms a part of MIL-C-48468B(AR), dated 30 June 1981, and is approved for use by the U.S. Army Armament, Munitions, and Chemical Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, Drawings, under inspection equipment, Add: "REF" following each inspection equipment drawing.

PAGE 5

Add new items 1.11, 1.12 and 1.13 to Table I as follows:

1.11	No Load		P1-14A, P1-14B (+) and P1-12A, P1-12B (-)
1.12	No Load		P1-24A, P1-24B (+) and P1-23A, P1-23B (-)
1.13	No Load		P1-22A, P1-22B (+) and P1-20A, P1-20B (-)

PAGE 6

Table I, delete item 2.1 in its entirety and substitute:

2.1	Variable 11.60-17.0 Vdc	@10A, Ripple ≤ 0.1 Vrms	Connected between P1-2A, 2B(+) and P1-1A, P1-1B

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:27Z
Check the source to verify that this is the current version before use.

Delete Table II in its entirety and substitute:

"TABLE II. Output voltages.

Item	Voltage	Pin Connection	Output Characteristics 1/
1	+ 5 V	P1-14A, P1-14B	5.2 ± 0.5 V dc (± 0.7 V dc 2/) ripple < 60 mV rms
2	+ 15 V	P1-6A, P1-6B	15.00 ± 0.15 V dc, ripple < 20 mV rms
3	- 15 V	P1-21A, P1-21B	- 15.00 ± 0.15 V dc, ripple < 20 mV rms
4	+ 24 LAMP	P1-24A, P1-24B	22.6 ± 2.0 V dc (± 3.0 V dc 2/) ripple < 1.0 V rms
5	+ 30 V	P1-22A, P1-22B	30.6 ± 2.5 V dc (± 3.5 V dc 2/) ripple < 0.5 V rms
6	+ 5 V	P1-14A, P1-14B	5.6 ± 0.5 V dc
7	+ 24 V	P1-24A, P1-24B	24.8 ± 2.0 V dc
8	+ 30 V	P1-22A, P1-22B	32.0 ± 2.5 V dc

1/ Measured with respect to P1-1A, P1-1B.
2/ For input voltages of 3.3.1"

PAGE 11

4.6.1: Delete in its entirety and substitute the following:

"4.6.1 Test equipment. The test equipment in Table VI may be used where specified to perform the required test. If alternate test equipment is to be used, the designs shall be submitted for review and approval in accordance with the terms of the contract (see 6.4)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:27Z
Check the source to verify that this is the current version before use.

PAGE 15

Add new paragragh 6.4 as follows:

"6.4 Submission of contractor inspection equipment designs for approval. Submit copies of designs as required to: Commander, U.S. Army ARDEC, ATTN: SMCAR-QAF-I, Picatinny Arsenal, NJ 07806-5000. This address will be specified on the Contract Data Requirements List, DD Form 1423 in the contract."

Custodian:
Army - AR

Preparing Activity:
Army - AR

(Project 1220-A406)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:27Z
Check the source to verify that this is the current version before use.