MILITARY SPECIFICATION

ELECTRONIC ASSEMBLY, FOR MINES, M718A1/M741A1 SYSTEM

This Amendment forms a part of Military Specification MIL-I-48630 (AR), dated 31 July 1986, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1: Change "M718E1/M741E1" to "M718A1/M741A1".

PAGE 2

2.1.1, Under Specifications, Military: Delete "MIL-P-63238" and add "MIL-P-48649 - Projectile, 155mm, AT M718A1/M741A1 Loading, Assembling and Packing of."

2.1.1, Under Drawing, Add new drawing:

"9317597 - Projectile, 155MM Test, Non-hazardous, M718 Type.

9317598 - Projectile, 155MM Test, Non-hazardous, M741 Type."

PAGE 3

2.1.2:

Under DRAWINGS 9287096: Delete "Fixed Electrolytic." and substitute "Fixed Electrolyic, Tantalum Solid."

Under DRAWINGS: Add new drawing: 9287148 - ENCAPSULATION PROCEDURES AND REQUIREMENTS".

PAGE 5

3.3.2.1: Change "M718E1/M741E1" to "M718A1/M741A1".

PAGE 6

3.5.2.3, Last sentence: Delete "+125° F" and substitute "+145°F".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

PAGE 7

3.5.2.9: Delete the paragraph in its entirety.

3.5.5.2, Last sentence: Delete "DRSMC-QAT-M(D) and substitute "AMSMC-QAT-M (D)

PAGE 9

4.3.1:

Delete Drawing "9287141" and substitute "9342554".

Under DRAWING FOR PRINTED Wiring Board: Delete drawing "9287141" and substitute "9342554".

PAGE 11

Table I. FIRST ARTICLE INSPECTION, under reference/inspection method:

Delete "4.4.2.27" and substitute "4.4.2.25"
Delete "4.4.2.28" and substitute "4.4.2.26"
Delete "4.4.2.25" and substitute "4.4.2.23"
Delete "4.4.2.26" and substitute "4.4.2.24"

PAGE 12

Table I. FIRST ARTICLE INSPECTION, under paragraph reference/ inspection method:

Delete "4.4.2.3" and substitute "4.4.2.7"
Delete "4.4.2.22" and substitute "4.4.2.26"

PAGE 15

4.4.2.2, Major 108: Delete quantity "10" under No. of sample units.

PAGE 16

4.4.2.3, Major 106: Delete "0.40%" under AQL or 100% and substitute "Note 2".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

PAGE 18

4.4.2.5, Minor 201: Delete "3.12" under requirement paragraph and substitute "3.6".

4.4.2.5, Minor 201: Under AQL, delete "1.0" and substitute "0.65".

PAGE 19

4.4.2.6: Delete "Note 1" in its entirety and substitute "(1) The AQL applies to the number of holes per board. If any board exceeds this criteria the lot shall be rejected. AQL is 0.40%."

PAGE 20

4.4.2.7, Minor 201: Delete "None defined" under EXAMINATION OR TEST and substitute "Poor workmanship".

PAGE 23

4.4.2.10, Under DRAWING NUMBER BLOCK: Delete drawing "9342560-x" and substitute "9342560".

PAGE 32

4.4.2.19, Major 102: Delete "MIL-R-55187-7" under paragraph reference/inspection method and substitute "MIL-R-55182/7".

PAGE 33

4.4.2.20, Major 103: Delete "3.5.3.2" under requirement paragraph and substitute "3.5.5.1".

PAGE 35

4.4.2.22, Under Title: Delete "Transister" and substitute "Transistor".

PAGE 39

4.4.2.25, Major 104: Delete "3.5.2.2.4.1" under requirement paragraph and substitute "3.5.2.4.1".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

PAGE 42

4.4.2.26:

Under drawing number: Delete "934255-2-1 & 2" and substitute "9342552-1 & 2".

Under requirement paragraph:
Critical 1: Delete "3.5.2.4.1" and substitute "3.5.2.4.2".
Critical 2: Delete "3.5.2.4.1" and substitute "3.5.2.4.2".

PAGE 43

4.4.2.26, Major 104: Delete "3.5.2.2.4.1" under requirement paragraph and substitute "3.5.2.4.1".

PAGE 44

4.4.2.26: Delete Major 123 and substitute the following major defect:

Category Major	Exam/Test	No.of Samples	Units	AQL	Req. Para.	Para Insp.	Ref/ Method
123	Real Time SD Timeout Low-Dud and early						
	Hot Temperature (Note 4)	8-1-3 16-2-3			3.5.2.4.1		4.5.26
	Cold Temperature (Note 5)	8-1-3 16-2-3			3.5.2.4.1		4.5.26
	Ambient (Note 3)	16			3.5.2.4.1		4.5.26

PAGE 46

4.4.2.27: Add new paragraph included.

4.4.3.1, Second paragraph: Delete "4.4.2.27, 4.4.2.28" and substitute "4.4.2.25, 4.4.2.26".

PAGE 47

4.4.5, Eleventh line down: Delete "4.4.2.28" and substitute "4.4.2.26".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.27	Form, Coil		9342556
			NEXT HIGHER ASSEMBLY 9342555

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	I.D. of mounting post(s) incorrect	1/	0.40%	3.2	Gage/4.4.5
102	O.D. of mounting post(s) incorrect	1/	0.40%	3.2	Gage/4.4.5
103	True position of mounting post(s) incorrect	1/	0.40%	3.2	Gage/4.4.5
104	Depth of mounting post(s) incorrect	1/	0.40%	3.2	Gage/4.4.5
105	Height of mounting post(s) incorrect	1/	0.40%	3.2	Gage/4.4.5
106	Width of ring incorrect (all around)		0.40%	3.2	Gage/4.4.5
107	Wall thickness incorrect (3 places)		0.40%	3.2	Gage/4.4.5
108	Height less mounting posts incorrect		0.40%	3.2	Gage/4.4.5
109	Location of terminal lug(s) incorrect	1/	0.40%	3.2	Gage
110	Material		0.40%	3.2	Certificate/6.2
Minor					
201	Poor workmanship		0.65%	3.6	Visual

NOTES:

1/ Examination to be performed at 2 places.

5(46)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

PAGE 50

* 4.5.12: Delete "3.5.2.7" and substitute "3.5.2.8".

PAGE 51

4.5.18:

Paragraph title: Delete "old" and substitute "cold".

Fifth line down: Delete"tested at ambient" and substitute "tested at ambient".

PAGE 52

4.5.24: Delete paragraph.

4.5.25, Last sentence: Delete "MIL-P-63238" and substitute "MIL-P-48649".

PAGE 53

4.5.6, Second line down: Delete "P/N 9342552-1" and substitute "P/N 9342551-1".

6.1: Change "M718/M741" to M718A1/M741A1".

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1345-A483)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.