INCH POUND

MIL-P-14824B (AR)
AMENDMENT 2
08 December 1993
SUPERSEDING
AMENDMENT 1
15 April 1992

MILITARY SPECIFICATION

PROJECTILE, H.E. 155MM, M107
METAL PARTS ASSEMBLY

This Amendment forms a part of Military Specification MIL-P-14824B (AR), dated 8 March 1989, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1 SPECIFICATIONS, MILITARY

Delete:

"MIL-S-10520 - Steel, Forging, For Projectile Stock"
"MIL-S-11310 - Steel Bars, Carbon, Hot Rolled, For Cold Shaping, Including Cold Extrusion"

Substitute:

"MIL-S-70703 - Strand Cast Steel, Carbon & Alloy, For Projectile Applications"

PAGE 3

2.1.2 Inspection equipment drawings, Delete:

"8593417 - Band Seating Testing Machine" in its entirety and Substitute the following:

"9280429 - Rotating Band Seat Tester"

2.1.2 Publications, Delete in its entirety (Title and Text)

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T04:51Z
Check the source to verify that this is the current version before use.

PAGE 4

3.2, Line 7: Delete "MIL-S-10520 or MIL-S-11310" and substitute "MIL-S-70703".

3.3 Delete in its entirety and substitute the following:

"3.3 Heat treatment. Heat treatment applied to any component part shall be uniform throughout and shall be so conducted as to produce in each component the mechanical properties specified on the applicable drawing."

3.3.2: Delete in its entirety.

PAGE 11

4.4.1 Delete paragraphs 4.4.1b, 4.4.1c and 4.4.1d in their entirety and substitute the following:

"c. Miscellaneous lots. Small lots (such as bodies manufactured from abnormally small heats of steel or bodies that have become separated from previously delivered lots, etc.) may at the discretion of the supplier be grouped into miscellaneous heat treatment lots. Such lots shall be identified by a miscellaneous lot code number and processed in accordance with (a) above. The miscellaneous lot thus constituted shall be the basis for the selection of samples for the tension test hereinafter prescribed.

d. Projectile lots. When it has been determined that bodies of a heat treated lot have complied with the mechanical properties requirement of the applicable drawing, they may be grouped for further processing."

PAGE 23

4.4.3.2.1.1 Delete in its entirety and substitute the following:

"4.4.3.2.1.1 Heat treatment lots. In order to determine uniformity of heat treatment, each body in the heat treatment lot (as defined by 4.4.1a) after heat treatment, but prior to final machining shall be subjected to a hardness test with a Brinell Hardness Tester or any other method approved by the procuring activity. Hardness impressions shall be made on the outside surfaces at the band seat location or at any other area on the body deemed necessary for process control and used as the basis for selecting the tension test samples of 4.4.3.2.2.1."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T04:51Z
Check the source to verify that this is the current version before use.

4.4.3.2.1.2 Delete in its entirety.

4.4.3.2.1.3 Delete in its entirety and substitute the following:

"4.4.3.2.1.3 Miscellaneous lots. Miscellaneous heat treatment lots shall be subjected to a hardness test in accordance with 4.4.3.2.1.1."

PAGE 24

4.4.3.2.2.2 Delete in its entirety.

4.4.3.2.2.3 Delete in its entirety and substitute the following:

4.4.3.2.2.3 Miscellaneous lots. Samples for tension test of miscellaneous heat treatment lots shall be selected in accordance with 4.4.3.2.2.1. Failure of any tension test specimen to comply with the yield strength or elongation requirements of the applicable drawings shall be cause for rejection of the lot. Tension tests shall be performed on each miscellaneous heat of steel before being grouped into a miscellaneous lot."

PAGE 26

4.5.2.1.a., Line 2: Delete the words "grinding to a sufficient depth" and substitute the following: "grinding a flat to a sufficient depth."

PAGE 27

4.5.2.1.d Line 5: Delete "300kg" and substitute "3000kg".

4.5.1.2.1: Delete paragraph no. "4.5.1.2.1" and substitute "4.5.2.2.1".

4.5.1.2.1, Line 2: Delete "or stress relief".

PAGE 28

4.5.3.1.1, Lines 3 and 4: Delete "prescribed in Frankford Arsenal Detroit Testing Machine Manual (see 6.10)." and substitute "described in drawing No. 9280429."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T04:51Z
Check the source to verify that this is the current version before use.

PAGE 29

4.5.4 Add the following sentence to the end of the paragraph:

"Stamp the letter "U", as per the applicable drawing, on each projectile accepted by ultrasonic inspection."

PAGE 31

* 4.5.7.1 Lines 2 and 3, Delete "fired in an acceptable M126 series canon based upon current gun tube condemnation criteria." and substitute the following:

"fired in the M126 Series Cannon with 25% minimum tube life remaining."

PAGE 32

6.10 Delete in its entirety.

PAGE 33

6.12.b, Line 5: Delete "Standard ANSI grade" and substitute "Standard AISI grade".

The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirement of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1320-AD12)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T04:51Z
Check the source to verify that this is the current version before use.