MIL-F-14988 (MU)
Amendment 3
20 June 1972
Superseding
Amendment 2
11 October 1971

MILITARY SPECIFICATION

FIRING AND SAFING SQUIB SWITCH MODULE

This amendment forms a part of Military Specification MIL-F-14988 (MU) 30 December 1968.

Page 2 Paragraph 3.2.1: Delete "MIL-S-14807 (MU)" and substitute: "MIL-S-14987 (MU)".

Page 3 Paragraph 3.4, Table I: Delete value "2.45 ± 0.27 ohms" wherever it occurs in Table and substitute "2.45 ± 0.335 ohms".

Page 10 ADD: "3.14 Wiring routing. Each squib switch module shall be visually examined before potting for wire routing to proper terminations (see Table XIV and XV) as applicable. No electrical instrument shall be used.

TABLE XIV

Firing Squib Switch Module Assembly (Dwg 8822336)
Wire Routing List (See Dwg 8823689)

FROM				TO		
S101	A	1	WHT GRN	J42-7		10
S101	A	2		S101	A	3
S101	A	2		S102	B	2
S101	A	2	WHT RED	XF-1		3
S101	A	3	WHT BLUE	S103	B	2
S101	A	4	(SQUIB LEAD)	S101	A	YELLOW

FSC-1125

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:19Z
Check the source to verify that this is the current version before use.

SQUIB LEADS				TO		
S101	B	ORN				
S102	B	ORN				
S103	B	ORN				
S104	B	ORN				
S105	B	ORN				
S106	B	ORN				
S201	B	ORN	COMMON	J42-7	Pin 8	ORN
			CONNECTION	J42-7	Pin 20	ORN
S202	B	ORN				
S203	B	ORN				
S204	B	ORN				
S205	B	ORN				
S206	B	ORN				
S101	B	1		S102	A	1
S101	B	2		S101	B	3
S101	B	3		S102	A	3
S101	B	2	WHT RED BLUE	J42-7		3
S101	B	4		R101		
S101	B	2		R101		
S101	B	2		R102		
S102	A	4		R102		
S102	A	YELLOW (SQUIB LEAD)		S102	B	4
S102	A	2		S102	A	3
S102	B	1	GRN	S103	A	1
S102	B	2		S102	B	3
S102	B	3	WHT-RED-YEL	J42-7		7
S103	A	YELLOW (SQUIB LEAD)		S103	A	4
S103	A	2		S103	A	3
S103	A	2		S104	B	2
S103	A	3	WHT VIO	S105	B	2
S103	B	1		S104	A	1
S103	B	2		S103	B	3
S103	B	2		S104	A	2
S103	B	4		R103		
S104	A	3		R103		
S104	A	YELLOW (SQUIB LEAD)		S104	B	4
S104	A	2		S104	A	3
S104	A	2		R104		
S104	A	4		R104		
S104	B	1	GRN	S105	A	1
S104	B	2		S104	B	3

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:19Z
Check the source to verify that this is the current version before use.

SQUIB LEADS				TO		
S104	B	3	VIO	J42-7		21
S105	A	YELLOW(SQUIB LEAD)		S105	A	4
S105	A	2		S105	A	3
S105	A	2	WHT BLK	S106	B	2
S105	B	1	WHT GRN	S106	A	1
S105	B	2		S105	B	3
S105	B	3	VIO	S106	A	2
S106	A	4		R106		
S105	B	2		R106		
S105	B	4		R105		
S106	A	3		R105		
S106	A	YELLOW(SQUIB LEAD)		S106	B	4
S106	A	2		S106	A	3
S106	B	1	RED	S206	A	1
S106	B	2		S106	B	3
S106	B	3	WHT BLK	J42-7		9
S201	A	YELLOW(SQUIB LEAD)		S201	B	4
S201	A	1		S202	B	1
S201	A	2		S201	A	3
S201	A	3		S202	B	3
S201	A	2	RED	J42-7		6
S201	A	3		R201		
S201	A	4		R201		
S201	A	3		R202		
S202	B	4		R202		
S201	B	1	GRN	J42-7		18
S201	B	2		S201	B	3
S201	B	2		S202	A	2
S201	B	3	WHT BLK RED	S203	A	2
S202	A	YELLOW(SQUIB LEAD)		S202	A	4
S202	A	1	GRN	S203	B	1
S202	A	2		S202	A	3
S202	A	2	WHT	XF1		1
S202	A	3	WHT BLUE	J42-7		19
S202	B	2		S202	B	3
S203	A	YELLOW(SQUIB LEAD)		S203	B	4
S203	A	1		S204	B	1
S203	A	2		S203	A	3
S203	A	2		S204	B	2
S204	B	4		R204		
S203	A	3		R204		

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:19Z
Check the source to verify that this is the current version before use.

SQUIB LEADS				TO		
S203	A	3		R203		
S203	A	4		R203		
S203	B	2		S204	A	2
S203	B	2		S203	B	3
S203	B	3	WHT BRN	J42-7		5
S204	A	YELLOW(SQUIB LEAD)		S204	A	4
S204	A	1		S205	B	1
S204	A	3		S205	A	3
S204	B	2		S204	B	3
S204	A	3		S204	A	2
S205	A	YELLOW(SQUIB LEAD)		S205	B	4
S205	A	1	GRN	S206	B	1
S205	A	2		S205	A	3
S205	A	2	BRN	S206	B	2
S205	A	3		R205		
S205	A	4		R205		
S205	A	2		R206		
S206	B	4		R206		
S205	B	2	WHT GRN	S206	A	2
S205	B	2		S205	B	3
S206	A	YELLOW(SQUIB LEAD)		S206	A	4
S206	A	2		S206	A	3
S206	A	3	WHT GRN	J42-7		22
S206	B	2		S206	B	3
XF1		4	WHT RED	J42-7		17
XF1		2	WHT	J42-7		14

TABLE XV

Safing Squib Switch Module Assembly (Dwg 8823337)
Wire Routing List (Dwg 8823690)

FROM				TO		
S301	A	1		J42-6		20
S301	A	2		J42-6		8
S301	A	3		J42-6		1
S301	A	3		S306	B	3
S301	A	4		J42-6		23
S301	A	4		S302	B	4
S301	B	-		R301		
S301	B	1		S302	A	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:19Z
Check the source to verify that this is the current version before use.

FROM			TO		
S301	B	2	S302	A	2
S301	B	3	S302	A	3
S301	B	4	J42-6		6
S301	B	4	S302	A	4
S302	A	3	J42-6		15
S302	B	-	R302		
S302	B	1	S303	A	1
S302	B	2	S303	A	2
S302	B	3	S303	A	3
S302	B	4	S304	B	4
S303	A	4	J42-6		10
S303	A	4	J42-6		22
S303	B	-	R303		
S303	B	1	S304	A	1
S303	B	2	S304	A	2
S303	B	3	S304	A	3
S303	B	4	S304	A	4
S304	A	-	R304		
S304	B	1	J42-G		24
S304	B	1	J42-G		25
S304	B	2	J42-G		12
S304	B	2	J42-G		13
S304	B	3	J42-G		2
S304	B	4	J42-G		11
S301	A	-	S302-A		-
S301	A	-	S303-A		-
S301	A	-	S304-B		-
S301	A	-	J42-6		7
S301	A	-	J42-6		19
J42-6	3		R301		
J42-6	16		R302		
J42-6	16		R303		
J42-6	16		R304		

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:19Z
Check the source to verify that this is the current version before use.

Page 11 Paragraph 4.2.2: Delete "Table XIV" and substitute: "Table XVI" wherever it occurs.

Page 12 Paragraph 4.3.2: Delete "Major characteristic Table I" and substitute "Major characteristic Table XVII". Delete "Minor characteristic Table II" and substitute: "Minor characteristic Table XVIII".

Page 13 Paragraph 4.3.2.1.1: Delete "critical 1" and substitute "1. Proper wiring (see 3.14).....Visual". Critical defect 4: Add: "See 3.2.1) after squib switch.

Page 14 Paragraph 4.3.2.1.2: Delete major 110 Marking.....Visual and substitute:
Minor:
201. Marking.....Visual

Page 15 Paragraph 4.3.3.2: Delete "Table XV" and substitute "Table XIX".

Custodian:
Army-MU

Preparing Activity
Army - MU

*New Changes

Project No. 1125-A137

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:19Z
Check the source to verify that this is the current version before use.