MILITARY SPECIFICATION

LUCKY ASSEMBLY, FOR CARTRIDGES 90MM, HEAT, M371E1 (M371A1) AND 106MM, HEAT, M344A1 PARTS FOR, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-L-60024(MU), dated 27 March 1964

* *Page 1*, Title: Add "(M371A1)" after the item designation "M371E1". Make this change wherever else the item designation appears in the specification.

Page 1, SPECIFICATIONS: Delete reference to "MIL-I-45208".

Page 1, STANDARDS: Delete "MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes" and substitute "MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes (ABC-STD-105)".

* *Page 3*, paragraphs 4.1, 4.1.1, 4.1.2 and 4.1.3: Delete these paragraphs and substitute the following:

4.1 General quality assurance provisions. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements. Reference shall be made to MIL-STD-109 in order to define the terms used herein. The provisions of MIL-A-2550 shall apply.

4.1.1 *Submission of product.* At the time the completed lot of product is submitted to the Government for acceptance the contractor shall supply the following information accompanied by a certificate which attests that the information provided is correct and applicable to the product being submitted:

(a) A statement that the lot complies with all quality assurance provisions specified within this specification.

(b) Number of units of product inspected.

(c) Results obtained, by defect code, for all inspections performed.

(d) Drawing, specification number and

FSC 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:04Z
Check the source to verify that this is the current version before use.

date, together with an identification and date of changes.

(e) Certificates of conformance on all material purchased by the contractor when such material is controlled by Government or commercial specifications referenced in any of the contractual documents.

(f) Number of items in the lot.

(g) Date submitted.

The certificate shall be signed by a responsible agent of the certifying organization. The initial certificate submitted shall be substantiated by evidence of the agent's authority to bind his principal. Substantiation of the agent's authority will not be required with subsequent certificates unless, during the course of the contract, this authority is vested in another agent of the certifying organization.

4.1.2 *Government verification.* Using the contractor's written quality assurance procedure, this detail specification, the applicable drawings and other contractual documents as a guide, the Government inspector shall verify at unscheduled intervals all quality assurance operations performed by the contractor. Varification will be performed to the extent necessary to assure compliance with the contractual requirements. Severity of Government inspection of individual characteristics will be directly related to the seriousness of the classification assigned. In no instance will a characteristic classified "critical" be accepted solely on the basis of the contractor's records.

* *Page 5*, paragraph 4.3.1: Delete and substitute the following:

4.3.1 *Lot formation.* A lot shall consist of lucky assemblies produced by one manufacturer in one unchanged process, in accordance with the same drawing, same drawing revision, same specification and same specification revision. Drawing, specification and process changes not affecting safety, performance or interchangeability, as determined by the Government, shall not necessitate changing the lot interfix number. The examinations and tests listed herein shall be performed on inspection lots submitted in accordance with MIL–STD–1235 as applicable. The criteria and procedures for the assignment of inspection lot numbers shall be in accordance with MIL–STD–1168. Each lot shall contain lucky crystals of one lot number from one manufacturer.

Page 5, paragraph 4.3.2:

Line 3: Delete "D" from "MIL–STD–105".

Line 8: Delete AQL "0.40" percent and substitute AQL "0.65" percent; delete AQL "0.25" percent and substitute AQL "0.40" percent.

Page 5, paragraph 4.3.2.1: Delete Major AQL "0.25" percent and substitute AQL "0.40" percent.

Page 6, paragraph 4.3.2.3: Delete Major AQL "0.25" percent and substitute AQL "0.40" percent.

Page 7, paragraph 4.3.2.4: Delete Major AQL "0.25" percent and substitute AQL "0.40" percent.

Page 7, paragraph 4.3.2.5: Delete Major AQL "0.25" percent and substitute AQL "0.40" percent.

* *Page 8*, paragraph 5.2: Delete this paragraph in its entirety.

* *Page 8*, paragraph 6.1: Add subparagraph "(b)" as follows:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:04Z
Check the source to verify that this is the current version before use.

(b) *Data cards.* Data cards shall be prepared for each lot in accordance with the information specified in MIL–STD–1167.

Page 9, paragraph 6.3.2, line 5: Delete "ORDM–608–12" and substitute "MIL–D–45608".

Page 10, paragraph 6.3.6, last sentence in paragraph: Delete "ORDM–608–12" and substitute "MIL–D–45608".

Note. An asterisk indicates a change in addition to, or differing from the changes accomplished by Amendment 1.

Custodian:

Army—MU

Preparing activity:

Army—MU

Project No. 1315–A483

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:04Z
Check the source to verify that this is the current version before use.