EE-C-002141(Army-GL)
June 30, 1982

INTERIM FEDERAL SPECIFICATION

CAKES, CANNED, THERMOSTABILIZED, TRAY PACK

This interim Federal specification was developed by the U.S. Army Natick Research and Development Laboratories, Natick, MA 01760, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for cakes in tray pack cans.

1.2 Classification. The product shall be of the following types and classes, as specified (see 6.1).

Type I - Retorted
- Class 1 - Fruitcake
- Class 2 - Orange Nut Cake
- Class 3 - Cherry Nut Cake

Type II - Baked
- Class 1 - Poundcake
- Class 2 - Marble Cake
- Class 3 - Spice Cake
- Class 4 - Chocolate Cake

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

EE-S-631	-	Spices, Ground and Whole and Spice Blends
TT-C-495	-	Coatings, Exterior, For Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard

(Activities outside the Federal Government may obtain copies of Federal specifications, standards, and commercial item descriptions as outlined under General Information in the Index of Federal Specifications, Standards and Commercial Item Descriptions. The Index, which includes cumulative bimonthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

FSC 8920

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

(Single copies of this specification, and other Federal specifications, and commercial item descriptions required by activities outside the Federal Government for bidding purposes are available without charge from General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Houston, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.

(Federal Government activities may obtain copies of Federal standardization documents, and the Index of Federal Specifications, Standards and Commercial Item Descriptions from established distribution points in their agencies.)

Military Specification:

MIL-L-35078 - Loads, Unit; Preparation of Nonperishable Subsistence

Military Standards:

MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-900 - Bacterial Standards for Starches, Flours, Cereals, Alimentary Pastes, Dry Milks and Sugars Used in the Preparation of Canned Foods for the Armed Forces

(Copies of Military specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations:

US Department of Health and Human Services

Federal Food, Drug, and Cosmetic Act and Regulations Promgulated Thereunder (21 CFR PARTS 100-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

US Department of Agriculture

US Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Food Quality Assurance Division, Agricultural Marketing Service, U.S. Department of Agriculture, South Building, 14th and Independence Avenue, SW, Washington, DC 20250.)

Regulations Governing the Grading and Inspection of Egg Products
US Standards for Grades of Shelled Pecans
US Standards for Grades of Shelled Almonds
US Standards for Grades of Processed Raisins
US Standards for Grades of Nonfat Dry Milk (Spray Process)
US Standards for Grades of Canned Applesauce

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

(Application for copies should be addressed to the Information Division, Agricultural Marketing Service, US Department of Agriculture, Washington, DC 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 N. Nineteenth St., Suite 210, Arlington, VA 22209.)

American Oil Chemists Society

Official and Tentative Methods of the American Oil Chemists Society

(Application for copies should be addressed to the American Oil Chemists Society, 508 South Sixth Street, Champaign, IL 61820.)

National Research Council

Food Chemicals Codex

(Application for copies should be addressed to the Office of Director, National Academy of Sciences, National Research Council, 2101 Constitution Avenue, N.W., Washington, DC 20418.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the currentversion before use.

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.4, 6.1 and 6.4).

3.2 General. The cake shall be retorted or evenly baked with no raw, stringy, or ungelatinized portions. It shall be lightly browned on the top, sides, and bottom. When bisected vertically with a sharp knife it shall not crumble or show any compression streaks, a gummy interior or soggy area, nor be excessively dry or overbaked. The interior crumb shall possess an even grain structure. The fruit and nut pieces, when required, shall be evenly distributed throughout the sliced surface. The flavor of the finished product shall be typical of the type indicated. The cake shall be free from rancid, scorched, or other objectionable flavor or odor.

3.3 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.3.1 Flour. Flour shall be hard or soft wheat of the type known as high ratio cake flour, bleached, enriched or unenriched. If unenriched flour is used, equivalent enrichment shall be incorporated by the manufacturer at the time of production of the finished product. The flour shall comply with the bacteriological standards of MIL-STD-900.

3.3.2 Sugar. Sugar shall be white, refined, granulated, cane or beet sugar, or a combination thereof.

3.3.3 Shortening. Shortening shall be refined, hydrogenated cottonseed or peanut oil or a combination of both and shall have a stability of not less than 100 hours as determined by the Active Oxygen Method (AOM) in Method: Cd 12-57, Chapter: Commercial Fats and Oils, of the "Official and Tentative Methods of American Oil Chemists Society". The shortening shall contain antioxidants with active ingredients of TBHQ, BHA, BHT, propyl gallate, alone or in combination in accordance with commercial practice at the maximum allowable level permitted by the FDA.

3.3.4 Egg products. The egg products shall be fresh, frozen whole eggs, fresh, frozen or dried egg yolk, dried egg albumen, dried whole eggs, or a combination thereof. Frozen and dried eggs shall have been prepared under the continuous inspection of the US Department of Agriculture, shall be identified by appropriate labeling and marking with the USDA inspection shield and shall be certified as having been laboratory tested and found to be free of Salmonella by the USDA. If fresh eggs are used, temperatures shall be maintained no higher than 60°F prior to use; when thawed eggs are used, the temperature and time requirements of the above regulations shall be met.

3.3.5 Salt. Salt shall be white, refined sodium chloride with or without anti-caking agent. Iodized salt shall not be used.

3.3.6 Vanilla flavoring. Vanilla flavoring shall be pure vanilla extract.

3.3.7 Orange oil, 2-fold. Orange oil shall be cold pressed from Valencia oranges. Twice the amount of single strength oil may be used in place of double strength oil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3.3.8 Lemon oil, 2-fold. Cold pressed natural lemon oil shall be used. Twice the amount of single strength oil may be used in place of double strength oil.

3.3.9 Mono-diglycerides. Mono-diglycerides shall be a combination of mono-glycerides and diglycerides with manufacturers' typical analyses indicating the alpha monoglyceride content to be between 40 and 55 percent.

3.3.10 Cherries, candied, diced. Candied cherries shall be sweet, pitted and thoroughly processed with sugars to a soluble solids content of approximately 73 to 77 percent, and shall be flavored with wild cherry flavor. They shall be artifically colored with a practically colorfast red dye. The pieces shall be cut into approximately 1/4-inch dice. Cherries which have been diced through a machine equipped with blades set to yield 1/4 to 3/8 inch cubes shall be acceptable.

3.3.11 Pineapple, candied, diced. Pineapple shall be thoroughly processed with sugar to a soluble solids content of approximately 73 to 77 percent. The pineapple pieces shall be cut into approximately 1/4 inch dice. Pineapple which has been diced through a machine equipped with blades set to yield 1/4 or 3/8 inch cubes shall be acceptable.

3.3.12 Raisins. Raisins shall be bleached Thompson seedless, select size, grade B or better, as defined in the United States Standards for Grades of Processed Raisins.

3.3.13 Candied orange peel. Candied orange peel shall be properly processed with sugar and corn syrup to a soluble solids content of approximately 73 to 77 percent. It shall have good color indicative of the fruit from which it came. Artificial coloring shall not be used. The peel shall be diced through a machine set to yield 1/4 to 3/8 inch pieces.

3.3.14 Nuts. Nuts shall be either almond pieces or pecan pieces and shall conform to the standard for US No. 1 pecan pieces, small pieces or US No. 1 almond pieces, sizes 16-25 pieces per ounce as defined in US Standards for Grades of Shelled Pecans or Almonds as applicable. The nuts shall be of the latest crop.

3.3.15 Nonfat dry milk. Nonfat dry milk shall be of extra grade as defined in the US Standards for Grades of Nonfat Dry Milks (Spray Process). It shall be of the high heat type.

3.3.16 Oil of bitter almonds. Oil of bitter almonds shall be of the Food Chemicals Codex grade.

3.3.17 Spices. Spices shall meet the product requirements for each particular ground spice as contained in EE-S-631.

3.3.18 Sodium stearoyl - 2 - lactylate and sodium or calcium propionate. Sodium stearoyl - 2 - lactylate and sodium or calcium propionate shall be powdered and free flowing and comply with the requirements of Food Chemicals Codex.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

3.3.19 Cocoa. Cocoa shall be medium fat (10-21 percent cocoa fat) Dutch process cocoa of the commercial type known as "medium Dutched". It shall conform to the Definition and Standards for cocoa products under the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.3.20 Chemical leavening agents. Chemical leavening agents shall be bicarbonate of soda, sodium aluminum phosphate and baking powder. The above ingredients shall be powdered and free flowing.

3.3.21 Glycerol. Glycerol shall be food grade, clear, colorless, and odorless and shall meet the requirements of the Food Chemicals Codex.

3.3.22 Applesauce. Applesauce shall be canned sweetened applesauce of U.S. Grade A quality in accordance with the United States Standards for Grades of Canned Applesauce.

3.3.23 Lecithin. Lecithin shall comply with the Food Chemicals Codex.

3.3.24 Potassium sorbate. Potassium sorbate shall be of food grade and comply with the Food Chemicals Codex.

3.4 Batter formulation.

3.4.1 Batter formulation for type I cakes (parts by weight).

	Class 1 Fruitcake	Class 2 Orange nut cake	Class 3 Cherry nut cake
Sugar	18.88	24.35	21.87
Flour	14.50	18.50	16.70
Raisins	15.50	-----	-----
Nuts	13.60	11.00	15.00
Candied cherries	10.00	-----	25.00
Candied pineapple	8.60	-----	-----
Candied orange peel	-----	23.00	-----
Shortening	7.00	9.20	8.20
Whole eggs	6.70	8.60	7.80
Salt	0.40	0.50	0.50
Baking powder	0.40	0.50	0.50
Cloves, ground	0.005	-----	-----
Nutmeg, ground	0.005	-----	-----
Cinnamon, ground	0.010	-----	-----
Water	4.40	4.30	4.40
Orange oil	-----	0.05	-----
Oil of bitter almond	-----	-----	0.03
	100.000	100.000	100.000

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3.4.2 Batter formulation for type II cakes (parts by weight).

	Class 1 Poundcake	Class 2 Marble Choc	Class 2 Marble White	Class 3 Spice	Class 4 Chocolate
Sugar 1/	23.4	28.6	29.0	23.72	29.0
Flour	24.4	25.0	29.0	24.6	25.0
Shortening	24.4	6.2	6.2	5.3	5.0
Whole eggs	12.3	6.2	----	----	6.6
Egg yolks 2/	12.3	----	----	----	----
Dried whole eggs	----	----	----	3.1	----
Nonfat dry milk	----	2.0	1.45	1.2	2.0
Cocoa	----	9.4	----	----	9.0
Water	----	18.8	28.8	----	20.0
Applesauce	----	----	----	36.0	----
Mono-diglycerides	1.0	----	0.1	0.55	----
Salt	0.8	0.3	0.5	0.55	0.5
Vanilla flavoring	0.2	0.5	0.3	0.55	0.5
Orange oil	0.1	----	----	----	----
Lemon oil	0.1	----	----	----	----
Bicarbonate of soda	----	0.5	0.5	0.55	0.4
Glycerol	----	1.5	1.5	1.5	1.0
Dried egg albumen	----	----	1.0	----	----
Sodium aluminum phosphate	----	----	0.35	0.35	----
Sodium stearoyl - 2 - lactylate	----	----	0.3	0.25	----
Sodium or calcium propionate					
Nutmeg	----	----	----	0.16	----
Cinnamon	----	----	----	0.54	----
Ginger	----	----	----	0.08	----
Potassium sorbate	1.0	1.0	1.0	1.0	1.0
	100.0	100.0	100.00	100.00	100.0

1/ When frozen egg yolks containing sugar are used, the sugar contained therein shall be included in calculating the parts, by weight, of sugar.

2/ When frozen egg yolks containing sugar are used, the yolk content alone shall be considered in computing the parts, by weight, of egg yolks; added sugar shall not be included in this computation.

3.5 Cake batter preparation.

(a) Cream sugar, shortening, and emulsifiers.
(b) Blend all dry ingredients.
(c) Add dry ingredients and blend.
(d) Add eggs to above along with liquid ingredients.
(e) Mix until well blended.
(f) Add fruits and nuts, if used, and blend.
(g) When preparing marble cake, make up chocolate and white cake batters separately.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

NOTE: The contractor is not required to follow the exact procedure shown above provided the cake conforms to all finished product requirements.

3.6 Type I cake; tray pack filling, sealing, and thermoprocessing. A minimum average weight of 101 ounces of batter shall be filled into each tray pack can. No individual can shall contain less than 99 ounces of batter. The filled tray pack cans shall be hermetically sealed with a minimum of 10 inches of vacuum. The filled and sealed cans shall be thermostabilized by retorting at 240° or 250°F until a sterilization value (F_o) of not less than 4.5 and not more than 6.5 has been achieved.

3.7 Type II cake; tray pack filling, processing, and sealing. Batter in the applicable amount shown below shall be filled into each tray pack can. The cans, prior to filling, shall be lined with clear commercial parchment paper, (minimum basis weight of 27 pounds per ream: 24 x 36-500). A second liner of the same paper shall be placed over the smooth surface of the batter.

Class	Minimum average fill weight (ounces) 1/
1 - Poundcake	52
2 - Marble cake 2/	48
3 - Spice cake	50
4 - Chocolate cake	52

1/ A minus 1 ounce tolerance will be allowed for individual cans, provided the minimum average fill weight is as specified.

2/ Fill 24 ounces of chocolate batter into the lined can, add 24 ounces of white batter, and swirl to obtain marble effect.

The lids of the trays shall be clinched on loosely to allow for the escape of moisture and gases evolved during processing. The loosely clinched filled cans shall be placed in the oven and baked under the following conditions, or until adequately processed to meet all finished product requirements:

Class	Baking temperature	Baking time
1 - Poundcake	275°F	2 hours
2 - Marble cake	275°F	1 hour 10 min
3 - Spice cake	275°F	1 hour 20 min
4 - Chocolate cake	275°F	1 hour 30 min

The cakes shall be cooled to an internal temperature of 170°F under a High Efficiency Particulate Air (HEPA) filter or some other means of providing clean air to prevent contamination prior to sealing. The filled tray pack cans shall be hermetically sealed under conditions to produce a minimum of 10 inches of vacuum after cooling.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

3.8 Water activity. The water activity of the finished product shall be as follows:

Type	Class	Product	Water activity (maximum)
I	1	Fruitcake	0.80
I	2	Orange nut cake	0.80
I	3	Cherry nut cake	0.83
II	1	Poundcake	0.85
II	2	Marble cake	0.86
II	3	Spice cake	0.88
II	4	Chocolate cake	0.87

3.9 Plant qualification. The product shall be prepared, processed and packaged under sanitary conditions in accordance with good manufacturing practice. The product shall be processed in establishments meeting the sanitary requirements of the applicable government inspection agency.

3.10 Federal Food, Drug and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and acceptance service. Product acceptability shall be determined by the USDA. The USDA will determine the degree of acceptance service necessary to assure compliance with the requirements of this document. The cost of grading and acceptance services performed by the USDA involving inspection, official documentation, and related services shall be borne by the contractor.

4.3 Plant qualification. The product shall be unacceptable if produced and stored in plants which do not meet the requirements specified in 3.9.

4.4 First article. When a first article inspection is required (see 6.1), it shall be examined for the defects specified in table I and tested for the characteristics specified in 4.8.3. The presence of any defect or failure of any test shall be cause for rejection of the first article.

4.5 Component and material inspection. Components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.6 Ingredient examination. Conformance of ingredients to identity and condition requirements shall be determined by examination of pertinent labels, markings, U.S. grade certificates, invoices, certificates of analysis, or other valid documents. In addition each ingredient shall be examined organoleptically as necessary to determine conformance to the condition requirements. Any nonconformance to an identity or condition requirement shall be cause for rejection of the ingredient lot or of any involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.7 In-process examination. In-process examination shall be performed to determine conformance to the ingredient preparation, product processing, can interior coating, and sealing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation; certificates of conformance or other valid documents shall be cause for rejection of the involved product.

4.8 Tray pack inspection. The inspection lot shall include only tray packs produced in one workshift. The USDA reserves the right to separate the inspection lot into smaller inspection lots.

4.8.1 Net weight inspection. Randomly select 30 filled and sealed tray pack cans of each type and class of product from the inspection lot and weigh separately. Subtract the average tare weight (determined by randomly selecting and weighing 30 of the empty tray pack cans and lids used in preparing the product and dividing by 30) from the weight of each tray pack in the sample. If any result is less than the applicable weight indicated below, the lot shall be rejected.

Product	Average weight (oz.)	Individual weight (oz.)
Type I	101	99
Type II, classes 1 & 4	52	51
Type II, class 2	48	47
Type III, class 3	50	49

4.8.2 Product inspection. Eight tray packs of each type and class of product shall be selected at random from the lot. The tray packs shall be opened and inspected for the defects listed in table I. Finding of any major defect shall be cause for rejection of the lot.

TABLE I. Product defects

Category	Defect
Major	
101	Crust not an even color
102	When bisected vertically with a sharp knife, the cake crumbles; has compression streaks, a gummy center, or soggy areas; does not have a reasonably close, even grain structure; has raw, stringy, or ungelatinized portions
103	Flavor not typical of the product
104	Presence of rancid, scorched, or other off flavors or odors
105	Fruit and nut pieces not evenly distributed
106	Lack of marble effect in marble cake
107	Improper mixing of egg ingredients in poundcake evidenced by brown depression on surface of cake
108	Type II tray cans not lined with commercial paper prior to filling
109	Presence of foreign material (for example: dirt, paint, wood, metal, insect part, etc.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.8.3 Water activity testing. Five tray packs shall be selected at random from the lot and tested for water activity in accordance with Method 32.004 in the Vegetable Products chapter of the Official Methods of Analysis of the Association of Official Analytical Chemists. Two determinations shall be made on each tray pack cake in the sample: one on a specimen from the core in the center of the cake and the other on a specimen from the outside edge. The result of each determination shall be reported to the nearest 0.01 percent. Any individual specimen test result exceeding the applicable water activity value specified in 3.8 shall be cause for rejection of the lot.

4.9 Can condition examination. Examination of filled and sealed tray pack cans shall be in accordance with the United States Standards for Condition of Food Containers.

4.10 Shipping container examination. When shipping containers are required to be in accordance with PPP-B-636, examination for defects in construction, closure and reinforcement shall be in accordance with the appendix of PPP-B-636. In addition, the following defects shall be classified as follows: Major: National stock number, item decription, contract number or date of pack markings missing, incorrect, or illegible. Minor: (1) Other required markings missing, incorrect or illegible; (2) Interior packing with fiberboard liner or pads not as specified; (3) When applicable, reinforcement with nonmetallic strapping or tape is not used. Level C shipping containers shall be examined only for the marking defects heretofore specified.

4.11 Unit load inspection. Inspection of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level A or C as specified (see 6.1).

5.1.1 Level A. A net weight of fill as specified in 3.6 and 3.7 for the applicable type and class of product shall be filled into a size 1001 by 1206 by 200 tray pack can. The base plate of the tray can shall be electrolytic chromium-coated steel and be of sufficient weight and temper to protect the product during shipment and storage. The entire inside area of the can shall be coated. The tray can shall be coated overall on the outside with a coating conforming to type I of TT-C-495.

5.1.2 Level C. The product shall be packaged as specified in 5.1.1, except the tray cans with commercial exterior coating will be acceptable.

5.2 Packing. The product shall be packed in accordance with level A, B or C as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T11:43Z
Check the source to verify that this is the currentversion before use.

5.2.1 Level A packing. Four tray cans of product of one type and class only, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard box, constructed, closed and reinforced in accordance with style RSC-L, grade V2s of PPP-B-636. The tray cans shall be packed flat, four in depth within the box. The inside of each box shall be provided with a box liner and five fiberboard pads. The pads shall be placed between the cans and on the top and bottom of the stacked tray cans. The pads shall be full length and width less approximately 1/4 inch in each dimension. The box liner and pads shall be fabricated of grade V3c fiberboard.

5.2.2 Level B packing. Four tray cans of product of one type and class only, packaged as specified in 5.1, shall be packed as specified in 5.2.1, except the box shall be constructed of grade V3c, V3s, or V4s fiberboard.

5.2.2.1 Nonmetallic reinforcement of shipping containers. When specified (see 6.1 and 6.3), the shipping container specified in 5.2.2 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.3 Level C packing. Four tray cans of product of one type and class only, packaged as specified in 5.1, shall be packed in a manner to ensure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. The shipping container shall be in accordance with the Uniform Freight Classification or National Motor Freight Classification, as applicable.

5.3 Unit loads. When specified (see 6.1), the product, packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified. For distribution to Navy, when unit loads are strapped, the strapping shall be limited to nonmetallic strapping.

5.4 Labeling. Each package shall be labeled to comply with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder. Paper labels are not permitted. The name of the product abreviation thereof and date of pack (day, month, year) shall be embossed or lithographed on the end (lid) of the tray can.

5.5 Marking.

5.5.1 Shipping containers. In addition to any special marking required by the contract, shipping containers shall be marked in accordance with MIL-STD-129.

5.5.2 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options herein and include the following information in procurement documents:

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

(a) Title, number, and date of this specification.
(b) Type and class of product required (see 1.2).
(c) When a first article is required (see 3.1, 4.4 and 6.4).
(d) Selection of applicable levels of packaging and packing (see 5.1 and 5.2).
(e) When nonmetallic reinforcement is required for level B packing (see 5.2.2.1).
(f) Type and class of unit load when unit loading is required (see 5.3).

6.2 Appropriate level of pack. Based on the conditions known or expected to be encountered during shipment, handling and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.33A/DLAR 4145.7.

6.3 Selection of nonmetallic reinforcement. The nonmetallic reinforcement specified in 5.2.2.1 should be selected for shipping containers that are destined for transfer at sea or other specific overseas operations.

6.4 First article. When a first article sample is required, it shall be inspected and approved under the appropriate provisions of DAR 7-104.55. The first article should be a preproduction sample consisting of five cans of each type and class. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for inspection and approval of the first article.

Preparing activity:

Army - GL

Project No. 8920-A429

☆ U.S. GOVERNMENT PRINTING OFFICE: 1982—505-022/3583

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

EE-C-002141(Army-GL) Cakes, Canned, Thermostabilized, Tray Pack

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development
Laboratories
ATTN: DRDNA-ES
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.