EE-C-1381
October 11, 1962
SUPERSEDING
Int. Fed. Spec. EE-S-0071d(Army-GL)
August 25, 1965 and
Fed. Spec. EE-S-71c
August 19, 1955

FEDERAL SPECIFICATION

CHILI SAUCE

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for chili sauce for use by all Federal agencies.

1.2 Classification. Chili sauce shall be of the following grades in accordance with the current U. S. Standards for Grades of Chili Sauce, as specified (see 6.1):

Fancy (grade A).
Standard (grade C).

2. APPLICABLE DOCUMENTS

2.1 Specifications and standards. The following specifications and standards, of the issue in effect on the date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

PPP-C-96 - Cans, Metal, 28 Gage and Lighter.
PPP-G-460 - Glass Containers, One Gallon Capacity and Smaller, for Other than Medicinal Products; Packaging and Packing of.

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specification, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards, and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402.

(Single copies of this specification and other product specification required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Wash.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 8950

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents, of the issue in effect on the date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Governmental:

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Copies may be obtained upon application, accompanied by money order, coupon, or cash, to the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., 20402. Prices may be obtained from the Superintendent of Documents.)

United States Standards for Grades of Chili Sauce.
United States Standards for Condition of Food Containers.
Regulations Governing Inspection and Certification of Processed Fruits and Vegetables and Related Products.

(Copies may be obtained without charge from the U. S. Department of Agriculture, Washington, D. C., 20250.)

Nongovernmental:

Official Methods of Analysis of the Association of Official Agricultural Chemists.

(Copies are published by the Association of Official Analytical Chemists, P. O. Box 540, Benjamin Franklin Station, Washington, D. C., 20044.)

3. REQUIREMENTS

3.1 Materials. Chili sauce shall be properly prepared from clean and sound ingredients, including mature tomatoes or tomato materials from mature tomatoes, and, unless otherwise specified, shall be of the latest season's pack.

3 2 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

3.3 Description of grades. Unless otherwise specified, the interpretation of requirements (descriptive terms) contained in 1.2 shall be in accordance with the United States Standards for Grades of Chili Sauce (and lot compliance applicable thereto as set forth in the Regulations Governing Inspection and Certification of Processed Fruits and Vegetables and Related Products) in effect on the date of invitation for bids.

3.4 Workmanship and containers.

3.4.1 General. Chili sauce shall be processed under sanitary conditions and in accordance with good commercial practice. The product shall be sufficiently processed by heat to assure preservation in hermetically-sealed glass containers as specified. Containers shall be sound and clean; and, unless otherwise specified, the filled food containers shall conform to the applicable provisions of the U. S. Standards for condition of Food Containers.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of finished products covered by this specification and samples of any materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with requirements.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the procuring agency or a duly authorized representative at the time and place designated by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, and after delivery to the point of destination.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.2.2 Factory inspection. The passing as satisfactory of any detail of processing or materials shall not relieve the contractor of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.4 and 6.5).

4.2.4 Inspection of containers. When inspection of the product for quality and condition is performed by the U. S. Department of Agriculture, the United States Standards for Condition of Food Containers pertaining to processed fruits and vegetables shall apply.

4.2.5 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to furnish an official inspection certificate issued by the U. S. Department of Agriculture certifying that the grade of the product supplied is as required by the contract or order.

4.2.5.1 Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.6 Preacceptance (plant sanitation inspection). Product shall be rejected if produced in plants having unsanitary conditions which could cause contamination.

4.2.7 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except as otherwise indicated herein.

4.2.7.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification, or applicable purchase document.

4.2.7.2 Testing of caps. Testing of caps described in this specification shall be as shown following. Test requirements shall be lot average requirements. Nonconformance to test requirements shall indicate an unacceptable cap and use of such shall be cause for rejection of the involved quantity of finished product.

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported	Test ref. and reqmt. par.
Caps	1 cap	Caps	S-1	Tinplate	Nearest 0.01 lb/base box 1/	5.1.1.1 and 5.1.1.2 4.3.4
				Thickness of aluminum	Nearest 0.001 inch	5.1.1.3

1/ Tests on cap coating (when required) shall be performed on same caps submitted for tinplate test. One or more test failures shall be cause for rejection of the lot.

4.2.7.3 Examination of end item. Examinations shall be in accordance with tables II and III and 4.2.7.3.1 through 4.2.7.3.4 The sampling plans and acceptance criteria shall be as shown in table I. Acceptable quality levels (AQLs) shall be expressed as percent defective.

TABLE I. Sampling plans and AQLs

Table	Insp. level	Sample unit	Lot size expressed in	AQLs
				Minor
II	S-3	1 labeled jar	Jars	2.5
III	S-3	1 filled jar	Jars	2.5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE II. Examination of label adhesion

Category	Defect
Minor	
201	Displacement of label. 1/

1/ Procedure in accordance with 4.3.3.

TABLE III. Examination for net weight

Category	Defect
Minor	
201	Net weight less than 11-1/2 ounces. 1/

1/ Report results to nearest 1/8 ounce. Lot shall be rejected if sample data indicate a lot average of less than 12 ounces.

4.2.7.3.1 Examination for condition of primary container. Primary containers shall be examined in accordance with the criteria contained in the United States Standards for Condition of Food Containers.

4.2.7.3.2 Examination for grades. Examination shall be in accordance with the United States for Grades of Chili Sauce.

4.2.7.3.3 Examination of shipping containers. Examination of filled and sealed shipping containers for glass shall be in accordance with the examination criteria contained in PPP-G-460.

4.2.7.3.4 Examination for marking of shipping containers for glass. Shipping containers for glass shall be examined to determine conformance with requirements contained in 4.3.3 and 5.3. Shipping containers not marked in accordance with requirements shall be cause for rejection of the lot.

4.2.8 Standby test samples. The Government reserves the right to withdraw and hold standby test samples of components or finished product or both (quantity of which shall be not more than twice that specified by this specification) for inspection purposes. These samples, if not used, will be returned to the vendor.

4.3 Test procedures. Test procedures and controls which differ from those specified herein, may be used by the contractor if they provide a quality assurance equivalent to that specified. If the Government inspection activity determines that such procedures and controls do not provide, as a minimum such quality assurance, the contractor will use the test procedures set forth herein. In case of disputes as to test results, the test methods specified herein will govern.

4.3.1 Chemical analysis. Chemical analysis, when required, shall be made in accordance with the following methods in the Official Methods of Analysis of the Association of Official Agricultural Chemists: Chapter: Fruit and Fruit Products; Section: Soluble Solids (by Refractometer) in Fresh and Canned Fruits, Jams, Marmalades, and Preserves - First Action.

4.3.2 Refractive index. The refractive index of any one sample of chili sauce shall be the mean value of the refractometer readings determined on the LIQUID FILTERED from the thoroughly mixed random sample under conditions that inhibit evaporation. The reading shall be made at 20°C. or corrected to 20°C.

4.3.3 Water-resistance test for label adhesive. The label adhesive shall be tested for water-resistance as follows:

Submerge glass container with label affixed into water, at room temperature, for 4 hours.

Remove from water and removed excess water by blotting with paper towels.

Press finger firmly against the label (in an area where adhesive has been applied) and;

Move finger (still pressed against the label) towards the bottom of bottle.

Displacement of the label indicates failure to meet the requirement.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

4.3.4 Tin coating weights. Tin coating weights shall be determined by any methods specified in PPP-C-96.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.1.1 Level A. Twelve avoirdupois ounces of chili sauce shall be packaged in a glass bottle of the type used commercially for the product. The bottle shall be sealed with any of the closures specified in 5.1.1.1, 5.1.1.2, 5.1.1.3, or 5.1.1.4 (see 6.1).

5.1.1.1 Continuous thread, knurled, screwcap. The closure shall be a continuous thread, knurled, screwcap with a curled edge, made from commercial 0.50 pound per base box electrolytic tinplate. The cap shall be fitted with a liner and facing material suitable for the product and shall be coated outside with a corrosion-resistant enamel and inside with an enamel suitable for the product.

5.1.1.2 Hermetic-friction type closure. The closure shall be a hermetic friction type side seal closure with a pry-off feature. The closure shall be made from commercial 0.50 pound per base box electrolytic tinplate and shall be lined and coated as specified in 5.1.1.1. The closure shall be equipped with a gasket made from material normally used for the product.

5.1.1.3 Deep-skirted, roll-on closure. The closure shall be a deep-skirted roll-on, aluminum closure with curled edge. The closure shall be made from 0.0009-inch minimum thickness and shall afford top and side sealing action. After being applied the cap shall contain a tread for reclosure.

5.1.1.4 Vacuum, twist-off cap The closure shall be a vacuum, twist-off cap coated inside with an enamel suitable for the product. The inside of the cap shall have a suitable sealing compound to effect a hermetic closure.

5.1.2 Level C. The amount of chili sauce specified in the procurement document shall be packaged in containers which will afford adequate protection against damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing. Bottles of chili sauce shall be packed in accordance with PPP-G-460 for the level specified (see 6.1).

5.3 Labeling and marking.

5.3.1 Glass bottles. Information complying with the Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder shall be printed on a hard sized or varnished label. The label shall be affixed to the bottle with a water resistant adhesive capable of passing the test specified in 4.3.3. For level C packaging the compliance label and adhesive for attaching shall be of the type used commercially.

5.3.2 Shipping containers.

5.3.2.1 Civil agencies. Shipping containers shall be marked in accordance with the requirements of Fed. Std. No. 123, showing the name of the material, the number, size, and quantity of the containers, number of contract or order under which shipment was made, name of the supplier, date of packing and other pertinent information as specified by individual agencies.

5.3.2.2 Military agencies. Shipping containers shall be marked in accordance with the applicable portions of MIL-STD-129 and PPP-G-460.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents;

(a) Title, number, and date of this specification.
(b) Grade required (see 1.2).
(c) When chemical analyses are required (see 4.3.1).
(d) Level of packaging and packing (see 5.1 and 5.2).
(e) When USDA Certificate of Grade is required (see 4.2.5).

6.2 This specification does not include all the grades of chili sauce that are commercially available but is intended to cover the grades that are normally suitable for Federal Government requirements.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the currentversion before use.

6.3 If samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated.

6.4 Contractor's inspection. The contractor should be required to assure that the product conforms with the specification prior to submission to the Government for final inspection.

6.5 Destination inspection. When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 45

Review activities:
Army - GL, MD
Navy - SA, MC
Air Force - 45

Preparing activity:
AGR-C&MS

Civil agency interest:
GSA
VA
HEW

☆ U. S. GOVERNMENT PRINTING OFFICE: 1967 O - 302-506 (410)

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 5 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.