EE-C-1827A
December 31, 1984
SUPERSEDING
Fed Spec EE-C-1827
March 1, 1974

FEDERAL SPECIFICATION

DINING PACKETS (DIETETIC OR NONDIETETIC, TRAY SERVICE)

This specification is approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers dietetic or nondietetic dining packets for hospital use by all Federal agencies.

1.2 Classification.

1.2.1 Types. The packets shall be of the types (see table I) as specified (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or requests for proposal, form a part of this specification to the extent specified herein.

FSC 7360

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:44Z
Check the source to verify that this is the current version before use.

Federal Specifications

L-C-110	-	Cellophane (Coated and Non-Coated Regenerated Cellulose Film)
L-T-785	-	Tubes, Drinking, (Plastic)
UU-N-1650	-	Napkin, Table, Paper
EE-S-631	-	Spices, Ground and Whole, and Spice Blends

Federal Standards

FED-STD-123	-	Marking for Shipment (Civil Agencies)

(Activities outside the Federal Government may obtain copies of Federal specifications, standards, and commercial item descriptions as outlined under General Information in the Index of Federal Specifications, Standards, and Commercial Item Descriptions. The Index, which includes cumulative bimonthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20250.)

(Single copies of this specification, other Federal specifications, and commercial item descriptions required by activities outside the Federal Government for bidding purposes are available without charge from General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Houston, TX; Denver, CO; San Francisco, CA; Los Angeles, CA; and Seattle, WA.)

(Federal Government activities may obtain copies of Federal Standardization Documents, and the Index of Federal Specifications, Standards and Commercial Item Descriptions from established distribution points in their agencies.)

Military Standards

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations

U.S. Department of Health and Human Services

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder
(21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

Association of Official Analytical Chemists (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

National Academy of Sciences

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, Washington, DC 20418.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Association, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Suite 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Industry association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 Components. All components shall be clean, sound, wholesome (as applicable), and shall be as specified herein or in referenced documents.

3.1.1 Salt, table, iodized. The table salt shall be free-flowing, fine granulated or flaked sodium chloride. The salt shall be iodized with potassium iodide and shall contain a suitable stabilizer to prevent loss of iodine. The salt shall contain one or more anticaking agents. Net weight per packet shall be not less than 1.0 gram.

3.1.2 Sugar, granulated. Sugar shall be derived from sugar cane or sugar beets and shall be white, refined and free-flowing. The sugar shall be of a granular size commercially designated as "superfine" or extrafine granulation. Net weight per packet shall be 3.5 ($\pm$ 0.25) grams.

3.1.3 Pepper, black, ground. Black pepper shall conform to type II of EE-S-631. Net weight per packet shall be not less than 0.15 gram.

3.1.4 Salt substitute. The salt substitute shall be white, free-flowing and granular. The ingredients shall comply with the Food Chemicals Codex. The composition shall be any commercial formula of potassium chloride suitable for the intended purpose except that it shall not contain cream of tartar. The salt substitute may contain anticaking agents. The sodium content shall not exceed 0.01 percent. Net weight per packet shall be not less than 0.50 gram nor more than 1.0 gram.

3.1.5 Salt-free seasoning. The salt-free seasoning shall be designed to flavor low sodium foods. The product shall be a combination of the following ingredients: dried wheat flour, yeast, spices, herbs, onion, garlic, hydrolyzed vegetable protein, silicon dioxide, and natural flavors. The salt-free seasoning shall contain no more than 650 mg of sodium per 100 grams and no more than 750 mg of potassium per 100 grams. Net weight per packet shall be not less than 0.45 gram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

3.1.6 Sugar substitute. The ingredients in the sugar substitute shall comply with the Food Chemicals Codex. The composition shall be as follows: 3.5 to 4.0 percent calcium saccharin, 94.0 to 94.5 percent dextrose, and 2 percent anticaking agent. The finished product, after analysis, shall be at least 2.5 percent saccharin. Sodium shall not exceed 0.03 percent. Net weight per packet shall be not less than 0.75 nor more than 1.0 gram. When specified (see 6.1C), aspartame (APM) of Food Chemicals Codex grade, shall be used at the 40 mg level. The fillers in the aspartame product shall be dextrose with dried corn syrup, silicon dioxide, microcrystalline cellulose, tribasic calcium phosphate, and cellulose gum. Each filler shall be Food Chemicals Codex grade. Net weight per packet shall be not less than 1.0 gram.

3.1.7 Tubes, drinking (straws). Plastic drinking tubes (straws) shall be in accordance with type II of L-T-785, except that the end item inspection shall be in accordance with table II. In addition, the tube shall be 7-1/2 inches (+ 1/2, -1/4 inch) in length and shall have a flexible section located 2 ± 1/8 inches from the top of the tube allowing the tube to be adjustable by bending to any angle through an arc of 130 degrees. Tubes may be colored. Conformance as to type of plastic utilized in the manufacture of the drinking tubes shall be ascertained by examination of pertinent invoices, labels or other valid documents from the supplier of drinking tubes. Tubes made from material other than that specified shall not be acceptable.

3.1.8 Napkins, table, paper. The paper table napkins shall be in accordance with type II (eighth-folded) of UU-N-1650 except that the end item inspection shall be in accordance with table II. In addition, the folded napkin shall measure 8-1/2 by 3-1/2 inches (± 1/4 inch in each dimension) and the area of each napkin shall be not less than 192 square inches.

3.2 Dining packet. The dining packet shall consist of components as specified in table I in an assembly bag as specified in 5.1.1.2 and shall be color coded as specified in 5.3.1.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

TABLE I. Types and components of dining packet

Type	Color coding of assembly bag	Sugar enve-lope	Sugar sub-stitute	Salt enve-lope	Salt sub-stitute	Salt free season-ing	Pepper enve-lope	Tube drink-ing (straw)	Napkin
I	Green	1		1			1	1	1
II	Green	2		1			1	1	1
III	Pink	1		1				1	1
IV	Pink	2		1				1	1
V	Blue	1						1	1
VI	Blue	2						1	1
VII	Yellow		1	1			1	1	1
VIII	Yellow		2	1			1	1	1
IX	Gray	1			1		1	1	1
X	Gray	2			1		1	1	1
XI	Orange		1		1		1	1	1
XII	Orange		2		1		1	1	1
XIII	Violet	1			1			1	1
XIV	Violet	2			1			1	1
XV	Tan		1	1				1	1
XVI	Tan		2	1				1	1
I A	Green	1		1			1		
II A	Green	2		1			1		
III A	Pink	1		1					
IV A	Pink	2		1					
V A	Blue	1							
VI A	Blue	2							
VII A	Yellow		1	1			1		
VIIIA	Yellow		2	1			1		
IX A	Gray	1				1	1		
X A	Gray	2				1	1		
XI A	Orange		1			1	1		
XII A	Orange		2			1	1		
XIIIA	Violet	1				1			
XIV A	Violet	2				1			
XV A	Tan		1	1					
XVI A	Tan		2	1					

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

3.3 Plant qualification. The product shall be prepared, processed, and packaged under sanitary conditions in accordance with good manufacturing practice. The product shall be processed in establishments meeting the sanitary requirements of the applicable Government inspection agency.

3.4 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.2.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.2.1.1 Condiment and material examination. Conformance of condiments and materials to identity, condition and packaging requirements shall be determined by examination of pertinent labels, markings, certificates of conformance, invoices, certificates of analysis, or other valid documents. In addition, each condiment shall be examined organoleptically as necessary to determine conformance to the condition requirements of 3.1.1 through 3.1.6. Any nonconformance to an identity, condition, packaging, or other requirement shall be cause for rejection of the condiment lot, material lot, or of any involved product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

4.2.2 Net weight examination. Salt, sugar, pepper, salt substitute, salt-free seasoning and sugar substitute envelopes or packets shall be examined for net weight. Each item shall be examined as a separate lot. The net weight of the filled and sealed envelopes or packets shall be determined by weighing each sample unit on a suitable scale tared with the average weight of representative empty envelopes or packets. A minor defect shall be scored for each sample unit less than that specified for the applicable condiment in 3.1.1 through 3.1.6. Results shall be reported to the nearest 0.01 gram. The sample unit shall be one filled envelope or shaker packet. Lot size shall be expressed in envelopes or shaker packets. The inspection level shall be S-3. The acceptable quality level (AQL) expressed in terms of defects per hundred units, shall be 2.5.

4.2.3 Component examination. Prior to assembly, components shall be examined in accordance with table II. Each component lot shall be examined as a separate lot. The sample unit shall be one envelope or shaker packet, napkin, or drinking tube. Lot size shall be expressed in number of envelopes, shaker packets, napkins, or drinking tubes. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 2.5 for major defects and 10.0 for minor defects.

TABLE II. Component defects

Category		Defect
Major	Minor	
		Envelopes or shaker packets (all types)
151		Envelope or shaker packet has tear, hole, open seal or is a sifter. 1/
152		Envelope or shaker packet not clean.
153		Label information missing, incorrect or illegible.
154		Envelope or shaker packet not kind, style or size specified. 2/ 3/
		Napkin (types I-XVI)
155		Area less than 192 square inches.
156		Presence of holes or tears.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

TABLE II. Component defects (con't)

Category		Defect
Major	Minor	
157		Not clean.
	201	Not embossed or creped.
	202	Not white.
	203	Ragged uneven edges.
	204	Not single ply.
	205	Folded dimensions more than 8-3/4 by 3-3/4 inches or less than 8-1/4 by 3-1/4 inches. 2/
		Drinking tube (straw) (types I-XVI)
158		Thickness of wall less than 0.0065 inch. 4/
159		Inside diameter less than 0.208 inch or greater than 0.228 inch. 4/
160		Length less than 7-1/4 inches or more than 8 inches. 2/
161		Flexible section missing.
	206	Flexible section not located 2 inches ± 1/8 inch from top of tube. 2/
162		Flexible section does not permit 130° bend without impairment to the tube.
163		Tube crushed or has tear or hole.
164		Not clean.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

1/ A sifter is an envelope or shaker packet which loses any amount of product when shaken vigorously.

2/ Use a measuring device calibrated in 1/16 inch increments or suitable go-no-go device (e.g., string, wire, etc.).

3/ Measurements shall be taken at the widest point in each direction.

4/ Use a micrometer or suitable go-no-go device.

4.2.4 End item testing. The dining packets shall be examined for the defects listed in table III. The sample unit shall be one filled and sealed dining packet. Lot size shall be expressed in number of dining packets of one type only. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 2.5 for major defects and 10.0 for minor defects.

TABLE III. End item defects

Category		Defect
Major	Minor	
151		Not type or size specified. 1/
152		Kind and number of each component in packet not as required for the type (see table I).
153		Label missing, incorrect color, incorrect information, or illegible; color coding missing or incorrect.
154		Tear, hole, or open seal.
155		Not clean.
	201	Not perforated in location specified.

1/ Use a measuring device calibrated in 1/16 inch increments or suitable go-no-go device (e.g., string, wire, etc.).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

4.2.5 Shipping container examination. Shipping containers shall be examined in accordance with table IV. The sample unit shall be one filled shipping container. Lot size shall be expressed in number of shipping containers. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 2.5 for major defects and 4.0 for minor defects.

TABLE IV. Shipping container defects

Category		Defect
Major	Minor	
151		Not a snug pack.
152		Markings on shipping containers missing, incorrect, or illegible.
153		Intermediate pack missing.
	201	Label on intermediate pack missing, incorrect, or illegible.
	202	More than 2 percent under marked number of packets. 1/

1/ Examine one intermediate pack per shipping container. Lot shall be rejected if the sample average count is less than 100.

5. PACKAGING

5.1 Preservation. Preservation shall be level C.

5.1.1 Level C.

5.1.1.1 Envelopes or shaker packets. The amount of each condiment as specified in 3.1.1 through 3.1.6 shall be unit packed as specified in a,b, or c, as applicable. All envelopes or shaker packets shall be sealed to prevent sifting and shall have no tears or holes. No envelope or shaker packet shall be smaller than 1-1/2 inches by 3/4-inch nor larger than 2-5/8 inches by 1-3/4 inches.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

a. Sugar and sugar substitute. The sugar shall be unit packed in an envelope which is commercially used for the product. The sugar substitute shall be unit packed in a polycoated envelope which is commercially used for the product.

b. Salt, iodized and salt substitute. The salt or salt substitute shall be unit packed in a blister shaker packet consisting of a coated paper backing and a clear plastic facing material. The blister packet shall be capable of being opened by bending back a perforated corner or end to expose a shaker spout. Alternatively, the salt or salt substitute shall be unit packed in a fluted shaker packet constructed from commercial materials normally used for the product. The shaker packets shall be capable of being opened by breaking a closed cut running transversely across the flutes.

c. Pepper. The pepper shall be unit packed in a blister shaker packet as specified in b above. Alternatively, the pepper shall be unit packed in a fluted shaker packet constructed from a commercial paper/adhesive/aluminum foil material. The shaker packet shall be capable of being opened by breaking a closed cut running transversely across the flutes.

5.1.1.2 Assembly bags. The components as specified in table I for the specific types, shall be assembled in a polyethylene bag or, when specified (see 6.1), a cellophane bag. The polyethylene bag shall be high-density having a nominal film thickness of 0.001 inch capable of withstanding hot tray service of 250°F. Each polyethylene bag shall be perforated not less than 3/8 inch nor more than 1 inch from one end for ease of opening. Each bag shall be heat sealed so that there are no open ends or sides. The cellophane bag shall conform to type VI of L-C-110, with an area yield of 25,000 square inches per pound. The ends of the cellophane bag shall be serrated to permit easy opening. The bag shall be sealed so that there are no open ends or sides. For types I-XVI, the dimensions of the bags shall be 10-1/4 inches (± 1/2 inch) by 3-5/8 inches (± 1/2 inch). For types IA-XVIA, the dimensions of the bags shall be 4 inches (± 1/4 inch) by 3-3/8 (±1/4 inch).

5.1.1.3 Intermediate pack. One hundred dining packets of one type only shall be packed in an intermediate folding or set up paperboard box. Each box shall be perforated to provide a dispenser type opening. The opening shall be of adequate size to allow easy removal of packets.

5.2 Packing. Packing shall be level C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

5.2.1 Level C. Five intermediate containers of the same type of dining packet shall be packed in a snug-fitting fiberboard box in accordance with National Motor Freight Classification or Uniform Freight Classification, as applicable.

5.3 Labeling and marking.

5.3.1 Labeling.

5.3.1.1 Unit packs. Any commercial labeling or additional labeling as specified, that complies with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder is acceptable. Packages containing salt and salt substitutes shall list the ingredients, and the nomenclature on the salt package shall be "IODIZED SALT". Unit packs of saccharin sugar substitute shall list each ingredient by percentage. Text on packages containing sugar substitute (saccharin or aspartame) shall contain information indicating sugar sweetening equivalent in terms of teaspoons of sugar. Unit packs of aspartame sugar substitute shall contain the following warning: PHENYLKETONURICS: CONTAINS PHENYLALANINE.

5.3.1.2 Dining packets. Each dining packet shall be printed in black with the information listed below. Each packet shall be color coded with the colors listed in table VI for each respective type. The color coding shall consist of a continuous stripe along the entire length of both sides of the packet. The width of the stripe shall be 3/4 inch (± 1/4 inch) in size.

NSN (appropriate number for type)
Dining Packet (in capital letters larger than others)
(Tray Service, Dietetic)
Type and nomenclature
Contents (number and kind of each component)

TABLE VI. Type, color and nomenclature of assembled packet

Type	Color	Nomenclature
I and IA	Green	REGULAR
II and II A	Green	2 - REGULAR
III and III A	Pink	BLAND
IV and IV A	Pink	2 - BLAND
V and V A	Blue	SUGAR

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

TABLE VI. Type, color and nomenclature of assembled packet (con't)

Type	Color	Nomenclature
VI and VI A	Blue	2 - SUGAR
VII and VII A	Yellow	CAL RESTR
VIII and VIII A	Yellow	2 - CAL RESTR
IX and IX A	Gray	Na RESTR
X and X A	Gray	2 - Na RESTR
XI and XI A	Orange	CAL-Na RESTR
XII and XII A	Orange	2-CAL-Na RESTR
XIII and XIII A	Violet	Na RESTR-BLAND
XIV and XIV A	Violet	2-Na RESTR-BLAND
XV and XV A	Tan	CAL RESTR-BLAND
XVI and XVI A	Tan	2-CAL RESTR-BLAND

For civil agencies, marking may be limited to color coding, Dining Packet (in capital letters) and type of packet (in capital letters).

5.3.1.3 Intermediate containers. Each intermediate container shall be printed in black with the information listed below.

NSN (appropriate number for type)
100 Dining Packets (in capital letters larger than others)
(Tray Service, Dietetic)
Type and nomenclature

5.3.2 Marking of shipping containers.

5.3.2.1 Civil agencies. Shipping containers shall be marked in accordance with FED-STD-123.

5.3.2.2 Military agencies. Shipping containers shall be marked in accordance with MIL-STD-129. In addition, the following precautionary markings shall appear in letters not less than 1-inch high on top of each container packed with type VII, VII A, VIII, VIII A, XI, XI A, XII, XII A, XV, XV A, XVI and XVI A product: STORE IN DRY AREA.

6. NOTES

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number and date of this specification.
b. Type of dining packet required (see 1.2.1).
c. When aspartame sugar substitute is required (see 3.1.6).
d. When a cellophane bag is required (see 5.1.1.2.)

MILITARY INTERESTS:

Custodians

Army - GL
Navy - SA
Air Force - 45

Review Activities

Army - MD
Navy - MC, MS
DP - SS

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS
USDA - FSQS
HHS - FDA
VA - DMS

Preparing activity:

Army - GL

Project No. 7360-0150

U.S. GOVERNMENT PRINTING OFFICE: 1985 - 505-038/20539

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

US ARMY NATICK RESEARCH
and DEVELOPMENT CENTER
ATTN: STRNC-ES
Natick, MA 01760-5014

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research
and Development Center
ATTN: STRNC-ES
Natick, MA 01760-5014

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
EE-C-1827A	Dining Packets (Dietetic or Nondietetic, Tray Service)

3a. NAME OF SUBMITTING ORGANIZATION

b. ADDRESS *(Street, City, State, ZIP Code)*

4. TYPE OF ORGANIZATION *(Mark one)*

- ☐ VENDOR
- ☐ USER
- ☐ MANUFACTURER
- ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP 20 Nov 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:44Z
Check the source to verify that this is the current version before use.