EE-C-651J
INTERIM AMENDMENT-3(Army-GL)

August 11, 1975
SUPERSEDING
Interim Amendment-2(Army-GL)
January 22, 1975

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

CRACKERS AND COOKIES

This interim amendment was developed by the U.S. Army Natick Development Center (GL), Natick, MA 01760, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal specification EE-C-651J, dated March 1, 1973.

PAGE 1

FSC 8920. Delete and substitute: "FSC 8920/40"

PAGE 2

2.1, "Federal Standards". Delete "FED-STD-4017 - Lubricants, Fuels and Related Products; Methods of Testing".

PAGE 9

3.2.1.5, line 5. Insert after "as"; as follows: "invert sugar, brown sugar, malt syrup, corn syrup, corn sugar,"

3.2.1.6, line 4. Delete "shall"; substitute: "may".

PAGE 12

3.2.6.1. Delete and substitute: "3.2.3.6.1".

3.2.3.6.2, line 4. Delete "25" and substitute: "50".

3.3.1.1, line 2. Delete "± 1/8" and substitute: "± 1/4".

line 3. Delete "120" and substitute: "140".

FSC 8920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

PAGE 13

3.3.1.1, line 2. Delete "5.0", substitute: "4.0".

3.3.2.1, line 3. Delete "a maximum of" and substitute: "not more than".

PAGE 15

3.3.3.7. Delete the third sentence and substitute as follows: "The fig bars shall contain 20 to 30 percent by weight of fig filling, 50 percent of which shall be fig paste and shall be evenly distributed. The filling shall contain not less than 3.0 percent of fat on a moisture free basis, not more than 18.0 percent of moisture and shall have a count of from 14 to 50 bars to the pound."

PAGE 18

Table I, heading. Delete "Results repored". Substitute: "Results reported". Under same column, opposite "Plastic fat". Add adscript "2/" after "fail".

PAGE 20

Table II, footnote 1/, line 1. Delete "alternatively".

PAGE 24

Table VI, first line under "Defect". Delete "and 5.1.1.4.2)" and substitute: ", 5.1.1.4.2 and 5.1.1.5)".

PAGE 26

4.3.1.1, under "Test". Delete "all types" and substitute: "all classes".

PAGE 27

5.1.1.1 Delete lines 1 thru 10 and substitute as follows:

"5.1.1.1 Type I, all classes. Fractional packages of 1/8, 1/4, 1/3, 2/5 or 1/2 pounds of the product shall be wrapped and completely heat sealed in one of the following materials:

(a) Grease resistant paper with protective properties equivalent to waxed glassine paper with a minimum basis weight, before waxing of 25 pounds per ream, (24 by 36-500), wet waxed overall with not less than 7 pounds per ream of a fully refined paraffin wax

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

PAGE 27 (cont'd)

having a melting point of not less than 130°F, when tested in accordance with method 4017 of FED-STD-101. Alternately, when equivalent protective qualities are provided, any grease resistant paper may be used provided the wrapped fractional packages are placed in a moisture resistant plastic bag with an appropriate closure.

(b) Cellophane or other film with protective qualities equivalent to type IV cellophane, class 2, of L-C-110, which has area yield of 21,000 square inches per pound.

Line 11. Delete "One to" and substitute: "One-half, one or".

Line 13. Insert after second "the", as follows: "one-half and".

Line 16. Insert after "Alternatively", as follows: "One-half,"

Line 18. Insert after the first "the" as follows: "one-half and".

PAGE 28

5.1.1.1 (cont'd). Delete and substitute:

(a) Grease-resistant paper having protective qualities equivalent to waxed paper with an unwaxed basis weight of 23 pounds per ream (24 by 36-500) and waxed overall with sufficient wax to effect a heat seal.

(b) Cellophane or other film having protective qualities equivalent to type IV cellophane, class 2, of L-C-110, which has an area yield of 19,500 square inches per pound.

5.1.1.2, line 5, after "L-C-110". Insert: "or other film of equivalent protective qualities".

5.1.1.3, line 4. Delete "period" after "L-C-110" substitute: "comma" and insert: "or other film of equivalent protective qualities".

PAGE 29

5.1.1.4.2, line 3, after "chipboard". Add "or styrene".

line 6. Delete "period" after "wrap", substitute: a "comma"

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

PAGE 29 (cont'd)

and insert: "or other film with the equivalent protective properties of celophane may be used".

line 6. After "cellophane", insert: "or other film".

line 9. Delete "16" and substitute: "22".

5.1.1.5, line 5. Delete "class D, and class I": substitute: "classes D, E and I".

PAGE 30

5.2, line 2. Delete "600" and substitute: "1800".

5.2.2.1, line 3. Delete the period and add as follows: ", except that two reinforcing bands may be used, one lengthwise and one girthwise."

PAGE 31

5.4.2.2, line 7. Delete "adress" and substitute: "address".

5.4.2.3, line 4. Delete "Name and weight" and substitute: "Number and weight".

PAGE 32

6.1(f) Delete "one" and substitute: "One-half, one".

6.2, line 4. Delete "NAVSUP PUB 470 and substitute: "NAVSUPINST 4030.28".

Custodians:

Army - GL
Navy - SA
Air Force - 45

Preparing activity:

Army - GL

Project No. 8920-A347

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.