EE-M-101J
AMENDMENT-1
November 20, 1981

FEDERAL SPECIFICATION

MATCHES, SAFETY: AND MATCHES, NONSAFETY (STRIKE-ANYWHERE)

This amendment, which forms a part of Federal Specification EE-M-101J, dated January 18, 1979, was approved by the Commissioner, Federal Supply Service, General Services Adminstration, for the use of all Federal agencies.

PAGE 1

1.2, after "Type III, Size 1": Add "Size 2 - 1-5/8 to 1-3/4 inches (41 to 44 mm) length".

PAGE 3

3.1.2, lines 3 and 4: Delete "0.0355 to 0.042 inch (0.9017 to 1.0066 mm)" and substitute "0.0340 to 0.042 inch (0.8636 to 1.0066 mm)".

PAGE 4

3.2.1.1: Delete title and substitute "Type I and type III, class 1, size 2".

3.2.1.2: Delete title and substitute "Type III, class 1, size 1 and class 2 length".

Line 2: Delete "1-3/4 ± 1/8 inches (44 ± 3 mm)" and substitute "2-3/8 ± 1/8 inches (60 ± 3 mm)".

3.2.2.1: Delete title and substitute "Box for type I and type III, class 1, size 2".

3.2.3.1: Delete title and substitute "Type I and type III, class 1, size 2".

PAGE 6

4.2.2 Add the following:

| "Examine | Defect |
|---|---|
| Type III, class 1, size 2 | More or less than four boxes per can (see 5.1.1.1.4)". |

PAGE 8

4.2.3.2, under "Examine" column for "Count - Type I": Add "and type III, class 1, size 2".

FSC 9920

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

PAGE 9

4.2.3.3, under "Length" and after "Type I": Add "and type III, class 1, size 2".

Under "Length", line 2": Delete "icnhes" and substitute "inches".

PAGE 10

4.2.4, line 2: Delete "weight".

PAGE 11

4.2.4: Delete "weight and its defect".

PAGE 13

4.3.1 Add the following at end of listing:

"Type III, class 1, size 2 3 unopened boxes"

PAGE 14

4.3.1.2, line 4, after "type I": Add "and type III, class 1, size 2;".

4.3.5, line 2: Delete "(45 ± 1°C)" and substitute "(66 ± 1°C)".

Line 4: Delete "(21 ± 27°C)" and substitute "(24 ± 3°C)".

PAGE 16

4.3.9.1, line 2: Delete "method 244" and substitute "Method 2003".

PAGE 17

4.3.9.3, line 2: Delete "method 241" and substitute "Method 5009".

5.1.1.1, after "Type I": Add "and type III, class 1, size 2".

Add the following new paragraph:

"5.1.1.1.4 Type III, class 1, size 2 (lifeboat equipment). Four boxes of type III, class 1, size 2, commercial nonsafety matches, unit packaged as specified in 5.1.1.1.1 shall be further unit packaged in a round, two piece, seamless body, full open, screw top can. The approximate size of the body shall be 3 inches (76 mm) in diameter, 2 inches (51 mm) in height, with an approximate 2-1/2 inch (64 mm) diameter rolled opening and shall have a minimum of two full rolled threads. The approximate size of the cover shall be 3 inches (76 mm) in diameter, 5/8 inch (16 mm) in height with a 3-inch (76 mm) opening. The threads of the cover shall match the threads of the body. The can shall be made of tin plated steel and have such a



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

PAGE 17 (cont'd)

gage and composition to resist denting or deformation under normal handling conditions. The body shall have a flat bottom and a top edge curled or hemmed to increase rigidity. The cover shall be knurled above the thread and have a curled edge. Each cover shall be provided with a snug-fitting neoprene rubber gasket of such a wall thickness as to provide waterproofness when the cover is secured by hand."

PAGE 18

Add the following new paragraph:

"5.1.2.3 Type III, class 1, size 2 (lifeboat equipment). Type III, class 1, size 2 matches, packaged as specified in 5.1.1.1.1 and 5.1.1.1.4, shall be intermediately packaged in accordance with the interior packaging requirement for 8-ounce cans for level A shipment as specified in the appendix of PPP-C-96."

PAGE 19

Add the following new paragraph:

"5.2.1.4 Type III, class 1, size 2 (lifeboat equipment). Type III, class 1, size 2 matches, packaged as specified in 5.1.2.3, shall be packed in accordance with the exterior packing requirements for level A shipment in the appendix of PPP-C-96."

PAGE 20

Add the following new paragraph:

"5.3.1.3.1 Type III, class 1, size 2 military requirements (lifeboat equipment). Each lifeboat can shall be stenciled in accordance with MIL-STD-129 with the following legend:

Matches, Wood, Nonsafety, Strike-Anywhere
Fed. Spec. EE-M-101
FSN
Manufacturer's name and address
Contents - 4 Boxes
30 Matches per Box (Minimum)

PAGE 21

6.1 Add the following to end of paragraph:

"Type III, class 1, size 2 matches are intended for use on lifeboats for Army vessels, or by Army Aviators exposed to emergency situations in remote and isolated temperatures, sub-artic and artic areas."



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

EE-M-101J
Amendment-1

Custodians:

Army - GL
Air Force - 99

Review activities:

Army - MD
DLA - SS

User activity:

Navy - MC

PREPARING ACTIVITY:

Army - GL

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS
NBS

Project No. 9920-0019



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.