EE-R-580C
September 27, 1978
SUPERSEDING
Int. Fed. Spec. EE-R-00580B(Army-GL)
December 21, 1970 and
FED. Spec. EE-R-580A
March 21, 1963

FEDERAL SPECIFICATION

ROLLS, FRESH AND FROZEN, BROWN AND SERVE

This specification was approved by the Commissioner, Federal Supply Services, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the requirements for rolls, brown and serve, rolls, frozen, fully baked, and rolls frozen, brown and serve.

1.2 Classification.

1.2.1 Types and classes. The product shall be of the following types and classes, as specified (see 6.1 and 6.2).

Type I - Pan rolls
Type II - Hard rolls
Type III - Sweet rolls

Class A - Brown and serve
Class B - Frozen, fully baked
Class C - Frozen, brown and serve

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

FSC 8920

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the current version before use.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Philadelphia, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Houston, Denver, San Francisco, Los Angeles, and Seattle, WA.

Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1105 - Sanitary Standards for Bakeries

(Copies of Military specifications, and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

LAWS AND REGULATIONS

U.S. Department of Health, Education and Welfare

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder

Part 110 and 136 of the Code of Federal Regulations, Title 21

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Department of Agriculture

United States Standards for Condition of Food Containers

(Application for copies should be addressed to the Information Division, Agricultural Marketing Service, U. S. Department Of Agriculture, Washington, DC 20250.)

3. REQUIREMENTS

3.1 Materials. All materials shall be clean, wholesome and free from foreign material, evidence of insect or rodent infestation and objectionable flavors and odors. Quantities and types of ingredients specified shall be sufficient to perform the intended function, shall be commensurate with good commercial practice, and shall comply with part 136 of the Code of Federal Regulations, Title 21.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

3.2 Finished and prepared product.

3.2.1 Fresh, brown and serve rolls. Types I, II and III, class A, brown and serve rolls shall be a semi-finished product that is fully formed and prebaked to uniform size and color. The crust shall have no more than a light brown color. When prepared for consumption in accordance with labeled directions the product shall have a golden brown color and fresh roll appearance and taste, typical of the type specified. The product shall be delivered to the final destination within 36 hours after manufacture unless otherwise specified by the contracting officer (see 6.1).

3.2.2 Frozen, fully baked rolls. Types I, II and III, class B, frozen rolls shall be fully baked product of uniform size and shape which, when ready to consume, shall have a golden brown color and a fresh roll appearance and taste typical of the type specified. All frozen products shall be rapidly frozen in accordance with good commercial practice and held at below 0°F (-18°C) temperature until time of shipment. Frozen products shall be delivered to the final using installation not more than 45 days after manufacture unless otherwise specified by the contracting officer (see 6.1).

3.2.3 Frozen brown and serve rolls. Types I, II and III, class C, frozen brown and serve rolls shall meet the requirements of 3.2.1.

3.3 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

3.4 Workmanship. The product shall be prepared in accordance with part 110 of the Code of Federal Regulations, Title 21, Human Foods; Current Good Manufacturing practice (sanitation), processing, packing or holding. In addition, for military agencies, the product shall be processed in establishments meeting the requirements of MIL-STD-1105.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspection are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

4.2 Preacceptance inspection (plant sanitation inspection).

4.2.1 Civil agencies. When specified (see 6.1), inspection of the plants producing the product will be conducted upon request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency.

4.2.2 Military agencies. The product shall be rejected if produced in plants not meeting the requirements of 3.4.

4.3 Acceptance inspection.

4.3.1 Condition inspection of containers. When inspection of the product for quality and condition is performed by The Department of Agriculture, the United States Standards for Condition of Food Containers shall apply. (For applicable criteria governing inspection of containers for military agencies (see 4.3.5)).

4.3.2 Sampling for inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.3.3 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase documents.

4.3.4 Process examination. Examination shall be performed by the supplier to determine conformance to 3.2.2 and 3.2.3. As concerns general production practices, materials which are produced under conditions which vary from good commercial practice shall not be offered to the government.

4.3.5 Examination of the end item. Examinations shall be in accordance with table II through V and 4.3.5.1. Sampling plans shall be in accordance with table I. The acceptable quality levels (AQLs) shall be expressed as defects per hundred units for table II, IV, and V, and percent defective for table III.

TABLE I. Sampling plans.

Table	Sample unit	Lot size expressed in	Inspection level	AQLs	
				Major	Minor
II	One package	Packages	I	1.5	6.5
III	One package	Packages	S-3	-	2.5
IV	One package	Packages	S-2	1.0	-
V	One marked case	Cases	S-3	2.5	4.0

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the currentversion before use.

TABLE II. Examination of package

Category		Defect
Major	Minor	
101		Not type of packaging materials specified
102		Product not packaged in the prescribed manner
103		Tear, hole or open seals in packaging material causing product to be exposed
104		Packaging material not clean
	201	Other required label information missing, incorrect or illegible

TABLE III. Examination for net weight 1/

Category	Defect
Minor	
201	Net weight more than 5 percent under labeled net weight (package labeled to have 1 pound (0.45 kg) or less)
202	Net weight more than 2 percent under labeled net weight (packages labeled to have more than 1 pound (0.45 kg))

1/ Report results to nearest 1/16 ounce (2 gram) for packages labeled to have 1 pound (0.45 kg) or less and nearest 1/8 ounce (4 g) for packages labeled to have more than 1 pound (0.45 kg). Lot shall be rejected if sample data indicate a lot average net weight less than labeled net weight.

TABLE IV. Examination of product 1/

Category	Defects
Major	Finished product
101	Not type or class specified
102	Not a uniform size, shape or color
103	Class A or C product has a crust color darker than light brown

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:43Z
Check the source to verify that this is the current version before use.

TABLE IV. Examination of product 1/ (cont'd)

Category	Defects
Major	Prepared product 2/
104	Crust not golden
105	Not a fresh roll appearance and taste typical of the type 3/

1/ Presence of foreign material (e.g., filth, insects, wood, metal, paint, glass, etc.) shall be cause for rejection of the lot.

2/ Prepare in accordance with labeled directions.

3/ Examine one roll per prepared sample unit.

TABLE V. Examination of marking

Category		Defect
Major	Minor	
101		NSN, Item Description, Contract No. and Date of Pack, markings missing, incorrect or illegible
	201	Other specified markings missing, incorrect or illegible

4.3.5.1 Examination for age of product. Class A product more than 12 hours old or class B and C products more than 5 days old at time of shipment as indicated by package or case dates shall be rejected.

5. PREPARATION FOR DELIVERY

5.1 Packaging, level C. The product, in standard commercial quantities, shall be placed in greaseproof, moisture-resistant, paperboard trays. The trays and product shall be protected with commercial moisture-vapor resistant packaging materials such as waxed paper, regenerated cellulose film, or plastic film. The product shall be so packaged that protection from dirt, filth, or other contamination is ensured. Alternatively, when specified (see 6.1), type III product shall be individually wrapped in commercial packaging so as to protect the individual roll from contamination. The product shall then be packaged in paperboard cartons in accordance with good commercial practice.

5.2 Packing, level C. Commercial type containers, which prevent crushing of the product, are acceptable.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the currentversion before use.

5.3 Labeling and marking. Commercial labeling and marking will be acceptable, provided that the date of packaging (day and month), which may be abbreviated, is shown in an easily discernible location. In lieu of date of packaging markings, alternative methods of date coding, such as colored ties or "pull dates", together with an explanation of the coding system which are acceptable to the contracting officer may be used. Directions for preparation, as necessary, shall also be included. Markings shall also include the NSN, item description and contract number.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following in procurement documents:

(a) Title, number, and date of this specification.
(b) Type and class of product required (see 1.2.1).
(c) When type III product is to be individually wrapped (see 5.1).
(d) When inspection of plant producing product is required for civil agencies (see 4.2.1).
(e) When special delivery schedules are required due to special circumstances (see 3.2.1).
(f) When bid samples are required (see 6.3).

6.2 Typical commercial names for the types of rolls specified herein, are as follows:

Type I - Pan rolls:

Cloverleaf, knotted, parkerhouse, finger pan, party, sandwich, weiner buns, butter gem, etc.

Type II - Hard rolls:

Water, pillow, knotted, French, crescent, hearth, kaiser, etc.

Type III - Sweet rolls:

Danish rolls, coffee cake, cinnamon, raisin, etc.

6.3 Bid samples. If samples with bids are necessary, they should be specifically asked for in the invitation for bids, and the particular purpose to be served by the bid sample should be definitely stated.

6.4 Contractor's inspection. The contractor should be required to assure that the product conforms to the specification prior to submission to the Government for final inspection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:43Z
Check the source to verify that this is the current version before use.

6.5 Destination inspection (for civil agencies only). When the finished product has been inspected and passed at point other than destination, the contract should require that the product be inspected at destination for condition and quantity only.

Custodians:

Army - GL
Navy - SA
Air Force - 50

Review activities:

Army - MD
Navy - MC, MS
DP-SS

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

VA-DSM
HEW-FDA
GSA-FSS

Project No. 8920-0288

U.S. GOVERNMENT PRINTING OFFICE : 1979 - 281-172/1232

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein.
each.

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:43Z
Check the source to verify that this is the currentversion before use.