INCH-POUND

MIL-T-11196F
27 September 1993
SUPERSEDING
MIL-T-11196E
30 September 1986

MILITARY SPECIFICATION

TOOL-KIT, ELECTRICIANS': NUMBER ONE

This specifications is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers the number one electricians' tool-kit (see 6.1).

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

SPECIFICATIONS

FEDERAL

A-A-453	-	Frame, Hand Hacksaw: Adjustable Length
A-A-1307	-	Hammer, Hand, Carpenters', Nail, Curved Claw
A-A-1898	-	Cushioning Material, Cellulosic, Packaging
A-A-2312	-	File, Hand (American Pattern), Half-Round
A-A-2316	-	File, Hand (American Pattern), Mill

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: U.S. Army Natick Research, Development, and Engineering Center, Natick, MA 01760-5017, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 5180

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

A-A-2318	-	File, Hand (American Pattern), Round, Regular
A-A-2329	-	Rasp, Hand, Wood
A-A-2330	-	Pliers, Diagonal Cutting
A-A-2344	-	Wrenches, Adjustable
A-A-2552	-	Drill, Push
A-A-2555	-	Drill, Masonry, Hand (Star (Four-Flute) Drill)
A-A-51128	-	Torch Kit, Soldering (Propane Gas)
W-P-796	-	Pullers, Fuse
KK-B-151	-	Belt, Lineman's; and Strap, Pole Lineman's Type
NN-H-85	-	Handle, File (Adjustable Type)
GGG-A-891	-	Awls
GGG-B-175	-	Bender, Electrical Conduit, Hand (Portable)
GGG-B-383	-	Bits, Wood-Boring; and Chisels, Mortising, Hollow
GGG-B-451	-	Blade, Hand Hacksaw and Blade, Power Hacksaw
GGG-B-671	-	Brace, Bit, Ratchet; Brace, Bit, Corner; and Extensions, Bit
GGG-C-311	-	Chisels and Gouges, Woodworking
GGG-C-313	-	Chisels, Hand: Cape, Diamond Point, Cold, Round Nose, and Side Cutting
GGG-C-771	-	Cutters, Pipe; and Cutters, Tube
GGG-C-1520	-	Carrier Tool
GGG-K-275	-	Key, Socket Head Screw
GGG-K-484	-	Knife, Pocket, (Heavy Duty)
GGG-L-211	-	Levels and Plumbs, and Levels
GGG-P-471	-	Pliers; Pliers, Slip Joint
GGG-P-836	-	Punch and Die, Knockout
GGG-R-791	-	Rules, Measuring
GGG-S-65	-	Saws, Hand
GGG-T-106	-	Tape, Measuring, (General Use)
GGG-T-1310	-	Tape, Fish, Steel
GGG-W-651	-	Wrenches; Pipe Wrench and Basin Wrench
PPP-P-40	-	Preservation and Packing of Hand Tools; Tools and Tool Accessories for Power Driven, Metal and Woodworking Machinery
PPP-P-291	-	Paperboard, Wrapping and Cushioning
PPP-T-60	-	Tape: Packaging, Waterproof

MILITARY

MIL-P-116	-	Preservation, Methods Of
MIL-G-2366	-	Gloves, Men's and Women's, Heavy Duty
MIL-F-3747	-	Flashlights: Plastic Case, Tubular (Regular, Explosion-Proof, Explosion-Proof Heat-Resistant, Traffic-Directing, and Inspection-Light)
MIL-M-9983	-	Multimeters, Clamp-On
MIL-C-22520	-	Crimping Tools, Terminal, Hand or Power Actuated, Wire Termination, and Tool Kits, General Specification For

Source: https://assist.dla.mil -- Downloaded: 202610-17T15:43Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage
MIL-STD-147 - Palletized Unit Loads

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3951 - Standard Practice for Commercial Packaging

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

B107.13 - Pliers (Long Nose, Long Reach)
B107.15 - Flat Tip and Phillips Screwdrivers
B107.20 - Pliers (Lineman's, Iron Workers, Gas, Glass, and Fence)

(Application for copies should be addressed to the American National Standards Institute, Inc., 11 West 42nd Street, New York, NY 10036.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Materials. Materials not definitely specified shall conform to the manufacturer's current commercial practice. It is encouraged that recycled

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

material be used when practical as long as it meets the requirements of this specification.

3.2 Component details. The tool kit shall consist of a tool box and the tools listed in table I. The listed tools shall conform to the referenced document and/or National Stock Number (NSN), or shall be standard catalog products, as applicable, except for such deviations from manufacturers' standards as may be required by the details in this document. Where the term "or equal" is used, it shall be interpreted to mean that all established functional requirements have been met.

TABLE I. Components

Item	Component	National Stock Number	Quantity
1	Awl, scratch, conforming to type V of GGG-A-891	5120-00-221-1542	2 ea.
2	Belt, lineman's, conforming to KK-B-151	5140-00-529-2694	2 ea.
3	Bender, electrical conduit, hand, conforming to type I, size 3/4 inch of GGG-B-175 (heavy steel conduit)		1 ea.
4	Bender, electrical conduit, hand, conforming to type II, size 1/2 inch of GGG-B-175 (electrical metallic tubing)		1 ea.
5	Bender, electrical conduit, hand, conforming to type II, size 3/4 inch of GGG-B-175 (electrical metallic tubing)		1 ea.
6	Bit, wood-boring, auger, conforming to type I, class A, size 1/4 inch of GGG-B-383		1 ea.
7	Bit, wood-boring, auger, conforming to type I, class A, size 3/8 inch of GGG-B-383		1 ea.
8	Bit, wood-boring, auger, conforming to type I, class A, size 1/2 inch of GGG-B-383		1 ea.
9	Bit, wood-boring, auger, conforming to type I, class A, size 5/8 inch of GGG-B-383		1 ea.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

TABLE I. Components (cont'd)

Item	Component	National Stock Number	Quantity
10	Bit, wood-boring, auger, conforming to type I, class A, size 3/4 inch of GGG-B-383		1 ea.
11	Bit, wood-boring, auger, conforming to type I, class A, size 7/8 inch of GGG-B-383		1 ea.
12	Bit, wood-boring, auger, conforming to type I, class A, size 1 inch of GGG-B-383		1 ea.
13	Blade, hand hacksaw, conforming to type I, grade A, class 2, size 10 inch, 24 teeth of GGG-B-451		1 ea.
14	Brace, bit, ratchet, conforming to type I, class 2, style A, 10 inch sweep of GGG-B-671		10 ea.
15	Carrier, tool, leather, conforming to GGG-C-1520	5140-01-168-4474	2 ea.
16	Chisel, hand, cold, conforming to type IV, class 1, 1/2 inch width, 6 inch length of GGG-C-313		1 ea.
17	Chisel, woodworking, conforming to type I, class 3 of GGG-C-311	5110-00-585-8427	1 ea.
18	Chisel, woodworking, conforming to type I, class 4, style C, 1 inch width, 6 inch blade of GGG-C-311		1 ea.
19	Crimping tool, terminal, hand (see 6.3)	5120-00-278-2423	2 ea.
20	Cutter, tube, conforming to type II, class 1 of GGG-C-771	5110-00-288-6520	2 ea.
21	Drill, masonry, hand, 3/4 inch diameter, 12 inch length, conforming to A-A-2555	5110-00-236-2046	1 ea.
22	Drill, masonry, hand, 3/8 inch diameter, 12 inch length, conforming to A-A-2555	5110-00-236-2047	1 ea.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

TABLE I. Components (cont'd)

Item	Component	National Stock Number	Quantity
23	Drill, push, metal handle, conforming to A-A-2552	5110-00-293-3410	1 ea.
24	Extension, bit, square socket, conforming to type IV, style A, 5/8 inch diameter, 18 inch length of GGG-B-671		1 ea.
25	File, hand, bastard, half round, 8 inch length, conforming to A-A-2312	5110-00-241-9150	1 ea.
26	File, hand, mill, bastard cut, flat, 10 inch length, conforming to A-A-2316	5110-00-242-5385	1 ea.
27	File, hand, bastard, round, 12 inch length, conforming to A-A-2318	5110-00-234-6557	1 ea.
28	Flashlight, 2 cell, straight, plastic, conforming to MIL-F-3747	6230-00-270-5418	2 ea.
29	Frame, hand hacksaw, 10 to 12 inch blade capacity, conforming to A-A-453	5110-00-289-9657	1 ea.
30	Gloves, leather, conforming to MIL-G-2366	8415-00-268-7869	2 pair
31	Hammer, hand, carpenter's, 16 ounce, fiberglass handle, conforming to A-A-1307	5120-00-892-5485	2 ea.
32	Handle, wood, conforming to NN-H-85	5110-00-595-8325	1 ea.
33	Key set, socket head, conforming to GGG-K-275	5120-00-935-4641	1 set
34	Knife, pocket, clevis, conforming to GGG-K-484	5110-00-240-5943	2 ea.
35	Light test (see 6.4)	6625-00-224-6246	2 ea.
36	Level and plumb, conforming to type IV of GGG-L-211	5120-00-516-3356	2 ea.
37	Multimeter, clamp-on, conforming to type II of MIL-M-9983	6625-00-063-0896	1 ea.

Source: https://assist.dla.mil -- Downloaded: 202610-17T15:43Z
Check the source to verify that this is the current version before use.

TABLE I. Components (cont'd)

Item	Component	National Stock Number	Quantity
38	Padlock set	5340-01-052-0671	1 ea.
39	Pliers, diagonal cutting, 6 inch length, conforming to A-A-2330	5110-00-224-1532	2 ea.
40	Pliers, straight-nose, regular, 6 inch length, conforming to GGG-P-471	5120-00-223-7396	2 ea.
41	Pliers, lineman's, conforming to type I, class 1, 8 inch length of ANSI B107.20	5120-00-239-8251	2 ea.
42	Pliers, bending, wire, conforming to type III, class 4, style B, 6-1/2 inch length of ANSI B107.13	5120-00-184-9403	2 ea.
43	Pliers, slip joint angle-nose, grooved, 12 inch length, conforming to GGG-P-471	5120-00-781-0819	2 ea.
44	Pouch, lineman's, belt, looped (see 6.5)	5140-01-012-7038	2 ea.
45	Puller, fuse, 0-30 amp, conforming to type I, size 1, 1/4 inch through 1/2 inch diameter of W-P-796		1 ea.
46	Punch and die, conforming to type I, class 1, size 1/2 of GGG-P-836	5110-00-288-8737	1 ea.
	Punch and die, conforming to type I, class 1, size 3/4 of GGG-P-836	5110-00-243-1645	1 ea.
	Punch and die, conforming to type I, class 1, size 1 of GGG-P-836	5110-00-293-0108	1 ea.
	Punch and die, conforming to type I, class 1, size 1-1/4 of GGG-P-836	5110-00-293-0103	1 ea.
47	Rasp, hand, conforming to A-A-2329	5110-00-233-9718	1 ea.
48	Roll, tools	5140-00-408-1905	1 ea.
49	Rule, folding, wood, 6 foot length, conforming to GGG-R-791	5120-00-293-3393	2 ea.
50	Saw, hand, nested, 16 to 18 inches in length, conforming to GGG-S-65	5110-00-293-0090	1 set

Source: https://assist.dla.mil -- Downloaded: 202640-17T15:43Z
Check the source to verify that this is the currenversion before use.

TABLE I. Components (cont'd)

Item	Component	National Stock Number	Quantity
51	Screwdriver, straight, conforming to type I, class 1, design A, 3 inch length of ANSI B107.15	5120-00-236-2127	2 ea.
52	Screwdriver, straight, conforming to type I, class 1, design A, 5 inch length of ANSI B107.15	5120-00-278-1270	2 ea.
53	Screwdriver, straight, conforming to type I, class 1, design A, 8 inch length of ANSI B107.15	5120-00-260-4837	2 ea.
54	Screwdriver, cross tip, conforming to type II, design A, size 1, 3 inch length of ANSI B107.15	5120-00-240-8716	2 ea.
55	Screwdriver, cross tip, conforming to type II, design A, size 3, 6 inch length of ANSI B107.15	5120-00-234-8912	2 ea.
56	Stripper, cable, hand	5110-01-218-5828	2 ea.
57	Tape, fish, steel, conforming to type I, style 1, size 6, 100 foot length of GGG-T-1310	5120-00-287-4678	1 ea.
58	Tape, measuring, steel, conforming to type V, class A, style 1, 50 foot length of GGG-T-106	5120-00-150-2920	2 ea.
59	Tool box, steel, galvanized material	5140-01-237-3233	2 ea.
60	Tool, crimping (pliers), conforming to class 1, type I, AWG 10 through 22, 10 inch length of MIL-C-22520		1 ea.
61	Torch kit, soldering, propane gas, conforming to A-A-51128		1 ea.
62	Wrench, adjustable, open end, conforming to size 10 of A-A-2344	5120-00-449-8083	2 ea.
63	Wrench, adjustable, open end, conforming to size 18 of A-A-2344	5120-00-240-1414	1 ea.

Source: https://assist.dla.mil -- Downloaded: 202610-17T15:43Z
Check the source to verify that this is the current version before use.

TABLE I. Components (cont'd)

Item	Component	National Stock Number	Quantity
64	Wrench, pipe, adjustable, conforming to type II, class A, 10 inch length of GGG-W-651		1 ea.
65	Wrench, pipe, adjustable, conforming to type II, class A, 18 inch length of GGG-W-651		1 ea.

3.3 Finish. Tool kit components and tool box shall be finished in accordance with the applicable finish requirements of referenced documents. Those items not covered by a referenced document shall be finished in accordance with the manufacturer's current commercial practice. In no case shall the use of cadmium plating be allowed.

3.4 Marking for identification. Tool kit components and tool box shall be marked in accordance with referenced documents or the manufacturer's name or readily identifiable trademark, as applicable.

3.5 Workmanship. The finished tool kits and components shall meet the workmanship requirements of referenced documents.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

4.2 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.2.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.2.2 End item visual examination. The end items shall be examined for the defects listed in table II. The lot size shall be expressed in units of tool kits. The sample unit shall be one tool kit. The inspection level shall be S-4 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5.

TABLE II. End item visual defects

Examine	Defect	Classification Major	Minor
Finish (when applicable)	Areas of no finish		201
	Evidence of peeling, flaking, or blistering		202
	Cadmium plated	101	
Tools	Not as specified	102	
Tool box	Cut or scratched, loose, cover material not applied evenly	103	
	Not free of embedded foreign matter		203
Construction and workmanship	Kit and components not free of burrs, slivers, and rough or sharp edges		204
Tools	Tool component missing	104	
	Not as specified	105	
Tool box	Not as specified	106	
	Cracked or malformed		205
	Does not close tight or lock	107	
Identification marking (when applicable)	Missing, illegible, incomplete		206

4.2.3 Packaging examination. The fully packaged end items shall be examined for the defects listed below. The lot size shall be expressed in units of shipping containers. The sample unit shall be one shipping container fully packaged. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 2.5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

Examine	Defect
Marking (exterior and interior)	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application
Materials	Any component missing, damaged, or not as specified
Workmanship	Inadequate application of components, such as; cushioning and securing of contents and taping of tool box Bulged or distorted container
Content	Number per container is more or less than required

4.2.4 Palletization examination. The fully packaged and palletized end items shall be examined for the defects listed below. The lot size shall be expressed in units of palletized unit loads. The sample unit shall be one palletized unit load, fully packaged. The inspection level shall be S-1 and the AQL, expressed in terms of defects per hundred units, shall be 6.5.

Examine	Defect
Finished dimensions	Length, width, or height exceeds specified maximum requirement
Palletization	Pallet pattern not as specified Load not bonded as specified
Weight	Exceeds maximum load limits
Marking	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application

5. PACKAGING

5.1 Preservation. Preservation shall be level A or Commercial, as specified (see 6.2).

5.1.1 Level A preservation.

5.1.1.1 Preservation application. All components of the tool kit shall be preserved in accordance with the level A requirements of PPP-P-40 except as specified in table III.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

TABLE III. Preservation

Item	Type of preservative MIL-P-116	Method of preservation MIL-P-116
Extension bit	P-2	I
Multimeter	None	IIb
Tape, fish, steel	P-9	I

5.1.1.2 Unit pack. The applicable tools shall be placed in their respective pockets within the canvas tool roll and the roll secured by means provided. The roll and the remaining tools, including the voltage indicator, shall then be placed in the tool box and cushioned with cushioning material conforming to grade II, class A or B, style and size as applicable of A-A-1898, or type I, style 2 of PPP-P-291, or fiberboard inserts, as necessary, to isolate and immobilize the tools and the tray within the tool box, to prevent movement and damage during transit.

5.1.2 Commercial preservation. Tool kits shall be preserved in accordance with ASTM D 3951.

5.2 Packing. Packing shall be level A or Commercial as specified (see 6.2).

5.2.1 Level A packing. Each tool kit, preserved as specified in 5.1, shall be closed, and all openings and seams between the lit and body of the tool box shall be sealed with tape conforming to PPP-T-60, then secured with the lock provided. The lock, key, and chain shall be taped to the tool box with the same type of tape.

5.2.2 Commercial packing. Tool kits, preserved as specified in 5.1, shall be packed in accordance with ASTM D 3951.

5.3 Palletization. Tool kits, packed as specified in 5.2, shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Each prepared load shall be bonded with straps in accordance with bonding means C and D or film bonding means F or G. Pallet patterns shall be number 1 in accordance with the appendix of MIL-STD-147.

5.4 Marking. In addition to any special marking required by the contract or purchase order, tool kits and palletized unit loads shall be marked in accordance with MIL-STD-129 or ASTM D 3951, as applicable.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

Source: https://assist.dla.mil -- Downloaded: 202610-17T15:43Z
Check the source to verify that this is the current version before use.

6.1 Intended use. The tool kit is used in the construction, wiring, and maintenance of electrical equipment and apparatus.

6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issues of individual documents referenced (see 2.1.1 and 2.2).
c. Selection of applicable levels of preservation and packing (see 5.1 and 5.2).

6.3 Hand terminal crimping tool. The crimping tool can be obtained from AMP, Inc. (P/N 47100 or 49835), 2800 Fulling Mill, P.O. Box 3608, Middletown, PA.

6.4 Test, light. The test light can be obtained from Hubbell-Raco, Inc. (P/N 18), 3902 West Sample St., South Bend, IN 46600, or Raytheon Co. (P/N 281-1055-1), 141 Spring St., Lexington, MA 02173.

6.5 Lineman's pouch. The lineman's pouch can be obtained from Klein Tools, Inc. (as P/N 5142), 7200 McCormick Blvd., Chicago, IL 60659-9033.

6.6 Subject term (key word) listing.

Electrical equipment
Kits
Tools

6.7 Change from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodians:

Army - GL
Air Force - 99

Preparing activity:

Army - GL

(Project 5180-0145)

Review activities:

Air Force - 84, 85

User activity:

Army - ME

Civil agency coordinating activity:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-T-11196F	1993 September 27

3. DOCUMENT TITLE

TOOL-KIT, ELECTRICIANS': NUMBER ONE

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON/DSN
U.S. Army Natick RD&E Center	508-651-4531	256-4531
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: SATNC-UXT Natick, MA 01760-5017	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:43Z
Check the source to verify that this is the current version before use.