INCH-POUND

MIL-C-48684(AR)
AMENDMENT 4
16 June 1993
SUPERSEDING
AMENDMENT 3
14 June 1991

MILITARY SPECIFICATION

CARTRIDGE, 40MM, M918, TP LOADING
ASSEMBLING AND PACKAGING

This Amendment forms a part of Military Specification MIL-C-48684(AR), dated 1 April 1986, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1.1, Delete: "MIL-P-116 -Preservation, Packaging, Methods of"

PAGE 2

2.1.2, Delete:

"9251995 -Box, Wirebound, Packing Ammunition for Cartridge, 40mm Linked
9251996 -Box, Fiber, packing, Ammunition for Cartridge, 40mm Linked"

2.1.2, Add:

"12928042 -Packing and Marking of shipping and Storage Container PA120 with linked 40mm Cartridges."

PAGE 5

* 4.4.1.e(1): Delete in its entirety and substitute the following:

"(1) If the remaining quantity is twenty-five (25) rounds or more, when packing in the M548 container, or seventeen (17) rounds or more when packing in the PA120 containers, use rounds from next lot to complete belt."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:37Z
Check the source to verify that this is the current version before use.

PAGE 5 (Cont'd.)

* 4.4.1.e(2): Delete in its entirety and substitute the following:

"(2) If remaining quantity is less than twenty-five (25) rounds for M548 container or less than seventeen (17) rounds for PA120 container, include the rounds in the next lot produced."

PAGE 11

4.4.2.6, Change from:

"104.	Air Pressure	200	Acc-7/Rej-8	3.2	4.5.7"

To:

"104.	Air Pressure		4.5.7	3.2	4.5.7"

Major 105: Change from, "80, ACC-1, REJ-2" to "4/, ACC-0, REJ-1".

Add Note 4/:

"4/ Select one (1) sample from each (30) minutes of production."

PAGE 12

4.4.2.6, Under:

"MK19 MOD III, Machine gun, rapid fire	144	5/	4/	3.5, 3.5.3 3.5.6	4.5.9.2"
Add:	"48	6/	4/	3.5, 3.5.3 3.5.6	4.5.9.2"

Add note 6/:

"When ten (10) consecutive lots pass all rapid fire requirements, reduced testing of one (1) full metal can (48 linked cartridges per can) shall be instituted. If any lot fails to meet any rapid fire requirement, the testing of three (3) full metal cans shall be reinstituted until ten (10) lots again pass this requirement."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:37Z
Check the source to verify that this is the current version before use.

PAGE 14

4.4.2.8, Change from:

"Unsealed fiber box or unsealed shipping and storage container."

To:

"Unsealed shipping and storage container."

From:

"9251996 or 9362543"

To:

"12928042 or 9362543"

Change Major 104 from "Support missing" to "Support, Top or Bottom missing (when applicable)"

Change major 105 from "Spacer missing (when applicable)" to "Spacer missing"

PAGE 15

Delete para 4.4.2.9 in its entirety.

PAGE 16

Delete para 4.4.2.10 in its entirety.

PAGE 17

4.4.2.11, Change from:

"Sealed wooden Packing box or sealed shipping and storage container"

To:

"Sealed shipping and storage container"

From:

"9251995 or 9362543"

To:

"12928042 or 9362543"

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:37Z
Check the source to verify that this is the current version before use.

PAGE 18

Table I, Delete defect 4, and substitute:

	Acceptance Number MK19 Rapid Fire	Rejection Number MK19 Rapid Fire
"Impact functioning failure (see 3.5.3)	--3/	--3/"

Under NOTES, add note 3/:

"3/ For informational purposes only."

PAGE 20

Delete Para. 4.5.3 in its entirety and substitute:

"4.5.3 Propellant weight of case, cartridge alternate method. During production, every propellant charge shall be weighed or volumetrically loaded. Those failing to comply with the requirements specified by the applicable drawing shall be classified defective and removed from the lot. At the start of production, 380 consecutive samples per station, per machine, shall be selected and checked weighed 100 percent. All samples shall comply with the applicable drawing requirement. If all samples comply with the applicable drawing requirement, 5 samples per station, for every 2 hours production, shall be selected and the weight of each of the 5 samples must meet the applicable drawing requirement. If any weight fails the applicable drawing requirement, the 2 hours production represented by that sample shall be rejected. Correction will be made and 380 consecutive samples check weighed from that station. If all samples meet the applicable requirement, sampling every 2 hours shall be resumed."

PAGE 21

Add to 4.5.7:

"Fourteen (14) samples shall be selected from every thirty (30) minutes of production. The last sample shall be air tested. If it is acceptable, the thirty (30) minutes of production will be considered acceptable; and the samples shall be returned to the lot. If the sample is unacceptable, the remaining thirteen (13) samples shall be air tested. If no failure occurs, the thirty (30) minutes of production shall be considered acceptable. If one (1) or more failures occur, the thirty minutes of production shall be rejected and segregated from the lot."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:37Z
Check the source to verify that this is the current version before use.

Delete paragraph 4.5.10 in its entirety.

5.1.1, Delete in its entirety and substitute:

"5.1.1 Level A. Preservation and packaging shall be in accordance with Dwg. 12928042 or 9362543 as applicable.

5.2.1, Delete in its entirety and substitute:

"5.2.1 Level A. The linked cartridge assembly shall be packed in accordance with Dwg. 12928042 or 9362543 as applicable.

5.3, Delete in its entirety and substitute:

"5.3 Marking. Marking shall be in accordance with Dwg. 12928042 or 9362543 as applicable.

5.5, Delete in its entirety and substitute:

"5.5 Palletization. Palletization shall be in accordance with AMC Drawing 19-48-4232/21-20 PM 1007 for the PA120 for the PA120 container and Drawing 19-48-4116/26A-20PA 1002 for the M548 container.

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 1310-A534)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:37Z
Check the source to verify that this is the current version before use.