MILITARY SPECIFICATION SHEET

MODULE, PLUG-IN SAFE REPLY

The complete requirements for procuring the module described herein shall consist of this document and the latest issue of specification MIL-M-50276(MU).

1. SCOPE

1.1 This specification covers detail requirements, quality assurance provisions and preparation for delivery for production and repair parts for module, plug-in safe reply used in the Atomic Demolition Charge.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-M-50276(MU) - Modules, General Specification for
MIL-R-11/8 - Resistor, Fixed Composition (Insulated) Style RC07

DRAWINGS

ORDNANCE CORPS

8808362 - Packing and Marking for Storage and Shipments
8822613 - Diode
8826285 - Diode
8883539 - Bag, Packing Repair Parts
9243257 - Module, Plug-in Safe Reply
9252214 - Module Assembly Safe Reply
EL9243257 - Equipment List

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Requirements. Requirements shall be in accordance with MIL-M-50276(MU).

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions. Quality assurance provisions shall be in accordance with MIL-M-50276(MU) and as specified herein.

4.2 Classification of characteristics.

4.2.1 RC07GF102J, RC07GF103J and RC07GF470J (see MIL-R-11/8); Diode (see dwgs 8826285 and 8822613) covering details of dwg 9252214.

Categories	Characteristics	Method of inspection
Critical: None defined.		
Major:		
101.	Objective evidence (see Objective evidence, section 6, MIL-M-50276(MU) available for part in accordance with applicable specification or drawing.....	Visual
Minor: None defined.		

4.3 Acceptance inspection equipment. Acceptance inspection equipment shall be in accordance with MIL-M-50276(MU) and EL-9243257.

4.4 Insulation resistance. The module insulation resistance shall be tested in accordance with Table I.

Table I

Insulation resitance (see dwg 9243257)

Positive potential applied to pin	Minus potential to
2	Guide pin

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery for production modules. Preparation for delivery for production modules shall be in accordance with MIL-M-50276(MU).

5.2 Preparation for delivery for repair modules.

5.2.1 Preservation and packaging. Preservation and packaging shall be as specified in MIL-M-50276(MU).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

5.2.1.1 Level A. The modules shall be packaged in accordance with dwgs 8883539-4 and 8808362 and as specified in MIL-M-50276(MU).

5.2.1.2 Level C. The cable assembly shall be packaged in accordance with dwg 8808362 and MIL-M-50276(MU).

5.2.2 Packing.

5.2.2.1 Levels A and C. The modules shall be packed in accordance with dwgs 8883539-4 and 8808362 and MIL-M-50276(MU).

5.2.3 Marking. Marking shall be as specified in dwgs 8883539-4 and MIL-M-50276(MU).

6. NOTES

6.1 Notes. Notes shall be in accordance with MIL-M-50276(MU).

Custodian
Army - MU

Preparing Agency
Army - MU

Project No. 1125-A054

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

MIL-M-50276/16(MU) Module, Plug-in Safe Reply

ORGANIZATION

CITY AND STATE	CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

   ☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*	DATE

DD FORM 1 JAN 66 1426 REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commanding Officer
Picatinny Arsenal
ATTN: SMUPA-NR
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:19Z
Check the source to verify that this is the current version before use.