
MILITARY SPECIFICATION SHEET

PROTECTORS, ELECTRICAL, COMMUNICATION CIRCUITS

FUSED, WITH COVER, STYLE P4

This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the protector described herein shall consist of this document and the latest issue of Specification MIL-P-55624.



NOTES

1. Dimensions are in inches
2. Metric equivalents (to the nearest 01 mm) are given for general information only and are based upon 1 inch = 25.4 mm
3. Metric equivalents are in parentheses
4. Minimum separation between current carrying and grounded parts shall be 375 (9 53 mm) inch
5. Instrument, line and ground terminals shall be identified. (Location and method optional)
6. Mounting holes shall accommodate No. 10 screws (May be slotted)

FIGURE 1

(B) denotes changes

FSC 5920

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:42Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Design and construction See figure The requirements herein are not intended to limit internal construction of the assembly

Base. Phenolic

Cover Plastic.

Terminals. Bronze or brass, No 10-32 UNF-2A

Fuseholders: The contact springs or clips shall be designed to accommodate dowel type terminals in accordance with MIL-P-55624/10, class F2.

Fuses See table I

Arresters See table I

Part number See table I

TABLE I Part numbers

Protector M55624/	Arrester M55624/	Fuse M55624/
1/ 4-003	6-001	10-001
1/ 4-004	6-002	10-001
1/ 4-005	6-003	10-001
2/ 4-006	7-001	10-001
2/ 4-007	7-002	10-001

1/ Supersedes M55624/4-001 depending upon arrester breakdown voltage required (see MIL-P-55624/6)
2/ Supersedes M55624/4-002 depending upon arrester breakdown voltage required (see MIL-P-55624/7).

Ⓑ Supersession data. MIL-P-55624/4, style P4 includes the essential requirements of MIL-P-55624/1 and MIL-P-55624/2, styles P1 and P2, which are obsolete for military use. Future procurements shall be for style P4 protectors (see table I).

Ⓑ Cross reference. Previous part number and type designations are superseded by MIL-P-55624/4, style P4 protectors. Specific cross-reference data is provided in table II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:42Z
Check the source to verify that this is the current version before use.

Ⓑ TABLE II. Cross reference.

Superseding number	Superseded numbers FSCM							
	81349	81351	80063	18876	64959	70408	77554	71688 or 96167
M55624/4-006	M55624/1-001 M55624/2-002 M55624/2-003 M55624/2-004 M11P13110TypeAR9 AR-9-A AR-6-A AR-4	71-67ETypeAR9A 71-67ETypeAR6A	71-63ETypeAR9A AR6 AR4	8197294	106C 1093CW 98A	106C 98A	H2000 1000 106 2000 2000J 375 375GFS-2 955 955A	AR6 B-52 H-20-104 0-12 Type012 TypeB52 471-1581 475-1586Type052 8420 600 600GP
M55624/4-007	M55624/2-005							

Custodians:
Army - EL
Navy - YD
Air Force - 85

Review activities
Army - MU, MI,
Navy - EC
Air Force - 80, 11
DSA - ES

User activities.
Army - AT, WC, ME
Navy - MC, SH
Air Force -

Preparing activity:
Army - EL

Agent
DSA - ES

(Project 5920-0359)

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T23:42Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No 22-R255

INSTRUCTIONS This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost Comments and the return of this form will be appreciated Fold on lines on reverse side staple in corner, and send to preparing activity Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements

SPECIFICATION MIL-P-55624/4B PROTECTORS, ELECTRICAL, COMMUNICATION CIRCUITS FUSED, WITH COVER, STYLE P4

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4 REMARKS *(Attach any pertinent data which may be of use in improving this specification If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

ESC-FM 1068-68

Source: https://assist.dla.mil -- Downloaded: 202610-22T23:42Z
Check the source to verify that this is the current version before use.

FOLD

Department of the Army
Headquarters
U.S.Army Electronics Command
Fort Monmouth, New Jersey 07703

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding General
U.S.Army Electronics Command
ATTN: AMSEL-RD-TS
Fort Monmouth, New Jersey 07703

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:42Z
Check the source to verify that this is the current version before use.