MILITARY SPECIFICATION

PERISCOPES, TANK: XM44E1 AND XM44E2
WITH ASSOCIATED EQUIPMENT

This amendment forms a part of Military Specification MIL-P-60649B(MU), dated 30 September 1969.

Paragraph 2.1, "DRAWINGS": Delete "F10542200-2 Periscope, Tank, XM44E2" and substitute "F11731100 Periscope, Tank, XM44E2".

* Paragraph 2.1, "DRAWINGS": Add the following:

F11738174 Gage - interchangeability - Body Maximum
F11738175 Gage - interchangeability - Body Minimum
F11738176 Gage - interchangeability - Lead Minimum
F11738177 Gage - interchangeability - Lead Maximum
F11738178 Gage - interchangeability - Mount Maximum
F11738179 Gage - interchangeability - Mount Minimum

Paragraph 3.10.2.2: Delete last sentence and substitute "Primary power shall be applied as follows: +30 Vdc to J1-H, GRD to J1-J".

Paragraph 3.13.1: Delete sub-paragraph "b" and substitute "b". The 2-1/4" x 2.499" mounting surface located by the 0.250 inch dimension (shown on Drawing F10542037) horizontal within 30 minutes of arc."

Paragraph 3.13.1.c: Delete "2-1/4" by 1-1/4" mounting surfaces" and substitute "2-1/4 inches x 2.449 inches mounting surface".

* Paragraph 3.13.2: Add the following:

"3.13.2. Interchangeability.

3.13.2.1 The Mount Assembly (10513360) shall be capable of accepting all Head Assemblies (10542204) and Body Assemblies (10542201, 11731101 and shall meet the requirements of 3.12.4.a.

3.13.2.2 The Head Assembly 10542204 shall be capable of accepting all Body Assemblies (10542204) and Mount Assemblies 10513360 and shall meet the requirements of para. 3.12.4a.

3.13.2.3 The Body Assembly 10542201, 11731101 shall be capable of accepting all the Head Assemblies (10542204) and Mount Assemblies 10513360 and shall meet the requirements of para. 3.12.4.a."

Paragraph 4.4.2.1: Delete and substitute

"4.4.2.1 Panel assembly.- Three panel assemblies shall be selected

FSC 1240

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:53Z
Check the source to verify that this is the current version before use.

at random as samples from each 50 produced, or from each month's production whichever, occurs first. Each sample shall meet the requirements and tests in Table XII, and shall then meet the requirements and tests in Table VII."

* Paragraph 4.4.2.6: Add the following:

"4.4.2.6 Periscope, Tank, XM44E1 and XM44E2.- Three periscopes shall be selected at random as samples from the first month's production and at 25%, 50%, and 75% completion of the contract production. Each sample shall meet the interchangeability requirements of 3.13.2 when tested in accordance with test method specified in 4.6.10.13."

Paragraph 4.5.2.3.3.b: Delete "2-1/4 by 1-1/4" mounting surfaces" and substitute "2-1/4 inches x 2.400 inches mounting surfaces".

Paragraph 4.5.3: Add the following

"Oscilloscope Accuracy: ± 1% of reading (peak-to-peak)"

* Paragraph 4.6.10.13 Add the following:

"4.6.10.13 Interchangeability.- Each sample periscope (See 4.4.2.6) shall be disassembled to permit interchange of the Head, Mount, and Body Assemblies

Each component part (head, mount, and body assemblies) shall be inserted into their respective minimum and maximum interchangeability gages (See 2.1) and shall be capable of being firmly secured and removed without interference.

After each component part has been gaged and found acceptable, the components shall be identified and assemblied as shown in TABLE XVI.

TABLE XVI

Original Component Positions

Periscope No. 1 -	Head No. 1	Mount No. 1	Body No. 1
Periscope No. 2 -	Head No. 2	Mount No. 2	Body No. 2
Periscope No. 3 -	Head No. 3	Mount No. 3	Body No. 3

Interchanged Component Positions

Periscope No. 4 -	Head No. 1	Mount No. 3	Body No. 2
Periscope No. 5 -	Head No. 3	Mount No. 2	Body No. 1
Perisocpe No. 6 -	Head No. 2	Mount No. 1	Body No. 3

Upon reassembly of the three interchanged periscopes, each periscope shall be subjected to the sealing test specified in 4.6.10.8 and meet the requirements of 3.12.4a.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:53Z
Check the source to verify that this is the current version before use.

* The outside margins have been marked to indicated where additions to the previous amendment have been made. This has been done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in this notation. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content as written irrespective of the marginal notation and relationship to the last previous amendment.

Custodian:

Army - MU

Preparing activity:

Army - MU

Project No. 1240-A294

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:53Z
Check the source to verify that this is the current version before use.