MIL-T-9166B
AMENDMENT 2
13 Oct 83
SUPERSEDING
AMENDMENT 1
11 Aug 1969

MILITARY SPECIFICATION

TIE DOWN, CARGO AIRCRAFT, CABLE NET,
10,000 LB CAPACITY, TYPE A-2

This amendment forms a part of Military Specification MIL-T-9166B dated 11 Jan 1968, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

*1.1, delete in its entirety and substitute the following:

"1.1 Scope. This specification covers a cargo net tie-down of cable construction, designated type A-2."

2.1, delete and substitute the following paragraph 2.1 and add a new 2.1.1

*"2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in t-hat issue of the Department of Defense Index of specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein."

*Under SPECIFICATION, Federal, PPP-B-636, delete title and substitute "Box, Shipping, Fiberboard."

*Under SPECIFICATION, Military, delete "MIL-D-1OOO" and substitute "DOD-D-1OOO" same title.

*Delete "MIL-W-1511 Wire Rope, Steel (Carbon) Flexible, Preformed" and substitute "MIL-W-83420, Wire Rope, Flexible, for Aircraft Control.'!

Under STANDARDS, Military, MIL-STD-143, delete title and substitute "Standards and Specifications Order of Precedence for the Selection of."

Add to the bottom of Page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio ALC/MMEDO, Kelly AFB, Texas 78241 by using the self addressed Standardization Document Improvement proposal (DD Form 1426) appearing at the end of this document or by letter.

*U.S. GOVERNMENT PRINTING 0FFICE: 1983-705-040/5034

FSC 1670

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:01Z
Check the source to verify that this is the current version before use.

Delete parenthetical source paragraph and substitute the following:

"(Copies of specifications and standards required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

Add the following new paragraph 2.1.2:

"2.1.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence."

3.1. delete in its entirety and substitute the following:

"3.1 First article testing. This specification makes provisions for first article testing,"

3.4.1, line 1, delete "MIL-C-1511" and substitute "MIL-W-83420."

3.6, line 3, delete "MIL-D-l000" and substitute "DOD-D-l000."

4.1, delete in its entirety and substitute the following paragraph 4.1:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

4.2a, delete "Preproduction" and substitute "First article."

4.3, delete "Preproduction" and substitute "First article."

4.3.2, line 1, delete "preproduction" and substitute "first article."

5 ., delete "PREPARATION FOR DELIVERY" and substitute "PACKAGING."

Source: https://assist.dla.mil -- Downloaded: 202610-17T12:01Z
Check the source to verify that this is the current version before use.

6,2, delete paragraph c and substitute the following:

"c First article sample. It is expected that the contract or purchase order will specify that samples specified in 4.3.1 will be required as first article samples and that these first article samples will be subjected to the first article tests to determine compliance with the requirements of the specification. The invitation for bid and the contract should specify the point of inspection for these tests."

Add the following new paragraph 6.4 and 6.5:

'16.4 Caution. If the cargo tie-down net is to be constructed so that all strands are in the same plane and do not overlap, this method is in accordance with a method covered by patent number 2,705,461 dated 5 April 1955."

"6.5 Certain provisions of this specification are the subject of international standardization agreement ASCC AIR STD 44/3C. When amendment, revision, or cancellation of this specification is proposed which will modify the international agreement concerned, the preparing activity will take appropriate action through international standardization channels including departmental standardization offices to change the agreement or make other appropriate accommodations."

The margins of this amendment are marked with an asterik or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the. entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - GL
Air Force - 99
Navy - AS

Review activities
Army - AV, MT

Preparing activity:
Air Force - 82

(Project 1670-0684)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:01Z
Check the source to verify that this is the current version before use.