(INCH-POUND)
A-A-1640B
July 22, 1996
SUPERSEDING
A-A-1640A
July 27, 1989

COMMERCIAL ITEM DESCRIPTION

FOOD TURNER

The General Services Administration has authorized the use of this commercial item description for all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (cid) covers various types of food turners.

2. CLASSIFICATION

2.1 Classification. The food turners shall be of the following types and styles (see 7.2).

Type I - Commercial Use
  Style A - Hamburger turner
  Style B - Steak turner, unperforated
  Style C - Steak turner, perforated

Type II - Household Use
  Style D - Metal blade
  Style E - Plastic blade

3. SALIENT CHARACTERISTICS

3.1 Materials.

3.1.1 Type I, Commercial Use. The blade and tang of type I food turners shall be formed from a single piece of corrosion-resisting steel conforming to a type 300 or 400 series in accordance with ASTM A 167, A 176 or A 276. The handle shall be made from polypropylene, nylon, or other suitable plastic. The type I items shall meet the applicable portions of NSF International Criteria C-2 (see 4.1).

3.1.2 Type II, Household Use. The handle of the type II food turners shall be polypropylene or other suitable plastic. The style D turner shall have a blade made from corrosion-resisting steel or chrome plated carbon steel. The style E turner shall have a blade made from nylon. Type II turners are not required to meet the NSF International requirements (see 4.1).

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor St., Fort Worth, TX 76102

public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

3.2 Design.

3.2.1 Type I, Commercial Use. The type I turner dimensions shall be in accordance with Table I and the applicable figure. The blade of the type I turners shall have a Rockwell Hardness of C35 to C45 when measured in accordance with ASTM E 18. The blade shall be cleaned and polished to a 2B or better finish as defined by the American Iron and Steel Institute's Handbook, "Finishes for Stainless Steel". The handle shall have a textured finish.

TABLE I - TYPE I TURNER DIMENSIONS (inches)

Style	Overall Length (± 1/2")	Blade Dimensions		
		Length (± 1/2")	Width (± 1/4")	Thickness (min.)
A	10-1/2 (26.7 cm)	4-1/2 (11.4 cm)	3 (7.6 cm)	0.065 (1.7 mm)
B, C	14 (35.6 cm)	7-1/2 (19.2 cm)	3 (7.6 cm)	0.046 (1.2 mm)

Note: The style B and C turners shall taper to a minimum thickness of 0.026 inch (0.66 mm) at the tip.

3.2.1.1 Style A, Hamburger turner. The style A hamburger turner shall be in accordance with figure 1. The blade of the style A turner shall be beveled across the front edge at an angle of 20 to 40 degrees.




FIGURE 1 - Type I, Style A Turner

3.2.1.2 Styles B and C, Steak turners. The style B and C steak turners shall be in accordance with figure 2. The style B and C turners shall be identical except the style C turner shall be perforated with 16 to 24 holes, 1/4 inch (6.4mm) minimum diameter, in the main body of the blade.




FIGURE 2 - Type I, Style B, C Turner

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:15Z
Check the source to verify that this is the current version before use.

3.2.2 Type II, Household use. The overall length of the type II turners[1/] shall be 12-1/4 inches (31.1cm), ± 3/4 inch. The type II turners shall have either a corrosion-resisting steel or chrome plated carbon steel flat shank with a minimum thickness of 0.060 inch (1.5mm). An alternative shank design shall be round with a minimum diameter of 7/32 inch (5.6mm). The handle of the type II household turners have a hanging hole or slot near the end of the handle. The hole or slot shall be a minimum 1/4" (6.4mm) opening. The handle shall be a minimum of 4-1/4 inches (10.8cm) in length. The angle between the blade and shank shall be a minimum of 15 degrees. The width of the blade at the leading edge shall be 2-3/4 inches (7.0cm), ± 3/8 inch. The width of the blade may increase as it approaches the handle. The blade length shall be 4 inches (10.2cm), ± 1/2 inch. The blade shall have a series of holes or slots through the blade.

3.2.2.1 Style D, Metal blade. The style D food turner shall have metal blade made from either corrosion-resisting steel or chrome plated carbon steel. The blade shall have a minimum thickness of 0.013 inch (0.33mm) and a Rockwell hardness of B85 to 90 when measured in accordance with ASTM E 18.

3.2.2.2 Style E, Nylon blade. The style E food turner shall have a nylon blade with a minimum thickness of 0.070 inch (1.8mm) when measured one inch back from the leading edge.

3.3 Marking. The food turners shall be marked with the manufacturer's name, trade name, or trademark of such known character that the source may be readily determined.

3.4 Workmanship. The food turners shall be clean and free from dirt, rough or sharp edges (except for the front edge of the blade), slivers, burrs, deep scratches, tool marks, or other defects which may affect appearance or serviceability. Handles shall be shaped or contoured in accordance with the manufacturer's commercial practice to provide a comfortable and positive grip. Handle and tang shall fit flush and all corners and edges of handles, except ends, shall be rounded.

3.5 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

3.6 Standard commercial product. The food turners shall, as a minimum, be in accordance with the requirements of this CID and shall be the manufacturer's standard commercial product. A standard commercial product is a product which has been sold or is currently offered for sale on the commercial market through advertisements, manufacturer's catalogs, or brochures, and represents the latest production model.

4. REGULATORY REQUIREMENTS

4.1 NSF International compliance. The contractor shall submit to the contracting officer or authorized representative, prior to awarding of contract, satisfactory evidence that the type I items offered meet the requirements of NSF International Criteria C-2. Satisfactory evidence of this compliance may be any of the following:

[1/] Figures are not shown for the type II food turners due to the wide design variation in the commercial market.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:15Z
Check the source to verify that this is the current version before use.

(1) Listing in the current edition of the "NSF International Listing Food Service Equipment and Related Products, Components and Materials", and display of the NSF International mark on the finished item; or

(2) Certification issued by NSF International under their special contract evaluation/certification program for government contracts; or

(3) Certified test report from a recognized independent testing laboratory acceptable to the medical authority of the service for which the item(s) are being procured stating that the item has been tested and conforms to NSF International Criteria C-2. Acceptance of the independent testing laboratory to the medical authority shall be based on the laboratory submitting to the contracting officer a written letter from either the American Association for Laboratory Accreditation (A2LA), Gaithersburg, MD, or the American National Standards Institute (ANSI), Washington, DC, stating the independent testing laboratory has been evaluated and is accredited for testing and evaluating food service equipment for conformance with applicable NSF International Standards and Criteria. Accreditation of the independent testing laboratory by A2LA or ANSI must be completed prior to item testing.

4.2 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Sources of non-Government association documents.

American Iron and Steel Institute handbooks are available from the Committee of Stainless Steel Producers, American Iron and Steel Institute, 1000 16th Street, N.W., Washington, DC 20036.

ASTM standards are available from the American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.

NSF International standards are available from NSF International, P.O. Box 130140, Ann Arbor, MI 48113-0140.

7.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents (if applicable).

a. Title, number and date of this commercial item description.
b. Type and style of food turner to be furnished (see 2.1).
c. Preservation, packing, and marking desired.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:15Z
Check the source to verify that this is the current version before use.

7.3 Part Numbering. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

```
AA1640-IA      (AA1640IA)  Example - Type I, Style A Food Turner
   |   ||-- Style (A, B, C, D, or E).
   |   |--- Type (I or II).
   |--- Commercial Item Description number
```

7.4 National Stock Numbers (NSN's): The following is a list of NSN's assigned which correspond to this CID. The list may not be indicative of all possible NSN's associated with the CID.

NSN	Type	Style	Nomenclature
7330-00-205-0617	I	A	Food Turner (Hamburger)
7330-00-634-1995	I	B	Food Turner (Steak)
7330-00-810-1937	II	D	Food Turner
7330-01-227-3155	II	E	Food Turner

MILITARY INTERESTS:

Military Coordinating Activity:

Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Civil Agencies Coordinating Activities:
VA - OSS
HHS - NIH
DOT - CGCT

Review Activities:
Army - MD1, QM1
Navy - MC
Air Force - 35, 84

Preparing Activity:
GSA - FSS

(DoD Project 7330-0715)

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:15Z
Check the source to verify that this is the currentversion before use.