INCH POUND

MIL-C-3098/104C
5 May 1993
SUPERSEDING
MIL-C-3098/104B
9 September 1977


MILITARY SPECIFICATION SHEET

CRYSTAL UNIT, QUARTZ, CR102/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirement for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-C-3098.

Pertinent characteristics: 50 to 125 MHz; fifth overtone; noncontrolled; series.



Inches	mm
.002	.05
.008	.20
.018	.46
.200	5.08
.265	6.73
.326	8.28
.420	10.67
.600	15.24

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Marking to be in accordance with MIL-C-3098.

FIGURE 1. Crystal unit - CR102/U.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:51Z
Check the source to verify that this is the current version before use.

REQUIREMENT:

Holder: HC-35/U (MIL-H-10056/21).

Dimensions, marking, and configuration: See figure 1.

Frequency range: 50 to 125 MHz, inclusive.

Frequency tolerance: ±25 ppm.

Equivalent resistance: 50 to 90 MHz, 50 ohms, maximum.

90 to 125 MHz, 60 ohms, maximum.

Mode of oscillation: Fifth overtone.

Operating temperature range: -55°C to +105°C, inclusive.

Drive level, rated: 2.0 ±0.4 mW.

Capacitance, shunt: 7 pF, maximum.

Shock (specified pulse):

Frequency change permitted: ±5 ppm.

Equivalent-resistance change permitted: ±10 percent.

Thermal shock:

Frequency change permitted: ±5 ppm.

Equivalent-resistance change permitted: ±10 percent.

Vibration: Method 204, MIL-STD-202, test condition B.

Frequency change permitted: ±5 ppm.

Equivalent-resistance change permitted: ±10 percent.

Aging:

Frequency change permitted: ±5 ppm.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:51Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - AR, MI, SM
Navy - SH
Air Force - 99
DLA - ES

User activities:
Navy - AS, CG, MC, OS
Air Force - 17, 19

Preparing activity:
Army - ER

Agent
DLA - ES

(Project 5955-0678-02)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:51Z
Check the source to verify that this is the current version before use.