[METRIC]
A-A-59307
9 October 1998
SUPERSEDING
W-S-564C
10 April 1991

COMMERCIAL ITEM DESCRIPTION

SOLDERING GUNS, ELECTRIC

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description covers hand held, electric powered, conduction soldering devices using on demand current consumption and accessories specified herein.

2. CLASSIFICATION. This commercial item description covers soldering guns of the following type, style, class, and heat level.

2.1 Type. Type refers to the type of the element on the soldering gun. The types of soldering guns are as follows:

Type I - Wire tip (transformer)
Type II - Solid tip

2.2 Style. Style refers to the handle of the soldering gun. The styles of soldering guns are as follows:

Style A - Pistol grip handle
Style B - Pencil handle

2.3 Class. Class refers to the number of switch positions on the soldering gun. The class of soldering are as follows:

Class 1 - Single switch position
Class 2 - Dual switch position

Beneficial comment, recommendations, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Supply Center Richmond, ATTN: DSCR-VBD, Richmond, VA 23297-5610.

AMSC N/A FSC 3439
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:09Z
Check the source to verify that this is the current version before use.

2.4 Heat level. Heat level classifies the operating output of the soldering gun by wattage. Heat levels are as follows:

Heat level A - Less than 150 Watts (W)
Heat level B - Between 150W and 300W
Heat level C - More than 300W

3. SALIENT CHARACTERISTICS

3.1 Design. The soldering gun shall consist of a self-contained unit with attachments for general purpose soldering as described herein.

3.1.1 Options. When specified (see 7.4), the soldering guns shall include the following options.

3.1.1.2 Illumination. Illuminating soldering guns shall illuminate the tip area. Lamps shall be replaceable without the use of special tools.

3.1.1.3 Battery operation. Battery operated soldering guns shall be rechargeable and include the battery. Recharging equipment shall be included with the soldering gun, and may be an integral part of the soldering gun.

3.1.1.4 Soldering gun kit. Unless otherwise specified (see 7.4), Soldering guns kit shall include a reusable case, and at least three soldering tips. Type I soldering gun tips shall include a general soldering tip, a smoothing tip, and a cutting tip. Type II soldering guns tips shall include a general soldering tip, a pointed or cone tip, and a chisel tip.

3.2 Controls. The soldering gun shall have a momentary switch to control output. All controls shall be located in a position convenient to the operator and in the operator's plain view.

3.3 Warm-up time. The warm-up time to reach operating temperature for general purpose soldering from initial power on shall not exceed 15 seconds.

3.4 Power requirements. Unless otherwise specified (see 7.4), the soldering gun power requirements shall be 120 Vac 60 Hz single phase and shall not exceed 3 amps. Power cord shall be either 2-wire polarized or 3-wire grounding type.

3.5 Soldering tips and elements. All soldering tips and elements shall be replaceable without the use of special tools. Special purpose tips and elements shall be as specified (see 7.4).

3.6 Safety requirements. The soldering gun shall meet requirements of, "UL Standard for Safety for Electric Heating Appliances, UL 499."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:09Z
Check the source to verify that this is the current version before use.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.2 Environmental protection. During the manufacture of the soldering guns, materials hazardous to the ecological systems and as prohibited by the federal, state or local statutes in effect on the date of the contract shall not be used and shall not be emitted.

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description and shall conform to the drawings, specifications, standards and quality assurance practices of producer and also shall be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

6. PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Part identification number (PIN). The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:09Z
Check the source to verify that this is the current version before use.

7.2 National stock numbers (NSNs). The following NSNs correspond to this CID. The list is not indicative of all possible NSNs associated with this document.

NSN	PIN
3439-00-004-0915	A-59307 - 2A1B
3439-00-618-6623	A-59307 - 1A2B
3439-00-930-1639	A-59307 - 1A1C
3439-01-289-6481	A-59307 - 2B2C
3439-01-329-5443	A-59307 - 2A1B

7.3 Intended use. Soldering guns covered by this commercial item description are for general purpose soldering or maintenance.

7.4 Ordering data. Purchasers should select the preferred options and include the following information in the order.

a. Title, number, and date of this specification.
b. Type, style, class and heat level required. (see 2.)
c. Attachments for soldering, if required. (see 3.1)
d. Optional equipment, if required. (see 3.1.1)
e. Soldering gun kit options, if different. (see 3.1.1.4)
f. Power requirements, if different. (see 3.4)
g. Special purpose tips or elements, if required. (see 3.5)
h. Preservation, packing, and marking as required. (see 6.)

7.5 Referenced documents.

7.5.1 FED-STD-376, Preferred Metric Units for General Use by the Federal Government, is available from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094, Telephone 800-225-3842.

7.5.2 The Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

7.5.3 UL 499, UL Standard for Safety for Electric Heating Appliances, is available from Global Engineering Documents, 15 Inverness Way East, Englewood, Colorado .

MILITARY INTERESTS:

Custodians
Army - AL
Navy - SH
Air Force - 99

PREPARING ACTIVITY
DLA - GS
(Project 3439-0909)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:09Z
Check the source to verify that this is the current version before use.