FED. STD. NO. 255B
September 8, 1976
SUPERSEDING
Fed. Std. No. 255A
June 12, 1967

FEDERAL STANDARD

MOUNT, FILM SLIDE, PHOTOGRAPHIC (OVERHEAD PROJECTOR)

This standard was approved by the Commissioner, Federal Supply Service, General Services Adminstration, for the use of all Federal agencies.

S1. Purpose and scope. This standard covers four items of film slide mounts, for use with overhead projectors, which have been adopted to achieve the highest degree of uniformity and standardization for the Federal Supply System.

S2. Application. Purchasers from commercial sources under Federal Specification UU-M-650, of the issue in effect on date of invitations for bids, shall be limited to items which have characteristics conforming to the standard items specified herein. Existing Government stocks of items with other characteristics shall continue to be utilized until exhausted. In those cases where this Federal Standard eliminates supply items and the items so eliminated are under contract, if the contract cannot be negotiated or amended to conform to the standard items, the Federal Standard becomes mandatory at the contract expiration date.

S3. Applicable documents.

S3.1 The following documents of the issue in effect on the date of invitation for bids form a part of this standard to the extent specified herein.

Federal Specification:

UU-M-650 - Mount, Film Slide, Photographic (Overhead Projector).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

S3.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

American National Standards Institute, Inc., (ANSI) Publication:

Z21O1.-1973 (ASTM E-380-72) - Metric Practice Guide.

(Application for copies should be addressed to the American National Standards Institute, Inc., 1430 Broadway, New York, NY 10018.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:55Z
Check the source to verify that this is the current version before use.

S4. Standard characteristics and item identification. The standard items shall conform to the characteristics listed in table I. The designators shown for types I and III refer to those specified in UU-M-650.

TABLE I. Mounts

Style	Type	Clear aperture (inches)	Nominal film size (inches)	Aperture location right of center	File cabinet
A	I	7-1/2 x 9-1/2	8 x 10	centered	letter size
A	I	7-1/2 x 10	8-1/2 x 11	centered	letter size
A	I	8 x 10	8-1/2 x 11	centered	letter size
B	III	7-1/2 x 9-1/2	8 x 10	1 inch	legal size

S4.1 Outside dimensions of mounts. The respective vertical and horizontal dimensions of each style of mount listed in table I shall be as follows:

Style A mount - 10-1/4 inches + 1/16-inch by 12 inches $\pm$ 1/16-inch.
Style B mount - 10-1/4 inches $\pm$ 1/16-inch by 14 inches $\pm$ 1/16-inch.

S4.2 Aperture location. The masking aperture of style A mount shall be centered with respect to the outside dimensions of the mount. The masking aperture of style B mount shall be located to the right of the vertical center line of the mount to provide a wide margin for annotation purposes to the left of the aperture. The displacement shall be the distance indicated in table I. The horizontal center line of each mask aperture shall be centered with respect to the top and bottom edges of the mount.

S4.3 Tolerances. The tolerance on the mask aperture dimensions and mask aperture locations shall be $\pm$ 1/16-inch.

S4.4 Inch-centimeter conversion. All dimensions in table I are in inches. To convert the U.S. Customary Units (inches) to the metric SI Units (centimeters), multiply by 2.54 in accordance with the conversion principles outlined in ANSI Z210.1-1973.

S5. Changes. When a Federal agency considers that this standard does not provide for its essential needs, written request for changing or adding to the standard, supported by adequate justification explaining wherein the standard does not provide for essential needs, shall be sent in duplicate to the General Services Administration, Federal Supply Service, Mechanical and Electrical Division, Washington, DC 20406. The General Services Administration will determine the appropriate action to be taken and will notify the agency.

S6. Conflict with referenced specifications. Where the requirements stated in this standard conflict with any requirement in a referenced specification, the requirements of this standard shall apply. Nature of conflict between the standard and the referenced specification shall be submitted in duplicate to the General Services Administration, Federal Supply Service, Mechanical and Electrical Division, Washington, DC 20406.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:55Z
Check the source to verify that this is the current version before use.

Military Custodians:

Army - EL
Navy - AS
Air Force - 99

Review activities:

Army - MI
Navy - MC, AS
Air Force - 99

User activities:

Army - EL
Navy - TD
Air Force - 99

Civil Agency Coordinating Activities:

COMMERCE-NBS
CSD
DOT
EPA
Energy Research Dev. Adm.
FCC
GSA-FSS
HEW
HUD
INTERIOR
JUSTICE-FPI
LABOR
NASA
Small Business Adm.
STATE
TREASURY-IRS
USIA
USDA
VA-DMS

Preparing activity:

GSA-FSS

This document is available from the General Services Administration (GSA), acting as an agent for the Superintendent of Documents. A copy of bidding and contracting purposes is available from GSA Business Service Centers. Copies are for sale at the GSA, Specification Sales, Building 197, (Washington Navy Yard), Washington, DC 20407 for 25 cents each.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:55Z
Check the source to verify that this is the current version before use.