PPP-B-1880
December 16, 1975
SUPERSEDING
Fed. Spec. PPP-B-1729
November 11, 1971 and
Fed. Spec. PPP-B-1803
February 9, 1973

FEDERAL SPECIFICATION

# BRUSHES, PREPARATION FOR DELIVERY OF

## 1. SCOPE

1.1 This specification covers the requirements for the preservation, packaging, packing and marking for shipment and storage of brushes which are under FSC Classes 7920 and 8020.

## 2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

| | | |
|---|---|---|
| PPP-B-566 | - | Boxes, Folding, Paperboard |
| PPP-B-636 | - | Boxes, Shipping, Fiberboard |
| PPP-B-665 | - | Boxes: Paperboard, Metal Edged and Components |
| PPP-B-676 | - | Boxes, Setup |

Federal Standard:

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

FSC PACK

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

| | | |
|---|---|---|
| MIL-P-116 | - | Preservation-Packaging, Methods of |
| MIL-B-121 | - | Barrier Material, Greaseproofed, Waterproofed, Flexible |

Military Standards:

| | | |
|---|---|---|
| MIL-STD-105 | - | Sampling Procedures and Tables for Inspection by Attributes |
| MIL-STD-129 | - | Marking for Shipment and Storage |
| MIL-STD-147 | - | Palletized Unit Loads for 40" x 48" Pallets |

(Copies of Military Specification and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

3. REQUIREMENTS

3.1 Preservation and packaging. Preservation and packaging shall be level A, B or C as specified (see 6.2).



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

3.1.1 Level A.

3.1.1.1 Preservation.

3.1.1.1.1 Animal fiber brushes. Brushes with filler material of animal fiber (hog bristle, horsetail hair, squirrel hair, etc.) shall be protected by the insertion of naphthalene balls or flakes in each unit package or intermediate package, as applicable. The quantity of naphthalene used shall be in accordance with industry's practice.

3.1.1.1.2 Wire brushes, butcher block. Butcher block wire brushes shall be cleaned by process C-1, thoroughly dried and coated with P-14 preservative in accordance with MIL-P-116. The preservative shall then be allowed to thoroughly drain from the wires.

3.1.1.2 Unit packaging. Unless otherwise specified (see 6.2), unit packaging shall be required for the brushes specified hereinafter.

3.1.1.2.1 Adhesive (glue), calcimine, lens and photographic negative, lithographic, marking, painter's (dusting), paint, varnish, and whitewash. Each brush shall be wrapped with kraft paper. The ends of the kraft paper shall be folded back over each end of the brush and secured with tape. Alternatively, the bristle end of the brush shall be encased in a wallet-type paper or polyethylene envelope, sleeve or bag. The envelope, sleeve or bag shall be secured in accordance with industry's practice.

3.1.1.2.2 Artist, watercolor and oil (individual). Twelve brushes of one description only shall be packaged in a commercial type artist brush envelope.

3.1.1.2.3 Artist, watercolor and oil (sets). One set, consisting of five brushes, shall be packaged in a commercial type artist brush envelope.

3.1.1.2.4 Roof. Each brush shall be unit packaged in a snug-fitting paperboard box conforming to classification optional of PPP-B-566 or PPP-B-676. The box shall be securely closed in accordance with the appendix of the applicable box specification.

3.1.1.2.5 Steam kettle. Each brush shall be unit packaged in a plastic bag. The bag shall be closed in accordance with industry's practice.

3.1.1.2.6 Wire, butcher block. Two brushes, preserved as specified in 3.1.1.1.2, shall be nested and then completely wrapped with barrier material conforming to type II, grade A, class 2 of MIL-B-121. The barrier material shall be secured with tape, cord or twine.

3.1.1.2.7 Wire, casting. Two brushes shall be nested and then completely wrapped with 30-pound minimum basis weight kraft paper. The paper wrap shall be secured with tape, cord or twine.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

3.1.1.3 Intermediate packaging.

3.1.1.3.1 All brushes, except butcher block, casting and steam kettle brushes. Brushes of one description only, preserved and unit packaged as applicable, shall be intermediate packaged in the quantities specified in table I in a snug-fitting box conforming to classification optional of PPP-B-566, PPP-B-636, PPP-B-665 or PPP-B-676. The weight of contents and dimensions of each box shall not exceed the limitations of the applicable box specification. Each box containing chassis and running gear brushes shall have the layers separated by means of paperboard pads. Each box shall be securely closed in accordance with the requirements of the applicable box specification.

3.1.1.3.1.1 When specified (see 6.2), intermediate boxes shall be water or weather resistant.

3.1.1.3.2 Butcher block, casting and steam kettle brushes. Butcher block, casting and steam kettle brushes shall not require intermediate packaging.

TABLE I. Packaging and packing quantities of brushes

| Brush name | Intermediate package quantity (each) | Shipping container quantity (each) |
|---|---|---|
| All brushes which are not specified below | 12 | 144 |
| Acid swabbing | 144 | 2,880 |
| Adhesive (glue), up through 1-inch | 12 | 288 |
| Adhesive (glue), over 1-inch | 12 | 144 |
| Artist, watercolor and oil (squirrel hair and red sable) | 144 | 1,152 |
| Artist, watercolor and oil (sets) | 24 | 240 |
| Bottle and burette | 12 | 144 |
| Calcimine | 3 | 24 |
| Calcimine, Dutch | 2 | 24 |
| Chassis and running gear | 12 | 60 |
| Cleaning, aircraft, metal brightening | 1 | 24 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging and packing quantities of brushes (cont'd)

| Brush name | Intermediate package quantity (each) | Shipping container quantity (each) |
|---|---|---|
| Cleaning, laboratory glassware | 12 | 144 |
| Cleaning, spoke | 12 | 144 |
| Cleaning, tools and parts | 12 | 288 |
| Dusting, bakery and counter | 1 | 12 |
| Dusting, ceiling and wall | 1 | 6 |
| Dusting, draftsman | 12 | 96 |
| Dusting, lens and photo | 12 | 144 |
| Dusting, office machine | 12 | 72 |
| Dusting, painter's (flat) | 6 | 72 |
| Dusting, painter's (round) | 6 | 72 |
| Dusting, radiator | 12 | 72 |
| File cleaner | 6 | 120 |
| Floor sweeping | 1 | 12 |
| Gage, coffee urn | 24 | 144 |
| Goblet | 12 | 144 |
| Injector, cleaning | 24 | 288 |
| Lithographic | 12 | 288 |
| Marking | 12 | 864 |
| Paint, up to 5 inches | 6 | 72 |
| Paint, 5 inches and over | 4 | 48 |
| Paint removing, crevice | 12 | 144 |
| Paint removing, hand | 12 | 72 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging and packing quantities of brushes (cont'd)

| Brush name | Intermediate packaging quantity (each) | Shipping container quantity (each) |
|---|---|---|
| Paint removing, scrub | 12 | 72 |
| Pipet | 12 | 144 |
| Plater's, hand | 12 | 144 |
| Port and tube | 24 | 144 |
| Roof | 6 | 48 |
| Sash tool | 6 and 8 | 24 - 288 |
| Sash tool | 10 and 12 | 12 - 144 |
| Sanitary | 0 | 12 |
| Scrub, baseboard | 1 | 12 |
| Scrub, clothes | 12 | 72 |
| Scrub, deck | 0 | 24 |
| Scrub, floor | 12 | 36 |
| Scrub, household | 12 | 24 |
| Scrub, kitchen | 12 | 48 |
| Scrub, nail and hand | 12 | 72 |
| Scrub, pot and pan | 12 | 72 |
| Scrub, pot and sink | 12 | 36 |
| Scrub, steam kettle | 1 | 12 |
| Scrub, surgical | 24 | 288 |
| Scrub, vegetable | 12 | 288 |
| Seaming | 12 | 144 |
| Shoe and stove | 12 | 144 |
| Shoe, dauber | 12 | 144 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

TABLE I. Packaging and packing quantities of brushes (cont'd)

| Brush name | Intermediate package quantity (each) | Shipping container quantity (each) |
|---|---|---|
| Shoe, polishing | 12 | 144 |
| Shoe set, dauber and polishing | 12 | 36 |
| Swab, potash, plater's | 12 | 144 |
| Test tube | 12 | 144 |
| Valve-cleaning, steam kettle drain | 24 | 144 |
| Varnish, up to 3 inches | 12 | 144 |
| Varnish, 3 inches and over | 12 | 72 |
| Window | 3 | 36 |
| Wire, butcher block | 2 | 72 |
| Wire, casting | 2 | 72 |
| Wire, scratch | 12 | 72 |
| Wire, tube | 12 | 144 |
| Wire, dishwasher spray tube | 12 | 144 |
| Whitewash | 12 | 72 |

3.1.2 Level B. Brushes shall be packaged as specified in 3.1.1, except the preservation requirements shall not apply and the butcher block wire brushes shall be packaged as specified in 3.1.1.2.7.

3.1.3 Level C packaging. Brushes shall be preserved and packaged to afford adequate protection against deterioration and physical damage during shipment from the supplier to the first receiving activity. The package and the quantity per package shall be the same as that normally used by the supplier for retail distribution.

3.2 Packing. Packing shall be level A, B or level C, as specified (see 6.2).



Source: https://assist.dla.mil -- Downloaded: 2026-04-26T12:52Z
Check the source to verify that this is the current version before use.

3.2.1 Level A. Brushes, preserved and packaged as specified in 3.1, shall be packed in the quantities specified in table I in a snug-fitting fiberboard shipping container conforming to style RSC, grade V2s of PPP-B-636. Each fiberboard container shall be closed in accordance with method III, waterproofed in accordance with method V and reinforced as specified in the appendix of PPP-B-636.

3.2.2 Level B. Brushes, packaged as specified in 3.1, shall be packed in the quantities specified in table I in a snug-fitting fiberboard shipping container conforming to style RSC, type CF (variety SW) or SF, class domestic grade 275 of PPP-B-636. Each fiberboard container shall be closed in accordance with method II as specified in the appendix of PPP-B-636.

3.2.2.1 Weather resistant grade fiberboard containers. When specified (see 6.2), the fiberboard shipping container shall be a grade V3c, V3s or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with method III as specified in the appendix of the container specification.

3.2.3 Level C packing. Brushes, preserved and packaged as specified in 3.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. The quantity per shipping container shall be the same as that normally used by the supplier for retail distribution. Containers shall comply with the Uniform Freight Classification or National Motor Freight Classification, as applicable.

3.3 Palletization. When specified (see 6.2), brushes of one description only, packed as specified in 3.2, shall be palletized in accordance with load type I or shrink film of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. Pallet patterns shall be in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course. If the container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officer.

3.4 Marking.

3.4.1 Civil agencies. In addition to any special marking required by the contract or order, interior packages and shipping containers and palletized loads shall be marked in accordance with FED-STD-123.

3.4.2 Military requirements. In addition to any special marking required by the contract or order, interior packages, shipping containers and palletized loads shall be marked in accordance with MIL-STD-129.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Quality conformance inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.2.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document.

4.2.2 Inspection for preparation of delivery.

4.2.2.1 Examination of preparation for delivery requirements. An examination shall be made to determine whether the preservation, packaging, packing and marking complies with the section 3 requirements. Defects shall be as listed in table II. The sample unit shall be one shipping container fully prepared for delivery except that it need not be closed. The lot shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-2 and the AQL shall be 4.0 expressed in terms of defects per hundred units.

TABLE II. Examination of preparation for delivery requirements

| Examine | Defect |
|---|---|
| Marking (exterior and interior) | Omitted; incorrect; illegible; of improper size, location, sequence or method of application. |
| Materials | Any component missing, damaged or not specified. |
| Preservation | Preservative improperly applied or missing (when applicable). |
| Quantity | Number of brushes or sets of brushes per shipping container not as specified.<br>Number of brushes or sets of brushes per intermediate package not as specified.<br>Number of brushes per unit package not as specified. |



Source: https://assist.dla.mil -- Downloaded: 202610-26T12:52Z
Check the source to verify that this is the current version before use.

TABLE II. Examination of preparation for delivery requirements (cont'd)

| Examine | Defect |
|---|---|
| Intermediate package | Not within specified weight of contents.<br>Not within specified box dimensions.<br>Not closed in accordance with requirements of applicable box specification. |
| Unit package | Brushes improperly wrapped, bagged or boxed.<br>Closure of wraps or bags not as specified. |

4.2.2.1.1 Examination of shipping container. When shipping containers are required to comply with PPP-B-636, examination for defects in the closure, waterproofing and reinforcing shall be in accordance with the appendix of PPP-B-636.

4.2.2.1.2 Examination of intermediate packages. When intermediate packages are required to comply with PPP-B-566, PPP-B-636, or PPP-B-676, examinations for defects in closure shall be in accordance with the appendix of the applicable box specification.

4.2.2.2 Examination of palletization. An examination shall be made to determine whether the palletization complies with section 3 requirements. Defects shall be as listed in table III. The sample unit shall be one palletized unit load fully prepared for delivery. The lot shall be the number of palletized unit loads in the end item inspection lot. The inspection level shall be S-1 and the AQL shall be 6.5 defects per hundred units.

TABLE III. Visual defects, palletization

| Examine | Defect |
|---|---|
| Finished dimension | Length, width, or height exceeds specified maximum requirements. |
| Palletization | Not as specified.<br>Pallet pattern not as specified.<br>Interlocking of loads not as specified.<br>Load not bonded with required straps as specified. |
| Weight | Exceeds maximum load limits. |
| Marking | Omitted; incorrect; illegible; of improper size, location, sequence or method of application. |



Source: https://assist.dla.mil -- Downloaded: 202610-26T12:52Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Not applicable to this specification.

6. NOTES

6.1 Intended use. It is intended that this specification be used for reference in section 5 of the applicable commodity specifications and for direct reference in procurement documents.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number and date of this specification.
(b) Selection of applicable levels of preservation and packaging, and packing (see 3.1 and 3.2).
(c) When unit packaging is not required (see 3.1.1.2).
(d) When water or weather resistant intermediate boxes are desired for level A packaging (see 3.1.1.3.1.1).
(e) When weather resistant grade fiberboard shipping containers are required for level B shipment (see 3.2.2.1).
(f) When palletization is required (see 3.3).

6.3 Supersession data. PPP-B-1880 incorporates the requirements of Federal specifications PPP-B-1729 and PPP-B-1803.

Custodians:

Army - GL
Navy - YD
Air Force - 84

Review activities:

Army - SM
DSA - DH

User activities:

Army - ME
Navy - MC

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
AGR - APS
JUS - FPI

Project No. PACK-0508

U. S. GOVERNMENT PRINTING OFFICE : 1976 - 210-814/1089

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See Section2 of this specification to obtain extra copies and other documents referenced herein. Price 35 cents each.



Source: https://assist.dla.mil -- Downloaded: 202610-26T12:52Z
Check the source to verify that this is the current version before use.