PPP-P-1882
November 26, 1974

FEDERAL SPECIFICATION

PREPARATION FOR DELIVERY REQUIREMENTS FOR TEMPLATES, TRIANGLES, CURVES, PROTRACTORS AND RELATED DRAFTING AIDS

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the packaging, packing and marking requirements (see 6.1) for drafting templates, triangles, curves, protractors and related items as listed in 6.1.

1.2 Classification. This specification covers the packaging, packing and marking requirements (see 6.2) for drafting templates, triangles, curves, protractors and related items as listed in 6.1.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

PPP-B-566 - Boxes, Folding Paperboard.
PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-B-665 - Boxes, Paperboard, Metal Stayed (Including Stay Material).
PPP-B-676 - Boxes, Setup.

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications and Standards as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative bimonthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specification:

MIL-P-116 - Preservation, Methods of

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:52Z
Check the source to verify that this is the current version before use.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

National Motor Freight Traffic Association, Inc., Agent:

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza., Chicago, IL 60606.)

3. REQUIREMENTS

3.1 General. The drafting aids shall be packaged, packed and marked using the materials specified herein and in the applicable referenced documents. The materials not covered by reference specifications shall be free from all defects and imperfections which may effect their serviceability.

3.2 Packaging. Packaging shall be level A, B, or C as specified (see 6.2).

3.2.1 Level A.

3.2.1.1 Individual templates, triangles, curves, protractors and related drafting aids.

3.2.1.1.1 Unit packaging. Each template, triangle, curve, etc., shall be packed in accordance with Method IC-1 of MIL-P-116. Twelve of these wrapped items shall be further packaged in a close-fitting box conforming to PPP-B-636, class domestic, style optional. Closure of the boxes shall be in accordance with the appendix to PPP-B-636.

3.2.1.1.2 Intermediate packaging. Six unit packages (72 templates, triangles, curves, etc.) of like stock number, packaged as specified in 3.2.1.1.1 shall be further packaged in a close-fitting box conforming to PPP-B-636, class domestic, style optional. Closure of the boxes shall be in accordance with the appendix to PPP-B-636.

3.2.1.2 Sets (applicable to curves only).

3.2.1.2.1 Unit packaging. Each curve shall be packaged in accordance with Method IC-1 of MIL-P-116. The complete set shall then be further packaged in it's own case and placed in a close-fitting box conforming to PPP-B-636, class domestic, style optional. Closure of the boxes shall be in accordance with the appendix to PPP-B-636. Alternatively, each curve shall be individually wrapped in tissue paper and placed in their own case and placed in a close-fitting box conforming to PPP-B-636, class weather resistant, style optional. Closure and waterproof sealing of the boxes shall be in accordance with the appendix to PPP-B-636.

3.2.1.2.2 Intermediate packaging. Twelve sets of curves packaged as specified in 3.2.1.2.1 shall be further packaged in a close-fitting box conforming to PPP-B-636, class domestic, style optional. Closure of boxes shall be in accordance with the appendix to PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:52Z
Check the source to verify that this is the current version before use.

3.2.2 Level B.

3.2.2.1 Individual templates, triangles, curves, etc.

3.2.2.1.1 Unit packaging. Each template, triangle, curve, etc., shall be packaged in an envelope or bag constructed from glassine or kraft paper or polyethylene. Twelve of these wrapped items shall be further packaged in a close-fitting box conforming to PPP-B-566, PPP-B-665, PPP-B-676 or to PPP-B-636. Boxes shall be closed in accordance with the applicable box specification or appendix thereto.

3.2.2.1.2 Intermediate packaging. Six unit packages (72 templates, triangles, curves, etc.) of like stock number, packaged as specified in 3.2.2.1.1 shall be further packaged in a close-fitting box conforming to PPP-B-566, PPP-B-665, PPP-B-676 or PPP-B-636, class domestic, style optional. Boxes shall be closed in accordance with the applicable box specification or appendix thereto.

3.2.2.2 Sets (applicable to curves only).

3.2.2.2.1 Unit packaging. Each curve shall be individually wrapped in tissue paper and placed in the set box. The complete set shall then be packaged in a close-fitting box conforming to PPP-B-566, PPP-B-665, PPP-B-676 or to PPP-B-636, style optional. Boxes shall be closed in accordance with the applicable box specification or appendix thereto.

3.2.2.2.2 Intermediate packaging. Twelve sets of curves packaged as specified in 3.2.2.2.1 shall be further packaged in a close-fitting box conforming to PPP-B-636, class domestic, style optional. Closure of boxes shall be in accordance with the appendix to PPP-B-636.

3.2.3 Level C. Templates, triangles, curves, protractors and related drafting aids shall be packaged to insure protection during shipment and safe delivery at destination.

3.3 Packing. Packing shall be level A, B, or C as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Individual templates, triangles, curves, etc. Eight intermediate packages (576 templates, triangles, curves, etc.) of like stock number shall be packed in a close-fitting box conforming to PPP-B-636, class weather-resistant. Closure and waterproof sealing of the boxes shall be in accordance with the appendix to PPP-B-636.

3.3.1.2 Sets (applicable to curves only). Eight intermediate packages (96 sets) of curves shall be packed in a close-fitting box conforming to PPP-B-636, class weather resistant. Closure and waterproof sealing of the boxes shall be in accordance with the appendix to PPP-B-636.

3.3.2 Level B.

3.3.2.1 Individual templates, triangles, curves, etc. Eight intermediate packages (576 templates, triangles, curves, etc.) of like stock number shall be packaged in a close-fitting box conforming to PPP-B-636, class domestic. Closure of the boxes shall be in accordance with method II of the appendix to PPP-B-636.

3.3.2.2 Sets (applicable to curves only). Eight intermediate packages (96 sets) of curves shall be packed in a close-fitting box conforming to PPP-B-636, class domestic. Closure of the boxes shall be in accordance with method II of the appendix to PPP-B-636.

3.3.3 Level C. Templates, triangles, curves, etc., packaged as specified in 3.2.3 shall be packed to comply with the National Motor Freight Classification rules or the Uniform Freight Classification rules.

3.4 Marking. In addition to any special marking required by the contract or order, all marking shall be in accordance with 3.4.1 or 3.4.2 as specified (see 6.2).

3.4.1 Civil agencies. Marking shall be in accordance with Fed. Std. No. 123.

3.4.2 Military agencies. Marking shall be in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Inspection. An inspection shall be made to determine whether the packaging, packing and marking comply with the requirements of section 3 of this specification. Defects shall be scored in accordance with table I. For inspection of interior packaging, the sample unit shall be one shipping container fully prepared for delivery, selected at random just prior to the closing operations. Sampling shall be in accordance with MIL-STD-105. Defects of closure listed shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-2 with an AQL of 4.0 defects per hundred units.

TABLE I. Classification of Defects

Examine	Defects
Markings	Omitted; incorrect; illegible; improper size, location, sequence or method of application.
Material	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, loose strapping, inadequate stapling, or distortion of container.
Contents	Quantity per container is more or less than required. Gross weight exceeds the requirements of the box specification.

5. PREPARATION FOR DELIVERY

Not applicable.

6. NOTES

6.1 Intended use. It is intended that this specification be used for reference in section 5 of commodity specifications for drafting aids such as layout templates, circle templates, triangles, lettering line guides, protractors and french, mechanical engineers, railroad and ship curves and for direct reference in procurement documents.

6.2 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

(a) Title, number and date of this specification.
(b) Levels of packaging and packing required (see 3.2 and 3.3).
(c) Whether civil or military marking is required (see 3.4).
(d) Description of item to be packaged, packed and marked (see 6.1).

1/ Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See Section 2 of this specification to obtain extra copies and other documents referenced herein. Price 25 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:52Z
Check the source to verify that this is the current version before use.