INCH-POUND

MIL-F-52618/4C(ME)
29 June 1990
SUPERSEDING
MIL-F-52618/4B(ME)
20 August 1980

MILITARY SPECIFICATION SHEET

FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED)

150-POUND


TEES (REDUCING SIZES)

This specification is approved for use within the USA Belvoir Research, Development and Engineering Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the fittings described herein shall consist of this document and the latest issue of specification MIL-F-52618.

REQUIREMENTS:

The fitting shall be as shown in figure 1.



A-TEE REDUCING


FIGURE 1. Tee, reducing.

X-3532

AMSC N/A
FSC 4730
DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

The size of the reducing tees shall be identified as specified herein. The size of the largest run opening shall be given first, followed by the size of the opening at the opposite end of the run. The size of the side outlet or brance is given last.



4x3x2 tee

1x1x1-½ tee

Part or identifying number. The military specification sheet number, size code numbers, threaded direction code letter and finish code letter are combined to form the specification part or identifying number. PIN numbers are assigned as follows:




TABLE I. Size code numbers for reducing tees.

Size code numbers	Nominal pipe size
405	1/2 x 1/2 x 3/8
406	1/2 x 1/2 x 1/4
410	3/4 x 3/4 x 1/2
411	3/4 x 3/4 x 3/8
412	3/4 x 3/4 x 1/4
413	3/4 x 1/2 x 3/4
414	3/4 x 1/2 x 1/2
415	1/2 x 1/2 x 3/4
416	1 x 1 x 3/4
417	1 x 1 x 1/2
418	1 x 1 x 3/8
419	1 x 3/4 x 1
420	1 x 3/4 x 3/4
421	1 x 3/4 x 1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE I. Size code numbers for reducing tees. (Cont'd)

Size code numbers	Nominal pipe size
422	1 x 1/2 x 1
423	1 x 1/2 x 3/4
424	1 x 1/2 x 1/2
425	1 x 3/8 x 1
427	3/4 x 3/4 x 1
428	1-1/4 x 1-1/4 x 1
429	1-1/4 x 1-1/4 x 3/4
430	1-1/4 x 1-1/4 x 1/2
431	1-1/4 x 1 x 1-1/4
432	1-1/4 x 1 x 1
433	1-1/4 x 1 x 3/4
434	1-1/4 x 1 x 1/2
435	1-1/4 x 3/4 x 1-1/4
436	1-1/4 x 3/4 x 1
437	1-1/4 x 3/4 x 3/4
438	1-1/4 x 1/2 x 1-1/4
439	1-1/4 x 1/2 x 1
440	1 x 1 x 1-1/4
441	1-1/2 x 1-1/2 x 1-1/4
442	1-1/2 x 1-1/2 x 1
443	1-1/2 x 1-1/2 x 3/4
444	1-1/2 x 1-1/2 x 1/2
445	1-1/2 x 1-1/4 x 1-1/2
446	1-1/2 x 1-1/4 x 1-1/4
447	1-1/2 x 1-1/4 x 1
448	1-1/2 x 1-1/4 x 3/4
449	1-1/2 x 1-1/4 x 1/2
450	1-1/2 x 1 x 1-1/2
451	1-1/2 x 1 x 1-1/4
452	1-1/2 x 1 x 1
453	1-1/2 x 3/4 x 1-1/2
454	1-1/2 x 3/4 x 1-1/4
455	1-1/2 x 1/2 x 1-1/2
456	1-1/4 x 1-1/4 x 1-1/2
457	1-1/4 x 1 x 1-1/2
458	1 x 1 1-1/2
459	2 x 2 x 1-1/2
460	2 x 2 x 1-1/4
461	2 x 2 x 1
462	2 x 2 x 3/4
463	2 x 2 x 1/2
464	2 x 1-1/2 x 2
465	2 x 1-1/2 x 1-1/2
466	2 x 1-1/2 x 1-1/4
467	2 x 1-1/2 x 1
468	2 x 1-1/2 x 3/4
469	2 x 1-1/2 x 1/2
470	2 x 1-1/4 x 2
471	2 x 1-1/4 x 1-1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE I. Size code numbers for reducing tees. (Cont'd)

Size code numbers	Nominal pipe size
472	2 x 1-1/4 x 1-1/4
473	2 x 1-1/4 x 1
474	2 x 1 x 2
475	2 x 1 x 1-1/2
476	2 x 1 x 1-1/4
477	2 x 3/4 x 2
478	2 x 1/2 x 2
479	1-1/2 x 1 x 2
480	1-1/4 x 1-1/4 x 2
481	1-1/2 x 1-1/2 x 2
482	1-1/2 x 1-1/4 x 2
483	2-1/2 x 2-1/2 x 2
484	2-1/2 x 2-1/2 x 1-1/2
485	2-1/2 x 2-1/2 x 1-1/4
486	2-1/2 x 2-1/2 x 1
487	2-1/2 x 2-1/2 x 3/4
488	2-1/2 x 2-1/2 x 1/2
489	2-1/2 x 2 x 2-1/2
490	2-1/2 x 2 x 2
491	2-1/2 x 2 x 1-1/2
492	2-1/2 x 2 x 1-1/4
493	2-1/2 x 2 x 1
494	2-1/2 x 2 x 3/4
495	2-1/2 x 2 x 1/2
496	2-1/2 x 1-1/2 x 2-1/2
497	2-1/2 x 1-1/2 x 2
498	2-1/2 x 1-1/2 x 1-1/2
499	2-1/2 x 1-1/4 x 2-1/2
500	2-1/2 x 1-1/4 x 2
501	2-1/2 x 1 x 2-1/2
502	2-1/2 x 1 x 2
503	2-1/2 x 3/4 x 2-1/2
504	2-1/2 x 1/2 x 2-1/2
505	2 x 2 x 2-1/2
506	2 x 1-1/2 x 2-1/2
507	2 x 1-1/4 x 2-1/2
508	1-1/2 x 1-1/2 x 2-1/2
509	3 x 3 x 2-1/2
510	3 x 3 x 2
511	3 x 3 x 1-1/2
512	3 x 3 x 1-1/4
514	3 x 3 x 3/4
515	3 x 3 x 1/2
516	3 x 2-1/2 x 3
517	3 x 2-1/2 x 2-1/2
518	3 x 2-1/2 x 2
519	3 x 2-1/2 x 1-1/2
520	3 x 2-1/2 x 1-1/4
521	3 x 2-1/2 x 1
522	3 x 2 x 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

the weapon is zeroed on target center for the next

TABLE I. Size code numbers for reducing tees. (Cont'd)

Size code numbers	Nominal pipe size
523	3 x 2 x 2-1/2
524	3 x 2 x 2
525	3 x 2 x 1-1/2
526	3 x 1-1/2 x 3
527	3 x 1-1/4 x 3
528	3 x 1 x 3
529	3 x 3/4 x 3
530	2-1/2 x 2-1/2 x 3
531	2-1/2 x 2 x 3
532	2 x 2 x 3
533	3-1/2 x 3-1/2 x 3
534	3-1/2 x 3-1/2 x 2-1/2
535	3-1/2 x 3-1/2 x 2
536	3-1/2 x 3-1/2 x 1-1/2
537	3-1/2 x 3-1/2 x 1-1/4
538	3-1/2 x 3-1/2 x 1
539	3-1/2 x 3 x 3
540	3-1/2 x 3 x 2-1/2
541	3-1/2 x 3 x 2
542	3-1/2 x 3 x 1-1/2
543	3-1/2 x 2-1/2 x 3-1/2
544	3-1/2 x 2-1/2 x 3
545	3-1/2 x 2-1/2 x 2-1/2
546	3-1/2 x 2 x 3-1/2
547	3-1/2 x 1-1/2 x 3-1/2
548	3-1/2 x 1-1/4 x 3-1/2
549	3-1/2 x 1 x 3-1/2
550	3 x 3 x 3-1/2
551	4 x 4 x 3-1/2
552	4 x 4 x 3
553	4 x 4 x 2-1/2
554	4 x 4 x 2
555	4 x 4 x 1-1/2
556	4 x 4 x 1-1/4
557	4 x 4 x 1
558	4 x 4 x 3/4
559	4 x 3-1/2 x 4
560	4 x 3-1/2 x 3-1/2
561	4 x 3-1/2 x 3
562	4 x 3-1/2 x 2-1/2
563	4 x 3-1/2 x 2
564	4 x 3-1/2 x 1-1/2
565	4 x 3-1/2 x 1-1/4
566	4 x 3 x 4
567	4 x 3 x 3
568	4 x 3 x 2-1/2
569	4 x 3 x 2
570	4 x 2-1/2 x 4
571	4 x 2-1/2 x 3
572	4 x 2-1/2 x 2-1/2

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.

TABLE I. Size code numbers for reducing tees. (Cont'd)

Size code numbers	Nominal pipe size
573	4 x 2 x 4
574	4 x 2 x 3
575	4 x 2 x 2
576	4 x 1-1/2 x 4
577	4 x 1-1/4 x 4
578	4 x 1 x 4
579	3-1/2 x 3-1/2 x 4
580	3 x 3 x 4
581	2-1/2 x 2-1/2 x 4
582	2 x 2 x 4
583	5 x 5 x 4
584	5 x 5 x 3-1/2
585	5 x 5 x 3
586	5 x 5 x 2-1/2
587	5 x 5 x 2
588	5 x 5 x 1-1/2
589	5 x 5 x 1-1/4
590	5 x 5 x 1
591	5 x 4 x 5
592	5 x 4 x 4
593	5 x 4 x 3-1/2
594	5 x 4 x 3
595	5 x 4 x 2-1/2
596	5 x 4 x 2
597	5 x 4 x 1-1/2
598	5 x 3 x 5
599	5 x 3 x 4
600	5 x 3 x 3
601	5 x 2-1/2 x 5
602	5 x 2 x 5
603	4 x 4 x 5
604	6 x 6 x 5
605	6 x 6 x 4
606	6 x 6 x 3
607	6 x 6 x 2-1/2
608	6 x 6 x 2
609	6 x 6 x 1-1/2
610	6 x 6 x 1-1/4
611	6 x 6 x 1
612	6 x 5 x 6
613	6 x 5 x 5
614	6 x 5 x 4
615	6 x 5 x 3
616	6 x 5 x 2-1/2
617	6 x 5 x 2
618	6 x 4 x 6
619	6 x 4 x 5
620	6 x 4 x 4
621	6 x 3 x 6
622	6 x 3 x 3

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:27Z
Check the source to verify that this is the current version before use.

a. Minimum ... F(60°C ± 28°C). Specimens shall be conditioned for

TABLE I. Size code numbers for reducing tees. (Cont'd)

Size code numbers	Nominal pipe size
623	6 x 2-1/2 x 6
624	6 x 2 x 6
625	5 x 5 x 6
626	5 x 3 x 6
627	4 x 4 x 6
628	8 x 8 x 6
629	8 x 8 x 5
630	8 x 8 x 4
631	8 x 8 x 3
632	8 x 8 x 2-1/2
633	8 x 8 x 2
634	8 x 6 x 8
635	8 x 6 x 6
636	8 x 4 x 8
637	6 x 6 x 8

TABLE II. Thread direction code letter.

Code letter	Thread direction
X	Right-hand
Y	Left-hand
Z	Right-hand Left-hand

TABLE III. Finish code letters.

Code letter	Finish
A	As cast
B	As extruded
C	Anodized

Custodian:
Army - ME

Review activity:
DLA - CS

User activity:
Army - CE

Preparing activity:
Army - ME

Project 4730-A733

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:27Z
Check the source to verify that this is the current version before use.