INCH-POUND
A-A-59326/10A
May 1, 2003
SUPERSEDING
A-A-59326/10
September 25, 1998

COMMERCIAL ITEM DESCRIPTION SPECIFICATION SHEET

COUPLING HALF, CAP, DUST, TYPE IX

The General Services Administration has authorized the use of this commercial item description, for all federal agencies.

The complete requirements for procuring couplings described herein shall consist of this document and the latest issue in effect of A-A-59326A.

1. SCOPE. This specification covers a Coupling Half Dust Cap, Type IX to be used in conjunction with a male type cam lock coupling half.

2. CLASSIFICATION. The size of the dust cap is designated in table 1.

TABLE 1. Coupling half, size.

Dash No.	Cam-Lock Nom. Size	Gasket Reqd
1	½	-1
2	¾	-2
3	1	-3
4	1 ¼	-4
5	1 ½	-5
6	2	-6
7	2 ½	-7
8	3	-8
9	4	-9
10	6	-10

Sizes are in Inches.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent by letter to: US Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-D/210, 6501 E. 11 Mile Road, Warren, MI 48397-5000.

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS. The following characteristics differ from those listed in A-A-59326.


3.1 Accessories. The coupling shall be supplied with pull rings, key ring with chain and gasket indicated.

3.2 Sash chain. The key ring shall attach a sash chain consisting of 19 links minimum, size 35 in accordance with ASTM A466, as shown in figure 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.



STYLE A



STYLE B

NOTES: 1. The size of the coupling assembly shall conform to table 1.
2. Dimensions are in inches.

FIGURE 1. Coupling half.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.

4. NOTES.

4.1 Part identification number (PIN). An example of a PIN for couplings acquired to this specification sheet is: *AA59326/10-1; /10 indicates a Coupling Half Dust Cap, Type IX; -1 indicates a nominal size of 1-inch.

4.2 International Standardization. Certain provisions of this specification (dimensions) are the subject of international standardization agreement (see A-A-59326).

MILITARY INTERESTS:

Custodians:
Army - AT
Navy - YD
Air Force - 99

Review Activities:
Army - AV, GL
Navy - MC, SH
Air Force - 71
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

Preparing Activity:
Army - AT

(Project 4730-2029-010)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.