
INCH-POUND
A-A-59326/13A
May 1, 2003
SUPERSEDING
A-A-59326/13
September 25, 1998

COMMERCIAL ITEM DESCRIPTION SPECIFICATION SHEET

REDUCER, MALE BY EXTERNAL PIPE THREAD, TYPE XII

The General Services Administration has authorized the use of this commercial item description specification sheet, for all federal agencies.

The complete requirements for procuring couplings described herein shall consist of this document and the latest issue in effect of A-A-59326A.



NOTES: 1. The size of the coupling assembly shall conform to table 1.
2. Dimensions are in inches.

FIGURE 1. Reducer.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent by letter to: US Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-D/210, 6501 E. 11 Mile Road, Warren, MI 48397-5000.

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.

1. SCOPE. This specification covers a male by external pipe thread adapter to be used in conjunction with pipes and fittings having internal pipe threads and female cam locking coupling halves.

2. CLASIFICATION. The size of the reducers is designated in table 1.

TABLE 1. Coupling size.

Dash Number	Size	Thread NPT	Cam-Lock Nom. Size
1	4 x 3	4-8	3
2	3 x 2	3-8	2
3	2 x 1	2-11 ½	1
4	6 x 4	6-8	4
5	1 ½ x 2	1 ½-11 ½	2
6	2 x 1 ½	2-11 ½	1 ½
7	3 x 4	3-8	4
8	1 x 1 ½	1-11 ½	1 ½
Sizes are in Inches			

3. SALIENT CHARACTERISTICS. The following characteristics differ from those listed in A-A-59326A.

3.1 Threads. The coupling threads shall conform to National Tapered Pipe Thread per ANSI/ASME B1.20.1.

3.2 Hydrostatic test pressure. The ½ through 6-inch couplings shall withstand a hydrostatic test pressure of 300 pounds per square inch gage (psig).

4. NOTES.

4.1 Part Identification Number (PIN). The following PIN procedure is for government purposes and does not constitutes a requirement for the contractor. This example describes a part numbering system for specification sheet A-A-59326/13A

AA59326A/13-4-A; /13 indicates a Male by External Reducer, -4 indicates a 4 - inch nominal size and A indicates an aluminum body.

Material: A - Aluminum
B - Copper Alloy (Brass or Bronze)
BA - Aluminum Bronze
SS - Stainless Steel

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.

4.2 International standardization. Certain provisions of this specification (dimensions) are the subject of international standardization agreement (see A-A-59326A).

MILITARY INTERESTS:

Custodians:
Army - AT
Navy - YD
Air Force - 99

Review Activities:
Army - AV, GL
Navy - MC, SH
Air Force - 71
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FSS

Preparing Activity:
Army - AT

(Project 4730-2029-013)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.