INCH-POUND
A-A-59326/15A
May 1, 2003
SUPERSEDING
A-A-59326/15A
September 25, 1998

COMMERCIAL ITEM DESCRIPTION SPECIFICATION SHEET

ADAPTER, 45°, FEMALE THREAD SWIVEL COLLAR BY MALE (TANK CAR), TYPE XV

The General Services Administration has authorized the use of this commercial item description specification sheet, for all federal agencies.

The complete requirements for procuring couplings described herein shall consist of this document and the latest issue in effect of A-A-59326A.

1. SCOPE. This specification covers Female Thread Swivel Collar By Male Tank Car Adapter.

2. CLASSIFICATION. The size of the coupling half is designated in table 1.

3. SALIENT CHARACTERISTICS. The following characteristics differ from those listed in A-A-59326A.

3.1 Accessories. The coupling shall be supplied with gasket indicated.

3.1.1 Gasket. The gasket shall conform to A-A-59326A except that the dimensions shall be as specified in figure 1.

3.2 Threads. The coupling threads shall conform to Unified Inch Screw Threads in accordance with ANSI/ASME B1.1.

3.3 Hydrostatic pressure. The adapter shall withstand a hydrostatic test pressure of 150 pounds per square inch gage.


3.4 Working pressure. The adapter shall be rated for 100 pounds per square inch.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent by letter to: US Army Tank-automotive and Armaments Command, ATTN: AMSTA-TR-D/210, 6501 E. 11 Mile Road, Warren, MI 48397-5000.

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.



NOTES: 1. For interpretation of geometric tolerancing symbology, see ASME Y14.5M.
2. Dimensions are in inches; unless otherwise specified hereon, tolerances shall be ± .02.

FIGURE 1. Adapter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.




FIGURE 1. Adapter - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.

4. NOTES.

4.1 Part Identification Number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor. This example describes a part numbering system for specification sheet A-A-59326/15A.

AA59326/15A-SS; /15A indicates a Tank Car Adapter; SS indicates Stainless Steel.

Materials: A - Aluminum
B - Copper Alloy (Brass or Bronze)
BA - Aluminum Bronze
SS - Stainless Steel

4.2 International standardization. Certain provisions of this specification (dimensions) are the subject of international standardization agreement (see A-A-59326/A).

MILITARY INTERESTS:

Custodians:
Army - AT
Navy - YD
Air Force – 99

Review Activities:
Army - AV, GL
Navy - MC, SH
Air Force - 71
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FSS

Preparing Activity:
Army - AT

(Project 4730-2029-015)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:11Z
Check the source to verify that this is the current version before use.