INCH-POUND


MIL-DTL-3628/271
5 January 2017

DETAIL SPECIFICATION SHEET

BADGE, DEFENSE HEALTH AGENCY

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of MIL-DTL-3628.




ASSEMBLED



BASE




DEVICE

DASH NO.
-1: Regular Size
-2: Miniature Size



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:27Z
Check the source to verify that this is the current version before use.

MATERIAL: Red Brass 85/15 (UNS Alloy No. C-230)

FINISH:
BASE: Epoxy resin, 24K Gold Plated, Mirror Like Polish and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 6.
DEVICE: Epoxy resin, Nickel Plated, Mirror - like Polished and shall match TIOH Metal Finish Chip Number 16.

DIMENSIONS:
DIAMETER (BASE):
-1: 2 inches (REF)
-2: 1-1/2 inches (REF)
HEIGHT (DEVICE):
-1: 1-5/8 inches (REF)
-2: 1-7/32 inches (REF)
THICKNESS (At edge):
BASE: 0.100 inch $\pm$ 0.010 inch
DEVICE: 0.095 inch $\pm$ 0.010 inch
ASSEMBLED (Overall): 0.185 inch $\pm$ 0.010 inch

ATTACHING DEVICE:
1. The attaching device for -1, -2 shall be three (3) prongs and flat ball clutch.

2. For -1, three prongs shall be located on the reverse, on an approximate 1-3/4 inch diameter circle. Each prong shall be placed 120 degrees apart with the bottom prong located on the vertical centerline at the bottom of the badge. For -2, three prongs shall be located on the reverse, on an approximate 1-1/4 inch diameter circle. Each prong shall be placed 120 degrees apart with the bottom prong located on the vertical centerline at the bottom on the badge.

EPOXY: Epoxy resin shall be applied to the Badge Qualification as indicated above, and shall match TIOH Hard Enamel Color Chip Numbers listed below. Hard cloisonné enamel may be used in lieu of epoxy. If hard cloisonné enamel is used, the required base material shall be Gilding Metal 95/5 (UNS Alloy C-210).

| TIOH HARD ENAMEL COLOR CHIPS | | |
|---|---|---|
| COLOR | CHIP # | LOCATION |
| Red | 1 | Right side of Device |
| Green | 11 | Snake |
| Blue | 18 | Left side of Device |
| White | 28 | Scroll/Stars of Device |
| Blue | 33 | Base |
| Trans. Yellow | 37 | Staff |

NOTE:
The term (REF) refers to the measurements taken from the Government furnished hub or die.


Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:27Z
Check the source to verify that this is the current version before use.

Custodian:
Army - IH

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2017-107)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:27Z
Check the source to verify that this is the current version before use.