METRIC
DoD-D-64015 (AR)
AMENDMENT 2
19 AUGUST 1985
SUPERSEDING
AMENDMENT 1
5 JUNE 1984

MILITARY SPECIFICATION

DIETHYLENE GLYCOL DINITRATE (DEGDN)
(For Use in Ammunition)

This Amendment forms a part of Military Specification DoD-D-64015 (AR), dated 14 June 1983, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Preamble, line 1: Delete "Research" and substitute "Munitions".

line 2: Delete "Development" and substitute "Chemical".

Markings: Delete proprietary sticker.

PAGE 2

* 2.1.1, SPECIFICATIONS: Add as follows:

"MIL-N-246 NITROGLYCERIN"

PAGE 3

* 2.2, Delete in their entirety as follows:

"ASTM E168	General Techniques of Infrared Quantitative Analysis
ASTM D2905	Statement on Number of Specimens Required to Determine the Average Quality of a Textile Material"

FSC 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:09Z
Check the source to verify that this is the current version before use.

PAGE 4

* 3.2.1, Delete paragraph in its entirety.

PAGE 6

* Table 1, line 3: Delete "Infrared (info. only), 3.2.1, 4.5.1" in its entirety.

PAGE 7

* 4.4.3.1, Delete in its entirety and substitute as follows:

"4.4.3.1 Sampling. - The DEGDN shall be sampled in accordance with established procedures of the manufacturing agency. A representative sample of approximately 60 ml shall be removed from each batch of the lot. The DEGDN shall be transferred to a rubber bottle fitted with a stopper (See 6.3) and the sample shall be properly identified. The sample shall be tested in accordance with the applicable methods given in 4.5. If the sample fails to meet any of the test requirements, the batch of the lot shall be rejected. MIL-STD-105 shall apply for defect classification given in Table 2."

* 4.4.3.2, Delete paragraph in its entirety.

PAGE 8

4.4.3.4, line 6: Delete "Major" and substitute "Major 1/".

Add to end of Paragraph "1/ When the DEGDN is used at the point of manufacture in the production of propellant by the water slurry method or by the water emulsion method, the moisture requirement shall not apply."

* 4.5.1, Delete paragraph in its entirety.

* 4.5.3, line 2: Delete "See 6.6" in its entirety.

PAGE 9

* 4.5.5, Delete in its entirety and substitute as follows:

"4.5.5 Determination of stability. - The stability shall be determined in accordance with MIL-N-246, paragraph 4.3.4."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:09Z
Check the source to verify that this is the current version before use.

PAGE 10

6.1, line 2: Delete "ingredient in the 120mm system" and substitute "ingredient".

PAGE 11

6.4, line 2: Delete "ARRADCOM" and substitute "ARDC".

line 3: Delete "DRDAR-QAR-R" and substitute "DRSMC-QAR-R-(D)".

6.5, line 4: Delete "ARRADCOM, ATTN: DRDAR-QAR" and substitute "ARDC, ATTN: DRSMC-QAR-(D)".

* 6.6, Delete paragraph in its entirety.

6.7, Add new paragraph 6.7 as follows:

"6.7 Contract data requirements. - One copy of all description sheets and firing records required by this specification shall be forwarded to:

Commander
U.S. Army Armament Research and Development Center
U.S. Army Armament Munitions and Chemical Command
ATTN: DRSMC-QAR-R(D)
DRSMC-LCA-G(D)
Dover, NJ 07801

Commander
U.S. Army Armament Munitions and Chemical Command
ATTN: DRSMC-QAD(R)
Rock Island, IL 61299".

*The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-A755)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:09Z
Check the source to verify that this is the current version before use.