MIL-C-63296(AR)
AMENDMENT 2
1 April 1985
SUPERSEDING
AMENDMENT 1
3 September 1982

MILITARY SPECIFICATION

CASE, CARTRIDGE, 105MM, M115B1

This amendment forms a part of Military Specification MIL-C-63296 (AR) dated 22 January 1980 and is approved for use by the US Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1: STANDARDS MILITARY

Add "MIL-STD-105 - Sampling Procedures and Table for Inspection by Attributes".

PAGE 4

* 3.8.4:

Delete "No cartridge case shall have a burr." and substitute "Burrs shall be limited to those described in 105mm Cartridge Case 'Visual Defect Standards'."

PAGE 5

4.3.1:

Change "254*" to "262".

Delete the following sentence in its entirety: "*All samples must meet the requirements for thermal treatment and high stress expansion test as performed in the uncoated state."

FSC: 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:34Z
Check the source to verify that this is the current version before use.

PAGE 6

Table I - First Article Inspection:

Cartridge Case - Prior to Coating: Delete the following:

"Macro examination	4	3.8.2	4.5.5
Tension Test (Info Only)	4	3.3	4.5.4"

Cartridge Case - After Coating:

Change "254" to "262"

Add:	"Tension Test (Info Only)	4	3.3	4.5.4
	Macro Examination	4	3.8.2	4.5.5"

PAGE 8

4.4.2.1:

Delete Major Defects 101, 103, 104, 105, 106 and 107 in their entirety.

Major Defect 117, change "Gage" to "Visual"

PAGE 9

4.4.2.1: Minor Defect 208, change "3.8" to "3.8.4 and 3.8.5".

PAGE 10

* 4.4.2.2:

Major Defect 101 delete "4.5.7.1" and substitute "4.5.7"

Major Defect 105, after 100%" add "(a)".

Major Defect 117, delete "...inadequate or..." delete "4.5.6" and substitute "visual".

Add the following Major Defects:

"118 Thermal treatment		100%	(a)	3.3.1	4.5.1
119 Hardness	4	(b)		3.3	4.5.3
120 Macro examination	4	(b)		3.8.2	4.5.5"

Add "Note (b). Reject on one defect
Note (c). Sample used for the hardness test shall be used in the tension test (See 4.5.4)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:34Z
Check the source to verify that this is the current version before use.

PAGE 11

4.4.2.2:

Minor Defect 207, change "3.8" to "3.8.4 and 3.8.5".

Add the following defect:

"Special

301	Tension test (Information Only)	(c)		3.3	4.5.4".

PAGE 12

4.4.2.3:

Major Defect, delete "None defined."

Add Major Defect 101:

"101	Cracks and other metal defects (cartridge cases) just prior to packing into carton	100%	3.8.1	Visual"

PAGE 15

4.5.4: Delete this paragraph in its entirety and substitute:

"Tension test (Information Only). Four cartridge cases from each lot shall be subjected to this test. The test specimens shall be taken from each cartridge case in accordance with the standard position and size of the tensile specimen chart described in Figure 1. The yield strength, tensile strength and elongation shall be determined in accordance with the procedures prescribed by ASTM-E8. The results shall be recorded for information only."

* 4.5.6.1:

Last sentence, Delete "...rejection of the lot." and substitute "...testing additional samples in accordance with MIL-STD-105, Inspection Level II, 0.40% AQL."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:34Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with an asterisk (*) to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

Project 1315-A687

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:34Z
Check the source to verify that this is the current version before use.