MIL-I-23145B
AMENDMENT 3
16 October 1985
SUPERSEDING
AMENDMENT 2
17 January 1984

MILITARY SPECIFICATION

INFLATION ASSEMBLIES, LIFE PRESERVER

This amendment forms a part of Military Specification MIL-I-23145B, dated 15 January 1982, and is approved for use by-all Departments and Agencies of the Department of Defense.

Page 4

Add paragraph: "3.3.2.2.3 Set screw. The set screws, for the Type I and III inflation assembles, when applicable, and the Type 11 inflation assembly, shall be fabricated from corrosion resistant steel conforming to QQ-S-763, Class 303, Condition A. The threads shall conform to Figures 3 and 5, as applicable, and H-28 . "

Add paragraph: "3.3.2.2.4 Type I and 111. When specified, the Type I and III inflation assembly set screw shall be a slotted, headless type, with a flat point, conforming to Figure 3. Unless otherwise specified, the Type I and III inflation assemblies shall not contain the set screw."

Add paragraph: "3.3.2.2.5 Type 11. The Type II inflation assembly set screw shall have a slotted head and a flat point, with a nylon insert on the lower portion, conforming to Figure 5. The set screw shall not damage the threads of the carbon dioxide filled cylinder."

Page 5

Paragraph 3.4.2 Line 3 - Delete "60" and substitute "67".

Page 12

5.1.1 Level A. Delete first sentence in its entirety and substitute: "Each inflation assembly shall be cleaned in accordance with MIL-P-116, process C-1 and preserved and packaged in accordance with MIL-P-116, Method III utilizing a heat sealed polyethylene bag." Delete last sentence.

5.1.1.1 Unit Package. Delete first sentence and substitute: "Immediately after cleaning each assembly, place the bagged gaskets and inflation assembly into a clear polyethylene bag."

FSC 4220

DISTRIBUTION STATEMENT A, Approved for public release: distribution Is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T15:42Z
Check the source to verify that this is the current version before use.

Page 22

Delete Figure 3 of MIL-I-23145B and substitute Figure 3 of this Amendment.

Page 28

Delete Figure 9 of MIL-I-23145B and substitute Figure 9 of this Amendment.

Custodians:
Navy-AS

Air Force-99


Review Activities:
Army-AV
Navy-SH
Air Force-n

User Activities:
Navy-YD, MC
Army-ME

Preparing Activity
Navy-AS
(Project No. 4220-0310)

FSC 4220

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T15:42Z
Check the source to verify that this is the current version before use.



DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE AS SPECIFIED IN FIGURE 1.

FIGURE 3. **PIERCING** PIN, **SEAT SEAL** GASKET, **AND** SET SCREW DETAILS **FOR TYPE I** AND TYPE III INFLATION ASSEMBLIES

Source: https://assist.dla.mil -- Downloaded: 20261O-19T15:42Z
Check the source to verify that this is the current version before use.




FIGURE 9. SECTIONS H-H AND J-J FOR TYPE III INFLATION ASSEMBLY

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T15:42Z
Check the source to verify that this is the current version before use.