NOT MEASUREMENT SENSITIVE

MIL-DTL-3943/335C(IH)
16 March 2023
SUPERSEDING
MIL-DTL-3943/335B(IH)
7 May 2018

DETAIL SPECIFICATION SHEET

DECORATION, NATIONAL INTELLIGENCE CROSS
OFFICE OF THE DIRECTOR OF NATIONAL INTELLIGENCE

This specification is approved for use by all
Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet, the latest issue of MIL-DTL-3943, and a request from the Office of the Director of National Intelligence.



OBVERSE REVERSE

DASH NO.
-1: Regular Size
-2: Miniature Size

MATERIAL: Red Brass 85/15 (UNS Alloy C-230)

FINISH: Epoxy resin (Stoning epoxy), 24K Gold Plated, Matte Finish, Polished Highlights and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 8.

DIMENSIONS: (Not including Lug)
HEIGHT:
-1: 1-1/2 inches (REF)
-2: 3/4 inch (REF)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:08Z
Check the source to verify that this is the current version before use.

WIDTH:
-1: 1-1/2 inches (REF)
-2: 3/4 inch (REF)
THICKNESS (At thickest point)
-1: 0.185 inch ± 0.010 inch
-2: 0.170 inch ± 0.010 inch

DECORATION SET: Decoration set shall consist of a Regular size medal, a Miniature size medal, a Service Ribbon and a Lapel Button. All packaged in a presentation case conforming to MIL-DTL-14633, Type XVI with a Class 1 or 3 pad.

NOTES:
1. The term (REF) refers to the measurements taken from the Government furnished hub or die.

2. The obverse highlights of the Cross Base shall be polished prior to proper placement of the Sub-Rosa device to the obverse surface of the Base.

3. . The specification slash sheet for the ribbon for the pendant drape and service ribbon is MIL-DTL-11589/619

4. The specification slash sheet for the lapel button is MIL-DTL-11484/325.

5. If hard enamel is used then the material will be Gilding Metal 95/5 (UNS Alloy C-210)

6. A copy of the original purchase order form the Office of the Director of National Intelligence must accompany all written requests prior to the loan of Government hub or die.

7. This item is not authorized for commercial sale, and may be produced only under Government contract and at the request of the Office of the Director of National Intelligence.

EPOXY: Epoxy resin shall be applied to the lapel button as indicated above, and shall match TIOH Hard Enamel Color Chip Numbers listed below.

TIOH HARD ENAMEL COLOR CHIP	
COLOR	**CHIP NUMBER**
Dark Blue	#20

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:08Z
Check the source to verify that this is the current version before use.

Custodian:
Army - IH

Preparing activity:
Army - IH

Review activity:
DLA - CT

(Project No. 8455-2023-114)

Civil Agency:
ODNI - NIAP

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T02:08Z
Check the source to verify that this is the current version before use.