
FED. SUP CLASS
4730



(a) S (PITCH) AND T (PITCH) TO BE CONCENTRIC WITHIN .010 TOTAL INDICATOR READING (TIR).
(b) DIAMETERS N, H, AND T (PITCH) SHALL BE CONCENTRIC WITHIN .005 TIR.
MATERIAL: STEEL; ALUMINUM ALLOY; CORROSION RESISTANT STEEL (CRES); TITANIUM ALLOY; BARS, SHAPES OR FORGINGS (SEE PROCUREMENT SPECIFICATION).
FINISH: SEE RPOCUREMENT SPECIFICATION.
NO CODE LETTER IN PART NUMBER FOR STEEL.
ADD D IN PLACE OF DASH FOR ALUMINUM ALLOY (EXCEPT 7075-T73).
ADD J IN PLACE OF DASH FOR CRES, TYPE 304.
ADD K IN PLACE OF DASH FOR CRES, TYPE 316.
ADD S IN PLACE OF DASH FOR CRES, TYPE 347.
ADD T IN PLACE OF DASH FOR TITANIUM ALLOY.
ADD W IN PLACE OF DASH FOR 7075-T73 ALUMINUM ALLOY.
TITANIUM IS NOT RECOMMENDED FOR USE IN OXYGEN SYSTEMS.
EXAMPLE OF PART NUMBERS:
MS24397-4 - REDUCER, 1/4 TO 3/4 TUBING, STEEL.
MS24397D4 - REDUCER, 1/4 TO 3/4 TUBING, ALUMINUM ALLOY (EXCEPT 7075-T73).
MS24398J4 - REDUCER, 1/4 TO 3/4 TUBING, CRES, TYPE 304.
MS24398K4 - REDUCER, 1/4 TO 3/4 TUBING, CRES, TYPE 316.
MS24397S4 - REDUCER, 1/4 TO 3/4 TUBING, CRES, TYPE 347.
MS24397T4 - REDUCER, 1/4 TO 3/4 TUBING, TITANIUM ALLOY.
MS24397W4 - REDUCER, 1/4 TO 3/4 TUBING, 7075-T73 ALUMINUM ALLOY.
IN ADDITION TO THE SAMPLING REQUIREMENTS OF THE PROCUREMENT SPECIFICATION, 100% OF THE REDUCERS OF A LOT SHALL BE INSPECTED FOR THE FOLLOWING: LENGTH AND DIAMETER OF THREAD RELIEF. SURFACE SMOOTHNESS OF THREAD RELIEF AND ADJACENT HEX FACE.
BREAK ALL SHARP EDGES AND REMOVE ALL HANGING BURRS AND SLIVERS.
DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: FRACTIONS ±1/64, ANGLES ±1/2°.
FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

(F) DENOTE CHANGES

APPROVED 14 FEB 57 REVISED (A) 19 JUN 61 (B) 10 FEB 67 (C) 12 AUG 75 (D) 16 JUN 78 (E) 22 MAR 79 (F) 16 Apr 82

User activities:
Review activities: ARMY-ME, AV
NAVY-AS
AIR FORCE-11

This Military Standard is approved for use by HQ AFLC CASO/LODS, Federal Center, Battle Creek, MI 49016, Department of the Air Force, and is available for use by all Departments and agencies of the Department of Defense.

P.A. AIR FORCE-99 (F) Other Cust AIR FORCE-99	TITLE REDUCER, BOSS, PRECISION TYPE	MILITARY STANDARD MS 24397
PROCUREMENT SPECIFICATION MIL-F-5509	SUPERSEDES: ~~AN839~~ (F)	SHEET 1 OF 3

DD FORM 672-1 Limited Coordination

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

4730-F278

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:53Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
4730

DASH NO.	INTERNALLY THREADED END			EXTERNALLY THREADED END						
	TUBING OD	THREAD S (REF)	C	TUBING OD	THREAD T (REF)	H +.010 -.000 DIA	K	L +.010 -.000	N +.002 -.003 DIA	P DIA
1	1/4	7/16-20UNJF-3B	3/8	5/16	1/2-20UNJF-3A	.206	3/8	.075	.427	13/32
2			11/32	3/8	9/16-18UNJF-3A		27/64	.083	.482	15/32
3			5/32	1/2	3/4 -16UNJF-3A	.383	15/32	.094	.660	5/8
31				5/8	7/8 -14UNJF-3A		17/32	.107	.773	3/4
4			13/64	3/4	1-1/16-12UNJ -3A		19/32	.125	.945	15/16
5				1	1-5/16-12UNJ -3A				1.195	1- 3/16
6				1-1/4	1-5/8 -12UNJ -3A				1.507	1- 1/2
7	5/16	1/2 -20UNJF-3B	11/32	3/8	9/16-18UNJF-3A	.257	27/64	.083	.482	15/32
8			5/16	1/2	3/4 -16UNJF-3A		15/32	.094	.660	5/8
81			5/32	5/8	7/8 -14UNJF-3A	.446	17/32	.107	.773	3/4
9			13/64	3/4	1-1/16-12UNJ -3A		19/32	.125	.945	15/16
10				1	1-5/16-12UNJ -3A				1.195	1- 3/16
11				1-1/4	1-5/8 -12UNJ -3A				1.507	1- 1/2
12	3/8	9/16-18UNJF-3B	5/16	1/2	3/4 -16UNJF-3A	.319	15/32	.094	.660	5/8
121				5/8	7/8 -14UNJF-3A	.502	17/32	.107	.773	3/4
13			13/64	3/4	1-1/16-12UNJ -3A		19/32	.125	.945	15/16
14				1	1-5/16-12UNJ -3A				1.195	1- 3/16
15				1-1/4	1-5/8 -12UNJ -3A				1.507	1- 1/2
151	1/2	3/4 -16UNJF-3B	7/16	5/8	7/8- 14UNJF-3A	.530	17/32	.107	.773	3/4
16			13/64	3/4	1-1/16-12UNJ -3A	.680	19/32	.125	.945	15/16
17				1	1-5/16-12UNJ -3A	.682			1.195	1- 3/16
18				1-1/4	1-5/8 -12UNJ -3A				1.507	1- 1/2
19	5/8	7/8 -14UNJF-3B		3/4	1-1/16-12UNJ -3A	.555			.945	15/16
20				1	1-5/16-12UNJ -3A	.798			1.195	1- 3/16
21				1-1/4	1-5/8 -12UNJ -3A				1.507	1- 1/2
22	3/4	1-1/16-12UNJ -3B		1	1-5/16-12UNJ -3A	.937			1.195	1- 3/16
23				1-1/4	1-5/8 -12UNJ -3A	.972			1.507	1- 1/2
24	1	1-5/16-12UNJ -3B				1.222				

APPROVED 14 FEB 57 REVISED (F) FOR CHANGES SEE PAGES 1, 2 & 3. 16 Apr 82

This Military Standard is approved for use by HQ AFLC CASO/LODS, Federal Center, Battle Creek, MI 49016, Department of the Air Force, and is available for use by all Departments and agencies of the Department of Defense.

Review activities: ARMY - ME, AV
NAVY - AS
AIR FORCE - 11

User activities:

P.A. AIR FORCE - 99
Other Cust (F)
AIR FORCE - 99

TITLE
REDUCER, BOSS, PRECISION TYPE

MILITARY STANDARD
MS 24397

PROCUREMENT SPECIFICATION
MIL-F-5509

SUPERSEDES: ~~AN893~~ (F)

SHEET 2 OF 3

DD FORM 672-1 Limited Coordination

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

4730-F278

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:53Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
4730

DASH NO.	G		M
1	.750	±.004	1- 7/64
2	.813		
3	1.000		25/32
31	1.125	±.005	27/32
4	1.375		31/32
5	1.625	±.016	
6	1.875		
7	.813	±.004	1- 7/64
8	1.000		
81	1.125	±.005	27/32
9	1.375		31/32
10	1.625	±.016	
11	1.875		
12	1.000	±.004	1-11/64
121	1.125	±.005	1- 7/32
13	1.375		31/32
14	1.625	±.016	
15	1.875		
151	1.125	±.005	1- 3/8
16	1.375		1-11/32
17	1.625	±.016	31/32
18	1.875		
19	1.375	±.005	1- 3/8
20	1.625	±.016	31/32
21	1.825		
22	1.625		1-27/64
23	1.875		31/32
24			1- 3/8

APPROVED 14 FEB 57 REVISED (F) FOR CHANGES SEE PAGES 1, 2 & 3. 16 Apr 82

User activities:
Review activities: ARMY - ME , AV
NAVY - AS
AIR FORCE - 11

This Military Standard is approved for use by HQ AFLC CASO/LODS, Federal Center, Battle Creek, MI 49016, Department of the Air Force, and is available for use by all Departments and agencies of the Department of Defense.

P.A. AIR FORCE - 99 (F)
Other Cust
AIR FORCE - 99

PROCUREMENT SPECIFICATION
MIL-F-5509

TITLE
REDUCER, BOSS, PRECISION TYPE

SUPERSEDES: ~~AN803~~ (F)

MILITARY STANDARD
MS 24397

SHEET 3 OF 3

DD FORM 1 SEP 87 672-1 Limited Coordination

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

4730-F278

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:53Z
Check the source to verify that this is the current version before use.