
FED.SUP CLASS.
5130




MATERIAL: STEEL, SPECIFICATION QQ-S-633, FS1030.

FINISH: MACHINE FINISH ALL OVER. CYANIDE HARDEN.

UNLESS OTHERWISE SPECIFIED, SHARP EDGES TO BE ROUNDED OFF TO .02 RADIUS.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.005

NOSE BLOCK



MATERIAL: STEEL, SPECIFICATION AN-S-57.

FINISH: AS ROLLED

SHARP EDGES TO BE ROUNDED OFF TO .02 RADIUS.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.010.

LATCH

APPROVED 15 Sep 53 REVISED

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


CUSTODIANS	OTHER INT.	MILITARY STANDARD	MS26506 (ASG)
Navy - BuAer Air Force	A - N - AF -	CUTTER - CABLE, AERIAL TOW TARGET, MK VII	
PROCUREMENT SPECIFICATION MIL-C-8614		SUPERSEDES: NAF DRAWING 227451 AND USAF DRAWING 46D6357	SHEET 1 OF 3

DD FORM 672-1
1 OCT 52

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:11Z
Check the source to verify that this is the current version before use.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FED. SUP CLASS.
5130




MATERIAL: STEEL, SPECIFICATION QQ-S-636.

FINISH: AS ROLLED.

SHARP EDGES TO BE ROUNDED OFF TO .01 RADIUS.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.010.

WIND PLATE



MATERIAL: STEEL, SPECIFICATION QQ-S-636.

FINISH: AS ROLLED.

SHARP EDGES TO BE ROUNDED OFF TO .01 RADIUS.

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.010

BODY

APPROVED 15 Sep 53 REVISED


CUSTODIANS	OTHER INT.	MILITARY STANDARD	MS26506 (ASG)
Navy - Buaer Air Force	A - N - AF -	CUTTER - CABLE, AERIAL TOW TARGET, MK VII	
PROCUREMENT SPECIFICATION MIL-C-6611		SUPERSEDES:	SHEET 2 OF


DD FORM 672-1
1 OCT 52

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:11Z
Check the source to verify that this is the current version before use.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FSC CLASS 5130





ASSEMBLY

ASSEMBLY DASH NO.	PIN
-1	

APPROVED 15 Sep 53 REVISED

CUSTODIANS	OTHER INT.
Navy - BuAer Air Force	A - N - AF -

MILITARY STANDARD

CUTTER - CABLE, AERIAL TOW TARGET, MK [illegible]

MS26506 (ASG)

PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 3 OF
MIL-C-8614		

DD FORM 672-1
1 OCT 52

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:11Z
Check the source to verify that this is the current version before use.